OWNER: COLEMAN JET SOLUTIONS, LLC
ADDRESS: 559 ROGER WILLIAMS AVE, #2
HIGHLAND PARK IL 60035
OFFICE: 847-748-8333
FAX:

OPERATOR: COLEMAN JET SOLUTIONS, LLC
ADDRESS: 559 ROGER WILLIAMS AVE, #2
HIGHLAND PARK IL 60035
OFFICE: 847-748-8333
FAX:

ANALYST: SHAWN SCROGGINS
EMAIL: SSCROGGINS@CAMPSYSTEMS.COM

316-462-2452 (DIRECT)
+1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;Profile Filter:AIRFRAME , ENGINE NO. 1, ENGINE NO. 2;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT

SERIAL/REGNO: FL-922/N130BD MODEL: SUPER KING AIR B300 (350ER) MANUFACTURER: TEXTRON AVIATION INC.

CERTIFICATION DATE: 15-MAY-2014

LAST ACTUALS:
1208.1 A/C HRS as of 02-SEP-2026
550 AFL as of 02-SEP-2026

ENGINE NO. 1

SERIAL/PART: PCE-PK1818/3102700-01 MODEL: PT6A-60A MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 15-MAY-2014
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1208.1 ENG. HRS as of 02-SEP-2026
550 ENC as of 02-SEP-2026

ENGINE NO. 2

SERIAL/PART: PCE-PK1804/3102700-01 MODEL: PT6A-60A MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 15-MAY-2014
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1208.1 ENG. HRS as of 02-SEP-2026
550 ENC as of 02-SEP-2026

PROPELLER NO. 1

SERIAL/PART: 170711/MTV-27-1-E-C-F-R(P) /CFR260-65B MODEL: MTV-27-1-E-C-F-R(P)/CFR260-65 MANUFACTURER: MT-PROPELLER

INSTALLED ON: 19-DEC-2017
0 PROP HRS 616.4 A/C HRS
0 PRC

LAST ACTUALS:
591.7 PROP HRS as of 02-SEP-2026

PROPELLER NO. 2

SERIAL/PART: 170710/MTV-27-1-E-C-F-R(P) /CFR260-65B MODEL: MTV-27-1-E-C-F-R(P)/CFR260-65 MANUFACTURER: MT-PROPELLER

INSTALLED ON: 19-DEC-2017
0 PROP HRS 616.4 A/C HRS
0 PRC

LAST ACTUALS:
591.7 PROP HRS as of 02-SEP-2026

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
BC70-160501	REVIEW BEECHCRAFT CORPORATION STRUCTURAL INSPECTION AND REPAIR MANUAL (SIRM) REV. C11							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC NO REF, RCF BC70PROC. REF: GENERIC NO REF, RCF BC70								
BC70-160501A	REVIEW SUPER KING AIR B300/B300C AIRCRAFT MAINTENANCE MANUAL REVISION B3, MAY 1/16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC NO REF, RCF BC70PROC. REF: GENERIC NO REF, RCF BC70								
BC70-161101	REVIEW SUPER KING AIR B300/B300C AMM, REVISION B4, DATED: NOV 1/16							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC NO REF, RCF BC70PROC. REF: GENERIC NO REF, RCF BC70								
BC70-170201	REVIEW BEECHCRAFT CORPORATION STRUCTURAL INSPECTION AND REPAIR MANUAL (SIRM) REV. C12							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC NO REF, RCF BC70PROC. REF: GENERIC NO REF, RCF BC70								
BC70-211221	REVIEW REVISION SUMMARY CHANGE FORM FOR TECHNICAL DEVIATION OF MAINTENANCE APPROVAL - TMDA20211079							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC NO REF, RCF BC70PROC. REF: GENERIC NO REF, RCF BC70								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
BC70-240809A	REVIEW SUPER KING AIR B300/B300C ALM (AIRWORTHINESS LIMITATIONS MANUAL) DATED: AUGUST 9, 2024 REV REISSUE F1							Service ATA:00
	MOS/MSC		-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF BC70	PROC. REF: RCF BC70							
BC70-240809B	REVIEW REVISION SUMMARY CHANGE FORM FOR STRUCTURAL INSPECTION AND REPAIR MANUAL (SIRM) REV D6, DATED AUGUST 9, 2024							Service ATA:00
	MOS/MSC		-					REQUIREMENT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF BC70	PROC. REF: RCF BC70							
BC70-250107	REVIEW AUDIT SUMMARY CHANGE FORM FOR TASK 53-10-00-2103 AND PHASE 54							Service ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF BC70	PROC. REF: RCF BC70							
E018-170113	NO. 1 ENGINE - REVIEW PWC, PT6A-60A/-60AG/-61 MM (PN 3034342) REV 47.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E018	PROC. REF: RCF E018							
E018-170113	NO. 2 ENGINE - REVIEW PWC, PT6A-60A/-60AG/-61 MM (PN 3034342) REV 47.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E018	PROC. REF: RCF E018							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E018-220411	NO. 1 ENGINE - REVIEW PT6A-60A/-60AG/-61 EMM REV 58.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E018PROC. REF: RCF E018								
E018-220411	NO. 2 ENGINE - REVIEW PT6A-60A/-60AG/-61 EMM REV 58.0							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E018PROC. REF: RCF E018								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
4-10-01	ALM (CHP 4) INSPECTION PHASE 1							Package ATA:04
	MOS	EFF	12 (+1m/-1m)		16-Dec-22 *	16-Jan-23	OVD	
	HRS	EFF						
	AFL	EFF						
								PKG:100
PROC. REF: ALM 04-10-01PROC. REF: ALM 04-10-01								
4-10-02	ALM (CHP 4) INSPECTION PHASE 2 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package ATA:04
	MOS/MSC		-				NEW REQMT	
	HRS							
	AFL							
								PKG:101
PROC. REF: ALM 04-10-02PROC. REF: ALM 04-10-02								
4-10-03	ALM (CHP 4) INSPECTION PHASE 3 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package ATA:04
	MOS/MSC	15-May-14	-					
	HRS	0						
	AFL	0						
								PKG:103
PROC. REF: ALM 04-10-03PROC. REF: ALM 04-10-03								
4-10-05	ALM (CHP 4) INSPECTION PHASE 5 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package ATA:04
	MOS/MSC		-				NEW REQMT	
	HRS							
	AFL							
								PKG:105
PROC. REF: ALM 04-10-05PROC. REF: ALM 04-10-05								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-00-CA-0001	ACCOMPLISH RAISBECK ENGINEERING PHASE 1 INSPECTION							Service ATA:05
	MOS	16-Dec-21	24		16-Dec-22 (M)		OVD	
	HRS	1172.2	800 (+20/-20)		1372.2 (M)	1392.2	164.1 (+20)	
	AFL	0						
PROC. REF: GENERIC NO REF, ICA 05-20-00, ICA 05-20-00PROC. REF: GENERIC NO REF, ICA 05-20-00, ICA 05-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-00-CA-0002	ACCOMPLISH RAISBECK ENGINEERING PHASE 2 INSPECTION							Service ATA:05
	MOS	16-Dec-21	24		16-Dec-22 (M)		OVD	
	HRS	1172.2	800 (+20/-20)		1572.2 (M)	1592.2	364.1 (+20)	
	AFL	0						
PROC. REF: GENERIC NO REF, ICA 05-20-00, ICA 05-20-00PROC. REF: GENERIC NO REF, ICA 05-20-00, ICA 05-20-00								
05-00-CA-0003	ACCOMPLISH RAISBECK ENGINEERING PHASE 3 INSPECTION							Service ATA:05
	MOS	16-Dec-21	24		16-Dec-23		OVD	
	HRS	1172.2	800 (+20/-20)		1772.2 (M)	1792.2	564.1 (+20)	
	AFL	0						
PROC. REF: GENERIC NO REF, ICA 05-20-00, ICA 05-20-00PROC. REF: GENERIC NO REF, ICA 05-20-00, ICA 05-20-00								
05-00-CA-0004	ACCOMPLISH RAISBECK ENGINEERING PHASE 4 INSPECTION							Service ATA:05
	MOS	16-Dec-21	24		16-Dec-23		OVD	
	HRS	1172.2	800 (+20/-20)		1972.2	1992.2	764.1 (+20)	
	AFL	0						
PROC. REF: GENERIC NO REF, ICA 05-20-00, ICA 05-20-00PROC. REF: GENERIC NO REF, ICA 05-20-00, ICA 05-20-00								
05-15-00-8400 S	PRE-INSPECTION CHECKS							Service ATA:05
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:200,201,202,203,204,205,206
PROC. REF: AMM 5-15-00PROC. REF: AMM 5-15-00								
05-15-00-8401 S	POST-INSPECTION CHECK							Service ATA:05
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:200,201,202,203,204,205,206
PROC. REF: AMM 5-15-00PROC. REF: AMM 5-15-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-CA-0003	NO. 1 ENGINE INSPECTION AFTER SUDDEN ENGINE STOPPAGE INCIDENT							Service ATA:05
	MOS/MSC	15-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 5-50-00PROC. REF: AMM 5-50-00								
05-50-CA-0004	NO. 2 ENGINE INSPECTION AFTER SUDDEN ENGINE STOPPAGE INCIDENT							Service ATA:05
	MOS/MSC	15-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 5-50-00PROC. REF: AMM 5-50-00								
05-50-CA-0008	INSPECTION AFTER HARD/OVERWEIGHT LANDING							Service ATA:05
	MOS/MSC	15-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 5-50-00PROC. REF: AMM 5-50-00								
05-50-CA-0009	INSPECTION AFTER ENCOUNTERING TURBULENT AIR							Service ATA:05
	MOS/MSC	15-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 5-50-00PROC. REF: AMM 5-50-00								
05-50-CA-0010	INSPECTION AFTER LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	15-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 5-50-00PROC. REF: AMM 5-50-00								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-CA-0011	INSPECTION WHEN OPERATION IN OR AROUND VOLCANIC ASH							Service ATA:05
	MOS/MSC	15-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 5-50-00PROC. REF: AMM 5-50-00								
05-50-CA-0012	INSPECTION AFTER DEPLOYMENT OF LANDING GEAR ABOVE CRITICAL SPEED CONDITION							Service ATA:05
	MOS/MSC	15-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 5-50-00PROC. REF: AMM 5-50-00								
05-50-CA-0013	INSPECTION AFTER DEPLOYMENT OF FLAPS ABOVE CRITICAL SPEED CONDITION							Service ATA:05
	MOS/MSC	15-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 5-50-00PROC. REF: AMM 5-50-00								
05-50-CA-0014	INSPECTION IN THE EVENT OF DEFORMED STEERING STOP							Service ATA:05
	MOS/MSC	15-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
PROC. REF: AMM 5-50-00PROC. REF: AMM 5-50-00								
050000 U	CARGO CARRIER							Component ATA:05
PN:2000002-9	MOS/MSC	04-Aug-26	O/C					
SN:093	HRS	1151						
	AFL	537						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050001 U	CARGO CARRIER 200 HOUR VISUAL INSPECTION							Service ATA:05
	MOS	04-Aug-26						
	HRS	1151	200		1351		142.9	
	AFL	537						
050002 U	CARGO CARRIER 800 HOUR VISUAL INSPECTION							Service ATA:05
	MOS	04-Aug-26						
	HRS	1151	800		1951		742.9	
	AFL	537						
5-21-01	INSPECTION PHASE 1							Package ATA:05
	MOS	16-Dec-21	24		16-Dec-22 (M)		OVD	
	HRS	1172.2	800 (+20/-20)		1372.2 (M)	1392.2	164.1 (+20)	
WC#: 05.010	AFL	542						
								PKG:200
PROC. REF: AMM 5-21-01PROC. REF: AMM 5-21-01								
5-21-02	INSPECTION PHASE 2							Package ATA:05
	MOS	16-Dec-21	24		16-Dec-22 (M)		OVD	
	HRS	1172.2	800 (+20/-20)		1572.2 (M)	1592.2	364.1 (+20)	
WC#: 05.020	AFL	542						
								PKG:201
PROC. REF: AMM 5-21-02PROC. REF: AMM 5-21-02								
5-21-03	INSPECTION PHASE 3							Package ATA:05
	MOS	16-Dec-21	24		16-Dec-23 (M)		OVD	
	HRS	1172.2	800 (+20/-20)		1772.2 (M)	1792.2	564.1 (+20)	
WC#: 05.030	AFL	542						
								PKG:202
PROC. REF: AMM 5-21-03PROC. REF: AMM 5-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-21-04	INSPECTION PHASE 4							Package ATA:05
	MOS	16-Dec-21	24		16-Dec-23		OVD	
	HRS	1172.2	800 (+20/-20)		1972.2	1992.2	764.1 (+20)	
WC#: 05.040	AFL	542						
								PKG:203
PROC. REF: AMM 5-21-04PROC. REF: AMM 5-21-04								
5-21-08	INSPECTION PHASE 8							Package ATA:05
	MOS	16-Dec-21	12 (+1m/-1m)		16-Dec-22	16-Jan-23	OVD	
	HRS	1172.2						
	AFL	542						
								PKG:209
PROC. REF: AMM 5-21-08PROC. REF: AMM 5-21-08								
5-21-09	INSPECTION PHASE 9							Package ATA:05
	MOS	20-May-20						
	HRS	1151	1200 (+20/-20)		2351	2371	1142.9 (+20)	
	AFL	537						
								PKG:210
PROC. REF: AMM 5-21-09PROC. REF: AMM 5-21-09								
5-21-10	INSPECTION PHASE 10							Package ATA:05
	MOS	15-May-14						
	HRS	0						
	AFL	0	1000 (+20/-20)		1000	1020	450 (+20)	
								PKG:211
PROC. REF: AMM 5-21-10PROC. REF: AMM 5-21-10								
5-21-11	INSPECTION PHASE 11							Package ATA:05
	MOS	16-Dec-21	30 (+2m/-2m)		16-Jun-24	16-Aug-24	OVD	
	HRS	1172.2	2400 (+20/-20)		3572.2	3592.2	2364.1 (+20)	
	AFL	542						
								PKG:212
PROC. REF: AMM 5-21-11PROC. REF: AMM 5-21-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-21-12 S	INSPECTION PHASE 12 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package ATA:05
	MOS	15-May-14	24					
	HRS	0						
	AFL	0						
								PKG:213
PROC. REF: AMM 5-21-12PROC. REF: AMM 5-21-12								
5-21-13	INSPECTION PHASE 13							Package ATA:05
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500 (+20/-20)		2500	2520	1950 (+20)	
								PKG:214
PROC. REF: AMM 5-21-13PROC. REF: AMM 5-21-13								
5-21-14	INSPECTION PHASE 14							Package ATA:05
	MOS	20-May-20	36 (+2m/-2m)		20-May-23	20-Jul-23	OVD	
	HRS	1151						
	AFL	537	3000 (+20/-20)		3537	3557	2987 (+20)	
								PKG:215
PROC. REF: AMM 5-21-14PROC. REF: AMM 5-21-14								
5-21-15	INSPECTION PHASE 15							Package ATA:05
	MOS	22-Feb-19	60 (+2m/-2m)		22-Feb-24	22-Apr-24	OVD	
	HRS	962.2						
	AFL	451						
								PKG:216
PROC. REF: AMM 5-21-15PROC. REF: AMM 5-21-15								
5-21-16	INSPECTION PHASE 16							Package ATA:05
	MOS	15-May-14						
	HRS	0						
	AFL	0	5000 (+20/-20)		5000	5020	4450 (+20)	
								PKG:217
PROC. REF: AMM 5-21-16PROC. REF: AMM 5-21-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-21-17	INSPECTION PHASE 17							Package ATA:05
	MOS	22-Feb-19						
	HRS	962.2	5000 (+20/-20)		5962.2	5982.2	4754.1 (+20)	
	AFL	451						
								PKG:218
PROC. REF: AMM 5-21-17PROC. REF: AMM 5-21-17								
5-21-18	INSPECTION PHASE 18							Package ATA:05
	MOS	15-May-14						
	HRS	0						
	AFL	0	T:5000 (+20/-20)		5000	5020	4450 (+20)	
								PKG:219
PROC. REF: AMM 5-21-18PROC. REF: AMM 5-21-18								
5-21-19	INSPECTION PHASE 19							Package ATA:05
	MOS/MSC	15-May-14	N/A					
	HRS	0						
	AFL	0						
								PKG:220
PROC. REF: AMM 5-21-19PROC. REF: AMM 5-21-19								
5-21-20	INSPECTION PHASE 20							Package ATA:05
	MOS	20-May-20	72 (+2m/-2m)		20-May-26	20-Jul-26	OVD	
	HRS	1151						
	AFL	537	8000 (+20/-20)		8537	8557	7987 (+20)	
								PKG:221
PROC. REF: AMM 5-21-20PROC. REF: AMM 5-21-20								
5-21-21	INSPECTION PHASE 21							Package ATA:05
	MOS	15-May-14						
	HRS	0						
	AFL	0	10000 (+20/-20)		10000	10020	9450 (+20)	
								PKG:222
PROC. REF: AMM 5-21-21PROC. REF: AMM 5-21-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-21-22	INSPECTION PHASE 22							Package ATA:05
	MOS	15-May-14						
	HRS	0						
	AFL	0	T:10000 (+20/-20)		10000	10020	9450 (+20)	
								PKG:223
PROC. REF: AMM 5-21-22PROC. REF: AMM 5-21-22								
5-21-23	INSPECTION PHASE 23							Package ATA:05
	MOS	15-May-14						
	HRS	0						
	AFL	0	T:10000 (+20/-20)		10000	10020	9450 (+20)	
								PKG:224
PROC. REF: AMM 5-21-23PROC. REF: AMM 5-21-23								
5-21-24	INSPECTION PHASE 24							Package ATA:05
	MOS	15-May-14						
	HRS	0						
	AFL	0	T:10000 (+20/-20)		10000	10020	9450 (+20)	
								PKG:225
PROC. REF: AMM 5-21-24PROC. REF: AMM 5-21-24								
5-21-25	INSPECTION PHASE 25							Package ATA:05
	MOS	22-Feb-19	48 (+2m/-2m)		22-Feb-23	22-Apr-23	OVD	
	HRS	962.2						
	AFL	451						
								PKG:226
PROC. REF: AMM 5-21-25PROC. REF: AMM 5-21-25								
5-21-26	INSPECTION PHASE 26							Package ATA:05
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:227
PROC. REF: AMM 5-21-26PROC. REF: AMM 5-21-26								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-21-27	INSPECTION PHASE 27 (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)							Package ATA:05
	MOS	15-May-14						
	HRS	0	12000 (+20/-20)		12000	12020	10791.9 (+20)	
	AFL	0						
								PKG:228
PROC. REF: AMM 5-21-27PROC. REF: AMM 5-21-27								
5-21-28	INSPECTION PHASE 28							Package ATA:05
	MOS/MSC	11-Nov-15	-					
	HRS	61.8						
	AFL	31						
								PKG:229
PROC. REF: AMM 5-21-28PROC. REF: AMM 5-21-28								
5-21-29	INSPECTION PHASE 29							Package ATA:05
	MOS	04-May-17						
	HRS	398.75	1200 (+20/-20)		1598.75	1618.75	390.7 (+20)	
	AFL	200						
								PKG:230
PROC. REF: AMM 5-21-29PROC. REF: AMM 5-21-29								
5-21-30	INSPECTION PHASE 30 (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)							Package ATA:05
	MOS	22-Feb-19						
	HRS	962.2	5000 (+20/-20)		5962.2	5982.2	4754.1 (+20)	
	AFL	451						
								PKG:231
PROC. REF: AMM 5-21-30PROC. REF: AMM 5-21-30								
5-21-31	INSPECTION PHASE 31							Package ATA:05
	MOS	16-Dec-21	18 (+1m/-1m)		16-Jun-23	16-Jul-23	OVD	
	HRS	1172.2						
	AFL	542						
								PKG:232
PROC. REF: AMM 5-21-31PROC. REF: AMM 5-21-31								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-21-32	INSPECTION PHASE 32							Package ATA:05
	MOS/MSC	15-May-14	N/R					
	HRS	0						
	AFL	0						
								PKG:233
PROC. REF: AMM 5-21-32PROC. REF: AMM 5-21-32								
5-21-33 S	INSPECTION PHASE 33(PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package ATA:05
	MOS/MSC	15-May-14	-					
	HRS	0						
	AFL	0						
								PKG:234
PROC. REF: AMM 5-21-33PROC. REF: AMM 5-21-33								
5-21-34	INSPECTION PHASE 34							Package ATA:05
	MOS	16-Dec-21	12 (+1m/-1m)		16-Dec-22	16-Jan-23	OVD	
	HRS	1172.2						
	AFL	542						
								PKG:235
PROC. REF: AMM 5-21-34PROC. REF: AMM 5-21-34								
5-21-35 S	INSPECTION PHASE 35(PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package ATA:05
	MOS/MSC	15-May-14	-					
	HRS	0						
	AFL	0						
								PKG:236
PROC. REF: AMM 5-21-35PROC. REF: AMM 5-21-35								
5-21-36 S	INSPECTION PHASE 36(PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package ATA:05
	MOS/MSC	15-May-14	-					
	HRS	0						
	AFL	0						
								PKG:237
PROC. REF: AMM 5-21-36PROC. REF: AMM 5-21-36								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-21-37 S	INSPECTION PHASE 37(PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package ATA:05
	MOS/MSC	15-May-14	-					
	HRS	0						
	AFL	0						
								PKG:238
PROC. REF: AMM 5-21-37PROC. REF: AMM 5-21-37								
5-21-38 S	INSPECTION PHASE 38(REFER TO WHEEL MANUFACTURE CMM FOR INTERVALS)							Package ATA:05
	MOS/MSC	15-May-14	-					
	HRS	0						
	AFL	0						
								PKG:239
PROC. REF: AMM 5-21-38PROC. REF: AMM 5-21-38								
5-21-39	INSPECTION PHASE 39							Package ATA:05
	MOS	15-May-14						
	HRS	0	T:10500 (+20/-20)		10500	10520	9291.9 (+20)	
	AFL	0						
								PKG:240
PROC. REF: AMM 5-21-39PROC. REF: AMM 5-21-39								
5-21-40	INSPECTION PHASE 40							Package ATA:05
	MOS/MSC	15-May-14	-					
	HRS	0						
	AFL	0						
								PKG:241
PROC. REF: AMM 5-21-40PROC. REF: AMM 5-21-40								
5-21-41	INSPECTION PHASE 41							Package ATA:05
	MOS	16-Dec-21	12 (+1m/-1m)		16-Dec-22	16-Jan-23	OVD	
	HRS	1172.2						
	AFL	542						
								PKG:242
PROC. REF: AMM 5-21-41PROC. REF: AMM 5-21-41								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-21-42	INSPECTION PHASE 42							Package ATA:05
	MOS	16-Dec-21	12 (+1m/-1m)		16-Dec-22	16-Jan-23	OVD	
	HRS	1172.2						
	AFL	542						
								PKG:243
PROC. REF: AMM 5-21-42PROC. REF: AMM 5-21-42								
5-21-43	INSPECTION PHASE 43							Package ATA:05
	MOS	16-Dec-21	24 (+2m/-2m)		16-Dec-23	16-Feb-24	OVD	
	HRS	1172.2	800 (+20/-20)		1972.2	1992.2	764.1 (+20)	
	AFL	542						
								PKG:244
PROC. REF: AMM 5-21-43PROC. REF: AMM 5-21-43								
5-21-44	INSPECTION PHASE 44							Package ATA:05
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:245
PROC. REF: AMM 5-21-44PROC. REF: AMM 5-21-44								
5-21-45	INSPECTION PHASE 45 (AIRPLANES FL-1 THRU FL-110, AND FM-1 THRU FM-8 INCORPORATING KIT 130-3001-1. AIRPLANES FL-1 THRU FL-110, AND FM-1 INCORPORATING KIT 130-3004-3. AIRPLANES FL-111 AND AFTER, AND FM-9 AND AFTER WITH SINGLE FLIGHT DIRECTORY SYSTEM INSTALLED. AIRPLANES FL-111 AND AFTER, AND FM-2 AND AFTER WITH DUAL FLIGHT DIRECTORY SYSTEM INSTALLED.)							Package ATA:05
	MOS	20-May-20	48 (+2m/-2m)		20-May-24	20-Jul-24	OVD	
	HRS	1151	6500 (+20/-20)		7651	7671	6442.9 (+20)	
	AFL	537						
								PKG:246
PROC. REF: AMM 5-21-45PROC. REF: AMM 5-21-45								
5-21-46	INSPECTION PHASE 46							Package ATA:05
	MOS	20-May-20	48 (+2m/-2m)		20-May-24	20-Jul-24	OVD	
	HRS	1151	2000 (+20/-20)		3151	3171	1942.9 (+20)	
	AFL	537						
								PKG:247
PROC. REF: AMM 5-21-46PROC. REF: AMM 5-21-46								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-21-47	INSPECTION PHASE 47							Package ATA:05
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)		15000	15020	13791.9 (+20)	
	AFL	0						
								PKG:248
PROC. REF: AMM 5-21-47PROC. REF: AMM 5-21-47								
5-21-48	INSPECTION PHASE 48							Package ATA:05
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)		15000	15020	13791.9 (+20)	
	AFL	0						
								PKG:249
PROC. REF: AMM 5-21-48PROC. REF: AMM 5-21-48								
5-21-49	INSPECTION PHASE 49							Package ATA:05
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)		15000	15020	13791.9 (+20)	
	AFL	0						
								PKG:250
PROC. REF: AMM 5-21-49PROC. REF: AMM 5-21-49								
5-21-50	INSPECTION PHASE 50							Package ATA:05
	MOS	15-May-14						
	HRS	0	T:18000 (+20/-20)		18000	18020	16791.9 (+20)	
	AFL	0						
								PKG:251
PROC. REF: AMM 5-21-50PROC. REF: AMM 5-21-50								
5-21-51	INSPECTION PHASE 51							Package ATA:05
	MOS/MSC	22-Feb-19	C/C					
	HRS	962.2						
	AFL	451						
								PKG:252
PROC. REF: AMM 5-21-51PROC. REF: AMM 5-21-51								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-21-52	INSPECTION PHASE 52 (FL-126 AND AFTER; FM-9 AND AFTER; AND EARLIER SERIALS WITH P/N 101-110084 SPAR ASSEMBLY)							Package ATA:05
	MOS	16-Dec-21	12 (+1m/-1m)		16-Dec-22	16-Jan-23	OVD	
	HRS	1172.2						
	AFL	542						
								PKG:253
PROC. REF: AMM 5-21-52PROC. REF: AMM 5-21-52								
5-21-53	INSPECTION PHASE 53 (FL-1 THRU FL-110, FM-1 THRU FM-8)							Package ATA:05
	MOS/MSC	15-May-14	N/A					
	HRS	0						
	AFL	0						
								PKG:254
PROC. REF: AMM 5-21-53PROC. REF: AMM 5-21-53								
5-21-54	INSPECTION PHASE 54 (FOR NON-HUIP ONLY)							Package ATA:05
	MOS	15-May-14						
	HRS	0						
	AFL	0	T:10000 (+20/-20)		10000	10020	9450 (+20)	
								PKG:255
PROC. REF: AMM 5-21-54PROC. REF: AMM 5-21-54								
5-21-55	INSPECTION PHASE 55							Package ATA:05
	MOS	EFF						
	HRS	EFF	T:30000 (+20/-20)		30000 *	30020	28791.9 (+20)	
	AFL							
								PKG:256
PROC. REF: AMM 5-21-55PROC. REF: AMM 5-21-55								
5-22-01	BIENNIAL (INTERIM) INSPECTION							Package ATA:05
	MOS/MSC	15-May-14	N/A					
	HRS	0						
WC#: 05.510	AFL	0						
								PKG:207
PROC. REF: AMM 5-22-01PROC. REF: AMM 5-22-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-22-02	BIENNIAL (COMPLETE) PROGRAM							Package ATA:05
	MOS/MSC	15-May-14	N/A					
	HRS	0						
WC#: 05.520	AFL	0						
								PKG:208
PROC. REF: AMM 5-22-02PROC. REF: AMM 5-22-02								
71-00-01-2200	NO. 1 ENGINE - ENGINE PERIODIC INSPECTIONS (MINOR)							Package ATA:05
	MOS	20-Feb-20						
	HRS	1151	200 (+20/-20)		(1351) 1351	1371	142.9 (+20)	
	ENC	537						
PROC. REF: AMM 71-00-01, EMM 72-00-00, AMM 71-00-01PROC. REF: AMM 71-00-01, EMM 72-00-00, AMM 71-00-01								
71-00-01-2200	NO. 2 ENGINE - ENGINE PERIODIC INSPECTIONS (MINOR)							Package ATA:05
	MOS	20-Feb-20						
	HRS	1151	200 (+20/-20)		(1351) 1351	1371	142.9 (+20)	
	ENC	537						
PROC. REF: AMM 71-00-01, EMM 72-00-00, AMM 71-00-01PROC. REF: AMM 71-00-01, EMM 72-00-00, AMM 71-00-01								
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
101005	COMPLETE AIRPLANE STORAGE TASKS							Service ATA:10
	MOS/MSC	16-Mar-21	A/R					
	HRS							
	AFL							
PROC. REF: AMM 10-10-03PROC. REF: AMM 10-10-03								
103006	COMPLETE "REMOVAL FROM STORAGE" TASKS							Service ATA:10
	MOS/MSC	05-Mar-23	A/R					
	HRS							
	AFL							
PROC. REF: AMM 10-30-01PROC. REF: AMM 10-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-10-05-2100 S	ENVIRONMENTAL BLEED AIR FLOW CONTROL VALVE GENERAL VISUAL INSPECTION							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,205,208
PROC. REF: AMM 21-10-05PROC. REF: AMM 21-10-05								
21-30-00-2100 S	PRESSURIZATION DUCTS GENERAL VISUAL INSPECTION - FUSELAGE							Service ATA:21
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:214
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
21-30-00-2101 S	CABIN PRESSURIZATION OVERBOARD DUMP SYSTEM GENERAL VISUAL INSPECTION							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,203,205,206,208
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
21-30-00-2102 S	PRESSURIZATION DUCTS GENERAL VISUAL INSPECTION - WING							Service ATA:21
	MOS	15-May-14	T:12					
	HRS	0	T:200					
	AFL	0						
								PKG:200,202,205,206
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
21-30-00-2200 S	PRESSURIZATION CONTROLLER GENERAL DETAILED INSPECTION							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30-00-7101 S		PRESSURIZATION SYSTEM OPERATIONAL CHECK						Service ATA:21
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
21-30-00-7200 S		CABIN ALTITUDE LIMIT CONTROLLERS FUNCTIONAL CHECK						Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 21-30-00PROC. REF: AMM 21-30-00								
21-30-03-1600 S		OUTFLOW VALVE CONTROL LINE DRAINING						Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206
PROC. REF: AMM 21-30-03PROC. REF: AMM 21-30-03								
21-30-03-2200 S		OUTFLOW AND SAFETY VALVES DETAILED INSPECTION						Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 21-30-03PROC. REF: AMM 21-30-03								
21-30-03-7200 S		OUTFLOW AND SAFETY VALVES FUNCTIONAL CHECK						Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 21-30-03PROC. REF: AMM 21-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30-11-7200 S	CABIN ALTITUDE HIGH WARNING PRESSURE SWITCH FUNCTIONAL CHECK							Service ATA:21
PN:PN	MOS	16-Dec-21	12 (+1m/-1m)					
SN:UNKNOWN	HRS	1172.2						
WC#: 21.220	AFL	542						
								PKG:209
PROC. REF: AMM 21-30-11PROC. REF: AMM 21-30-11								
21-40-01-7100 S	BLEED AIR BYPASS VALVE OPERATIONAL CHECK (FL-1 THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)							Service ATA:21
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 21-40-01PROC. REF: AMM 21-40-01								
21-41-00-7100 S	AUXILIARY ELECTRIC HEAT OPERATIONAL CHECK (AIRPLANES FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 21-41-00PROC. REF: AMM 21-41-00								
21-41-07-7100 S	BLEED AIR BYPASS VALVE OPERATIONAL CHECK (FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 21-41-07PROC. REF: AMM 21-41-07								
21-50-00-2100 S	RETURN AIR INLET FILTERS GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-492; FL-494 THRU FL-499; FM-1 THRU FM-13)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 21-50-00PROC. REF: AMM 21-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-50-01-2100 S		FORWARD EVAPORATOR FILTER GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-492; FL-494 THRU FL-499; FM-1 THRU FM-13, FN-1)						Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,205,208
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-2101 S		REFRIGERANT LINES AND SERVICE VALVES (NOSE) GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)						Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,203,205,206,208
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-2102 S		REFRIGERANT LINES AND SERVICE VALVES (FLIGHT COMPARTMENT) GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)						Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-2103 S		REFRIGERANT LINES AND PRESSURE SWITCHES (WING) GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)						Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-2104 S		REFRIGERANT LINES AND SERVICE VALVE (ENGINE AND COWLING) GENERAL VISUAL INSPECTION(AIRPLANES FL-1 THRU FL-492,FL-494 THRU FL-499;FM-1 THRU FM-13 FM-14 AND AFTER)						Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-2105 S		ENVIRONMENTAL SYSTEM (FLIGHT COMPARTMENT) GENERAL VISUAL INSPECTION(AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)						Service ATA:21
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:214
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-2106 S		ENVIRONMENTAL SYSTEM (CABIN) GENERAL VISUAL INSPECTION (FL-1 THRU FL-492, FL-494 THRU FL-499, FM-1 THRU FM-13)						Service ATA:21
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:214
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-2107 S		FLIGHT COMPARTMENT AND CABIN WITH INTERIORS REMOVED GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)						Service ATA:21
	MOS							
	HRS							
	AFL	EFF	2500 (+20/-20)					
								PKG:214
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-2108 S		AIR CONDITIONING COMPRESSOR GENERAL VISUAL INSPECTION (AIRPLANES FL-1THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)						Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-50-01-2109 S	AIR CONDITIONING CONDENSER GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-2110 S	CONDENSER BLOWER GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,205,208
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-2111 S	COMPRESSOR QUILL SHAFT GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-6400 S	COMPRESSOR QUILL SHAFT LUBRICATION (AIRPLANES FL-1 THRU FL-492, FL-494THRU FL-499; FM-1 THRU FM-13)							Service ATA:21
	MOS	15-May-14	T:24					
	HRS	0	T:400					
	AFL	0						
								PKG:201,203,204,205,206
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-50-01-7200 S	AIR CONDITIONING SYSTEM FUNCTIONAL TEST (AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499; FM-1 THRU FM-13)							Service ATA:21
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-50-01-9600 S	AFT EVAPORATOR FILTER (AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499, AND FM-1 THRU FM-13)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
21-51-01-1600 S	CABIN AIR FILTER CLEANING (AIRPLANES FL-500 AND AFTER)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-2100 S	REFRIGERANT LINES, SERVICE VALVES AND HIGH PRESSURE VALVES (NOSE) GENERAL VISUAL INSPECTION (AIRPLANES FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,203,205,206,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-2101 S	REFRIGERANT LINES AND SERVICE VALVES (FLIGHT COMPARTMENT) GENERAL VISUAL INSPECTION (AIRPLANES FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,203,206,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-2102 S	REFRIGERANT LINES AND PRESSURE SWITCHES (WING) GENERAL VISUAL INSPECTION (AIRPLANES FL-493; FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-51-01-2103 S	REFRIGERANT LINES (ENGINE AND COWLING) GENERAL VISUAL INSPECTION(AIRPLANES FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-2104 S	ENVIRONMENTAL SYSTEM (FLIGHT COMPARTMENT) GENERAL VISUAL INSPECTION(AIRPLANES FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:214
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-2105 S	ENVIRONMENTAL SYSTEM (CABIN) GENERAL VISUAL INSPECTION (AIRPLANES FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:214
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-2106 S	FLIGHT COMPARTMENT AND CABIN WITH INTERIORS REMOVED GENERAL VISUAL INSPECTION (AIRPLANES FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS							
	HRS							
	AFL	EFF	2500 (+20/-20)		2500 * (M)	2520	1950 (+20)	
								PKG:214
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-2107 S	AIR CONDITIONING COMPRESSOR GENERAL VISUAL INSPECTION (AIRPLANES FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-51-01-2108 S	AIR CONDITIONING CONDENSER GENERAL VISUAL INSPECTION AIRPLANES FL-493; FL-500 AND AFTER; FM-14 AND AFTER							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-2109 S	CONDENSER BLOWER GENERAL VISUAL INSPECTION (AIRPLANES FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,205,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-2110 S	COMPRESSOR QUILL SHAFT GENERAL VISUAL INSPECTION (AIRPLANES FL-493,FL-500 AND AFTER; FM-14 AND AFTER							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-6400 S	COMPRESSOR QUILL SHAFT LUBRICATION (AIRPLANES FL-493, FL-500 AND AFTER, FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								
21-51-01-7200 S	AIR CONDITIONING SYSTEM FUNCTIONAL TEST (AIRPLANES FL-493, FL-500 AND AFTER; FM-14 AND AFTER)							Service ATA:21
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 21-51-01PROC. REF: AMM 21-51-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-51-01-9600 S	AFT EVAPORATOR FILTER (AIRPLANES FL-1 THRU FL-492, FL-494 THRU FL-499, AND FM-1 THRU FM-13) (FOR HUIP AIRCRAFT ONLY)							Service ATA:21
	MOS	15-May-14						HIGH UTILIZATION
	HRS	0	T:400					
	AFL	0						
								PKG:200
PROC. REF: AMM 21-50-01PROC. REF: AMM 21-50-01								
211005	ENVIRONMENTAL BLEED AIR SHUTOFF VALVE							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211010	LEFT ENVIRONMENTAL VALVE							Component ATA:21
PN:101-550087-27	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10173	HRS	0		TSN 0				
WC#: 21.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211015	RIGHT ENVIRONMENTAL VALVE							Component ATA:21
PN:101-550087-29	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10165	HRS	0		TSN 0				
WC#: 21.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211020	LEFT HEAT EXCHANGER							Component ATA:21
PN:101-381010-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4975	HRS	0		TSN 0				
WC#: 21.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
211025	RIGHT HEAT EXCHANGER							Component ATA:21
PN:101-381010-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4921	HRS	0		TSN 0				
WC#: 21.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
211101	PRESSURIZATION CONTROLLER							Component ATA:21
PN:130346-12	MOS/MSC	16-Dec-21	O/C					
SN:94-3647	HRS	1172.2						
WC#: 21.010	AFL	542						
PROC. REF: AMM 21-30-05	PROC. REF: AMM 21-30-05							
211668	CABIN ALTITUDE PRESSURE SWITCH							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-30-09	PROC. REF: AMM 21-30-09							
212005	CONDENSER BLOWER							Component ATA:21
PN:98-0907-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K68535	HRS	0		TSN 0				
WC#: 21.050	AFL	0		TSN 0				
PROC. REF: AMM 21-50-17	PROC. REF: AMM 21-50-17							
212010	BLOWER							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: AMM 21-20-01, AMM 21-20-03	PROC. REF: AMM 21-20-01, AMM 21-20-03							
212015	BLOWER SPEED CONTROL							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
212101	AIR CONDITIONER COMPRESSOR							Component ATA:21
PN:201-0450-2	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K68651	HRS	0		TSN 0				
WC#: 21.020	AFL	0		TSN 0				
PROC. REF: AMM 21-50-07, AMM 21-51-03	PROC. REF: AMM 21-50-07, AMM 21-51-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212106	AIR CONDITIONER COMPRESSOR BELT							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.020	AFL	0		TSN 0				
PROC. REF: AMM 21-50-09, AMM 21-51-05PROC. REF: AMM 21-50-09, AMM 21-51-05								
212111	ADJUST AIR CONDITIONER COMPRESSOR BELT TENSION							Service ATA:21
	MOS/MSC	04-Oct-15	O/C					
	HRS	59.7		Adj -9.7				
WC#: 21.020	AFL	30						
PROC. REF: AMM 21-50-09, AMM 21-51-05PROC. REF: AMM 21-50-09, AMM 21-51-05								
213001	VACUUM RELIEF VALVE							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213002	PRESSURE REGULATOR							Component ATA:21
PN:390-385001-0005	MOS/MSC	15-May-14	O/C	TSN 0				
SN:0625	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213005	PRESSURE DUMP VALVE							Component ATA:21
PN:103648-18	MOS/MSC	15-May-14	O/C	TSN 0				
SN:14-P0220	HRS	0		TSN 0				
WC#: 21.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213010	PRESSURE SAFETY VALVE							Component ATA:21
PN:103648-19	MOS/MSC	23-Nov-17	O/C	TSR 0				
SN:54-T0274	HRS	616.4		TSR 0				
WC#: 21.080	AFL	287		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
213015	SOLENOID VALVE							Component ATA:21
PN:101-380021-7	MOS/MSC	15-May-14	O/C	TSN 0				
SN:13-11113	HRS	0		TSN 0				
WC#: 21.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213020	FORWARD LIMIT CONTROLLER							Component ATA:21
PN:130440-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:123-3191	HRS	0		TSN 0				
WC#: 21.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213025	AFT LIMIT CONTROLLER							Component ATA:21
PN:130440-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:103-3161	HRS	0		TSN 0				
WC#: 21.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213030	UNDER PRESSURE SWITCH							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
213035	OVER PRESSURE SWITCH							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
214005	AIR CONDITIONER BLOWER AFT HEAT VENT							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215001	FORWARD EVAPORATOR ASSEMBLY							Component ATA:21
PN:300-0250-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K68317	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-03PROC. REF: AMM 21-50-03								
215003	AFT FORWARD EVAPORATOR ASSEMBLY							Component ATA:21
PN:300-0260-1	MOS/MSC	06-May-20	O/C	TSN 0				
SN:T-A833764-01	HRS	1151		TSN 0				
	AFL	537		TSN 0				
PROC. REF: AMM 21-50-03, AMM 21-50-05PROC. REF: AMM 21-50-03, AMM 21-50-05								
215004	AFT FORWARD BLOWER ASSEMBLY							Component ATA:21
PN:300-0261-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K68510	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-21, AMM 21-51-27PROC. REF: AMM 21-51-21, AMM 21-51-27								
215005	AFT AFT EVAPORATOR ASSEMBLY							Component ATA:21
PN:300-0270-1	MOS/MSC	08-May-20	O/C	TSN 4				
SN:T-C58587-03	HRS	1151		TSN 0				
	AFL	537		TSN 0				
PROC. REF: AMM 21-50-05PROC. REF: AMM 21-50-05								
215006	AFT AFT BLOWER ASSEMBLY							Component ATA:21
PN:300-0271-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K68699	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-51-21, AMM 21-51-27PROC. REF: AMM 21-51-21, AMM 21-51-27								
215007	AIR CONDITIONER FORWARD COIL ASSEMBLY							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
215010	AIR CONDITIONER AFT COIL ASSEMBLY							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215015	AIR CONDITIONER SOLENOID VALVE							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215020	AIR CONDITIONER COIL ASSEMBLY							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
215025	HEATER ASSEMBLY							Component ATA:21
PN:300-0670-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K67326	HRS	0		TSN 0				
WC#: 21.240	AFL	0		TSN 0				
PROC. REF: AMM 21-41-01PROC. REF: AMM 21-41-01								
215203	CONDENSER ASSEMBLY							Component ATA:21
PN:300-0350-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K68740	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-50-15PROC. REF: AMM 21-50-15								
216001	CABIN TEMPERATURE SENSOR THERMISTOR							Component ATA:21
PN:300-0656-2	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K69002	HRS	0		TSN 0				
WC#: 21.250	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
216002	COCKPIT TEMPERATURE SENSOR THERMISTOR							Component ATA:21
PN:300-0656-2	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K69003	HRS	0		TSN 0				
WC#: 21.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216003	CONTROLLER							Component ATA:21
PN:300-0750-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:883001060	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-60-05PROC. REF: AMM 21-60-05								
216005	CABIN TEMPERATURE CONTROL							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.130	AFL	0		TSN 0				
PROC. REF: AMM 21-60-05PROC. REF: AMM 21-60-05								
216010	CABIN AIR TEMPERATURE INDICATOR							Component ATA:21
PN:114-380020-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:G13-10695	HRS	0		TSN 0				
WC#: 21.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216015	ENVIRONMENTAL TEMPERATURE SWITCH							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
216020	VENTURI TUBE							Component ATA:21
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 21.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-10-00-2100 S		AUTOPILOT COMPONENTS GENERAL VISUAL INSPECTION						Service ATA:22
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 22-10-00PROC. REF: AMM 22-10-00								
22-10-00-2200 S		PERFORM AILERON AUTOPILOT SERVO MOUNT SLIP CLUTCH TEST DETAILED INSPECTION (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)						Service ATA:22
	MOS	15-May-14						
	HRS	0	12000 (+20/-20)					
WC#: 22.120	AFL	0						
								PKG:228
PROC. REF: AMM 22-10-00PROC. REF: AMM 22-10-00								
22-10-00-2200 S		PERFORM ELEVATOR AUTOPILOT SERVO MOUNT SLIP CLUTCH DETAILED INSPECTION (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)						Service ATA:22
	MOS	15-May-14						
	HRS	0	12000 (+20/-20)					
WC#: 22.100	AFL	0						
								PKG:228
PROC. REF: AMM 22-10-00PROC. REF: AMM 22-10-00								
22-10-00-2200 S		PERFORM ELEVATOR TRIM AUTOPILOT SERVO MOUNT SLIP CLUTCH DETAILED INSPECTION (AIRPLANES FL-381, FL-383 AND AFTER; FM -12 AND AFTER)						Service ATA:22
	MOS	15-May-14						
	HRS	0	12000 (+20/-20)					
WC#: 22.090	AFL	0						
								PKG:228
PROC. REF: AMM 22-10-00PROC. REF: AMM 22-10-00								
22-10-00-2200 S		PERFORM RUDDER AUTOPILOT SERVO MOUNT SLIP CLUTCH DETAILED INSPECTION (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)						Service ATA:22
	MOS	15-May-14						
	HRS	0	12000 (+20/-20)					
WC#: 22.110	AFL	0						
								PKG:228
PROC. REF: AMM 22-10-00PROC. REF: AMM 22-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-10-00-7100 S		AUTOPILOT OPERATIONAL CHECK						Service ATA:22
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 22-10-00PROC. REF: AMM 22-10-00								
22-13-07-2200 S		AUTOPILOT (AILERON) SERVO AND CABLE DETAILED INSPECTION (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)						Service ATA:22
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,202,203,206
PROC. REF: AMM 22-13-07PROC. REF: AMM 22-13-07								
22-13-11-2200 S		AUTOPILOT (RUDDER) SERVO AND CABLE DETAILED INSPECTION (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)						Service ATA:22
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,203,205,206,208
PROC. REF: AMM 22-13-11PROC. REF: AMM 22-13-11								
22-13-11-6400 S		RUDDER SERVO LUBRICATION (AIRPLANES FL-1 THRU FL-110, AND FM-2 THRU FM-8) INCORPORATING KIT 130-3004-1, AIRPLANES FL-111 AND AFTER, AND FM-9 AND AFTER WITH SINGLEFLIGHT DIRECTORY SYSTEM INSTALLED, AND AIRPLANES FL-1 THRU FL-110, FM-1, FN-1 INCORPORATINGKIT 130-3004-3, AND AIRPLANES FL-111 AND AFTER, AND FM-9 AND AFTER WITH DUAL FLIGHT DIRECTORY SYSTEM INSTALLED.)						Service ATA:22
	MOS	20-May-20	48 (+2m/-2m)					
	HRS	1151	6500 (+20/-20)					
	AFL	537						
								PKG:246
PROC. REF: AMM 22-13-11PROC. REF: AMM 22-13-11								
22-13-15-2200 S		AUTOPILOT (ELEVATOR) SERVO AND CABLE DETAILED INSPECTION (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)						Service ATA:22
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,203,205,206,208

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
PROC. REF: AMM 22-13-15	PROC. REF: AMM 22-13-15							
22-13-17-2200 S	AUTOPILOT (ELEVATOR TRIM TAB) SERVO AND CABLE DETAILED INSPECTION (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)							Service ATA:22
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,203,205,206,208
PROC. REF: AMM 22-13-17	PROC. REF: AMM 22-13-17							
22-13-19-2200 S	ELEVATOR TRIM TAB SERVO MOUNT CAPSTAN SLIP CLUTCH DETAILED INSPECTION (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)							Service ATA:22
PN:622-5735-002	MOS	22-Feb-19						
SN:426HVC	HRS	962.2	5000 (+20/-20)					
	AFL	451						
								PKG:231
PROC. REF: AMM 22-13-19	PROC. REF: AMM 22-13-19							
22-13-23-7100 S	AUTOPILOT DCU AURAL WARNING OPERATIONAL CHECK (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)							Service ATA:22
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 22-13-23	PROC. REF: AMM 22-13-23							
22-13-25-7100 S	STALL WARNING-AUTOPILOT DISCONNECT OPERATIONAL CHECK (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)							Service ATA:22
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 22-13-25	PROC. REF: AMM 22-13-25							
221005	YAW RATE SENSOR							Component ATA:22
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221010	AUTOPILOT CONTROL PANEL							Component ATA:22
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
221013	NO. 1 FLIGHT GUIDANCE COMPUTER							Component ATA:22
PN:822-1108-132	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42725Y	HRS	0		TSN 0				
WC#: 22.010	AFL	0		TSN 0				
PROC. REF: AMM 22-13-01, AMM 31-40-13PROC. REF: AMM 22-13-01, AMM 31-40-13								
221014	NO. 2 FLIGHT GUIDANCE COMPUTER							Component ATA:22
PN:822-1108-132	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42725T	HRS	0		TSN 0				
WC#: 22.010	AFL	0		TSN 0				
PROC. REF: AMM 22-13-01, AMM 31-40-13PROC. REF: AMM 22-13-01, AMM 31-40-13								
221037	AUTOPILOT COMPUTER							Component ATA:22
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 22.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
221040	PERFORM AUTOPILOT DISCONNECT AURAL WARNING OPERATION CHECK							Service ATA:22
	MOS/MSC	15-May-14	N/R					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
221045	PERFORM STALL WARNING- AUTOPILOT DISCONNECT OPERATION CHECK							Service ATA:22
	MOS/MSC	15-May-14	N/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 22-13-25PROC. REF: AMM 22-13-25								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221049	ELEVATOR TRIM SERVO							Component ATA:22
PN:822-1168-003	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42NFGF	HRS	0		TSN 0				
WC#: 22.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
221050	ELEVATOR TRIM SERVO CAPSTAN MOUNT							Component ATA:22
PN:622-5735-002	MOS/MSC	15-May-14	O/C	TSN 0				
SN:426HVC	HRS	0		TSN 0				
WC#: 22.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
221061	ELEVATOR SERVO							Component ATA:22
PN:822-1168-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42NG03	HRS	0		TSN 0				
WC#: 22.030	AFL	0		TSN 0				
PROC. REF: AMM 22-13-15PROC. REF: AMM 22-13-15								
221062	ELEVATOR SERVO MOUNT							Component ATA:22
PN:622-5735-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:426K0K	HRS	0		TSN 0				
WC#: 22.030	AFL	0		TSN 0				
PROC. REF: AMM 22-13-15PROC. REF: AMM 22-13-15								
221073	RUDDER SERVO							Component ATA:22
PN:622-5027-101	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4K80P	HRS	0		TSN 0				
WC#: 22.040	AFL	0		TSN 0				
PROC. REF: AMM 22-13-11PROC. REF: AMM 22-13-11								
221074	SERVO RUDDER MOUNT							Component ATA:22
PN:622-5029-102	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4C79V	HRS	0		TSN 0				
WC#: 22.040	AFL	0		TSN 0				
PROC. REF: AMM 22-13-11PROC. REF: AMM 22-13-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221085	AILERON SERVO							Component ATA:22
PN:822-1168-003	MOS/MSC	15-May-14	O/C	TSN 0				
SN:426HPF	HRS	0		TSN 0				
WC#: 22.020	AFL	0		TSN 0				
PROC. REF: AMM 22-13-07	PROC. REF: AMM 22-13-07							
221086	AILERON SERVO MOUNT							Component ATA:22
PN:622-5735-002	MOS/MSC	15-May-14	O/C	TSN 0				
SN:426GVR	HRS	0		TSN 0				
WC#: 22.020	AFL	0		TSN 0				
PROC. REF: AMM 22-13-07	PROC. REF: AMM 22-13-07							
ATA 23 - COMMUNICATIONS								
23-00-00-2100 S	ANTENNAS GENERAL VISUAL INSPECTION							Service ATA:23
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 23-00-00	PROC. REF: AMM 23-00-00							
23-60-00-2100 S	STATIC WICKS (WING) GENERAL VISUAL INSPECTION							Service ATA:23
	MOS	15-May-14	24					
	HRS	0						
	AFL	0						
								PKG:200,201,202,203,205,206,207,208
PROC. REF: AMM 23-60-00	PROC. REF: AMM 23-60-00							
23-60-00-2101 S	STATIC WICKS (REAR FUSELAGE AND EMPENNAGE) GENERAL VISUAL INSPECTION							Service ATA:23
	MOS	15-May-14	24					
	HRS	0						
	AFL	0						
								PKG:200,201,202,203,205,206,207,208
PROC. REF: AMM 23-60-00	PROC. REF: AMM 23-60-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-60-00-2200 S	STATIC DISCHARGERS (WICKS) DETAILED INSPECTION							Service ATA:23
	MOS	02-May-23	12 (+1m/-1m)					
	HRS							
	AFL							
								PKG:209
PROC. REF: AMM 23-60-00PROC. REF: AMM 23-60-00								
23-70-00-7100	COCKPIT VOICE RECORDER BEACON OPERATIONAL CHECK (AIRPLANES FL-114 AND AFTER; FM-9 AND AFTER)							Service ATA:23
	MOS	25-Aug-26	24 (+2m/-2m)		25-Aug-28	25-Oct-28	721 d (+61)	
	HRS	1181.6						
WC#: 23.010	AFL	544						
								PKG:237
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								
23-70-00-9600	REPLACE COCKPIT VOICE RECORDER (CVR)/UNDERWATER LOCATOR BEACON (ULB) BATTERY(AIRPLANES FL-114 AND AFTER; FM-9 AND AFTER)							Service ATA:23
PN:DK120/90	MOS	25-Aug-26	72		01-May-33 (M)		2431 d	REPLACE
SN:AT135962	HRS	1181.6						
WC#: 23.010	AFL	544						
			Expiry Date: : 01-May-33					
PROC. REF: AMM 23-70-00PROC. REF: AMM 23-70-00								
23-70-01-900-0000	COCKPIT VOICE RECORDER							Component ATA:23
PN:2100-1020-00	MOS/MSC	20-May-20	O/C	TSR 5				
SN:001229188	HRS	1151		TSR 0				
WC#: 23.010	AFL	537		TSR 0				
PROC. REF: AMM 23-70-05PROC. REF: AMM 23-70-05								
23-70-01-900-0001	COCKPIT VOICE RECORDER IMPACT SWITCH							Component ATA:23
PN:28DCL1Z400	MOS/MSC	15-May-14	O/C	TSN 0				
SN:9922	HRS	0		TSN 0				
WC#: 23.100	AFL	0		TSN 0				
PROC. REF: AMM 23-70-07PROC. REF: AMM 23-70-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
230001	CVR CONTROLLER PANEL							Component ATA:23
PN:S161-0030-00	MOS/MSC	15-May-14	O/C	TSN 0				
SN:000931140	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-70-05, AMM 23-70-01PROC. REF: AMM 23-70-05, AMM 23-70-01								
230005	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON							Component ATA:23
PN:DK120/90	MOS/MSC	20-May-20	O/C	TSN 0				
SN:AT135962	HRS	1151		TSN 0				
WC#: 23.110	AFL	537		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
230015	CCP-3000 CURSOR CONTROL PANEL							Component ATA:23
PN:822-1746-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42C15H	HRS	0		TSN 0				
WC#: 23.130	AFL	0		TSN 0				
PROC. REF: AMM 31-61-07PROC. REF: AMM 31-61-07								
231001	NO. 1 COMMUNICATION TRANSCEIVER							Component ATA:23
PN:822-1468-110	MOS/MSC	15-May-14	O/C	TSN 0				
SN:43J3V	HRS	0		TSN 0				
WC#: 23.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231002	NO. 2 COMMUNICATION TRANSCEIVER							Component ATA:23
PN:822-1468-110	MOS/MSC	11-Mar-20	O/C	TSN 2				
SN:77XM8	HRS	1151		TSN 0				
WC#: 23.070	AFL	537		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231005	TOP VHF COMMUNICATION ANTENNA							Component ATA:23
PN:90-384036	MOS/MSC	15-May-14	O/C	TSN 0				
SN:11684	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231010	LOWER VHF COMMUNICATION ANTENNA							Component ATA:23
PN:90-384036	MOS/MSC	15-May-14	O/C	TSN 0				
SN:11686	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231013	NO. 1 COMMUNICATION (AUDIO) CONTROL							Component ATA:23
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
231014	NO. 2 COMMUNICATION (AUDIO) CONTROL							Component ATA:23
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
235005	INTERPHONE AUDIO AMPLIFIER							Component ATA:23
PN:DB204	MOS/MSC	15-May-14	O/C	TSN 0				
SN:91807	HRS	0		TSN 0				
WC#: 23.030	AFL	0		TSN 0				
PROC. REF: AMM 23-40-01PROC. REF: AMM 23-40-01								
235010	NO. 1 AUDIO CONTROL AMPLIFIER							Component ATA:23
PN:700-006	MOS/MSC	15-May-14	O/C	TSN 0				
SN:99708	HRS	0		TSN 0				
WC#: 23.040	AFL	0		TSN 0				
PROC. REF: AMM 23-50-03PROC. REF: AMM 23-50-03								
235015	NO. 2 AUDIO CONTROL AMPLIFIER							Component ATA:23
PN:700-006	MOS/MSC	15-May-14	O/C	TSN 0				
SN:99790	HRS	0		TSN 0				
WC#: 23.050	AFL	0		TSN 0				
PROC. REF: AMM 23-50-03PROC. REF: AMM 23-50-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
235020	CABIN/PASSENGER SPEAKER (PAGING/STEREO) AMPLIFIER							Component ATA:23
PN:MODEL 240	MOS/MSC	15-May-14	O/C	TSN 0				
SN:98136	HRS	0		TSN 0				
WC#: 23.060	AFL	0		TSN 0				
PROC. REF: AMM 23-30-01PROC. REF: AMM 23-30-01								
235025	PILOT AUDIO PANEL							Component ATA:23
PN:804-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:97171	HRS	0		TSN 0				
WC#: 23.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
235026	CO-PILOT AUDIO PANEL							Component ATA:23
PN:805-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:97082	HRS	0		TSN 0				
WC#: 23.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
237005	AURAL WARNING TONE GENERATOR							Component ATA:23
PN:630-004	MOS/MSC	15-May-14	O/C	TSN 0				
SN:97391	HRS	0		TSN 0				
WC#: 23.090	AFL	0		TSN 0				
PROC. REF: AMM 23-50-05PROC. REF: AMM 23-50-05								
238140	RADIO TUNING UNIT							Component ATA:23
PN:822-0730-461	MOS/MSC	15-May-14	O/C	TSN 0				
SN:412KY2	HRS	0		TSN 0				
WC#: 23.120	AFL	0		TSN 0				
PROC. REF: AMM 23-10-05PROC. REF: AMM 23-10-05								
ATA 24 - ELECTRICAL POWER								
24-20-01-7100 S	AC INVERTERS OPERATIONAL CHECK							Service ATA:24
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						

PKG:207,208

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-20-01PROC. REF: AMM 24-20-01								
24-30-01-2100 S		BATTERY GENERAL VISUAL INSPECTION (CPCP)						Service ATA:24
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
24-30-01-7200 S		MAIN BATTERY, EMERGENCY CAPACITY FUNCTIONAL CHECK						Service ATA:24
PN:RG-380E/44K	MOS	25-Aug-26	T:12 (+1m/-1m)					
SN:70072951	HRS	1181.6						
WC#: 24.010	AFL	544						
								PKG:237
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
24-30-03-2100 S		STARTER-GENERATOR BRUSHES GENERAL VISUAL INSPECTION						Service ATA:24
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 24-30-03PROC. REF: AMM 24-30-03								
24-30-03-9600		NO. 1 STARTER-GENERATOR REPLACEMENT						Component ATA:24
PN:23085-001	MOS	22-Feb-19		TSO 0				OVERHAUL
SN:Y0298	HRS	962.2	1000	TSO 0	1962.2		754.1	
WC#: 24.020	AFL	451		TSO 0				
PROC. REF: AMM 24-30-03PROC. REF: AMM 24-30-03								
24-30-03-9600		NO. 2 STARTER-GENERATOR REPLACEMENT						Component ATA:24
PN:23085-001	MOS	22-Feb-19		TSO 0				OVERHAUL
SN:P3353	HRS	962.2	1000	TSO 0	1962.2		754.1	
WC#: 24.020	AFL	451		TSO 0				
PROC. REF: AMM 24-30-03PROC. REF: AMM 24-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-40-00-7100 S		EXTERNAL POWER RELAY OPERATIONAL CHECK						Service ATA:24
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 24-40-00PROC. REF: AMM 24-40-00								
24-50-00-7200 S		BUS CONFORMITY FUNCTIONAL CHECK (AIPLANES FL-1 THRU FL-380, FL-382; AND FM-1 THRU FM-11)						Service ATA:24
	MOS/MSC	15-May-14	N/A					
	HRS	0						
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 24-50-00PROC. REF: AMM 24-50-00								
24-60-00-7200 S		BUS CONFORMITY FUNCTIONAL CHECK (AIPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)						Service ATA:24
	MOS	15-May-14	24					
	HRS	0						
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 24-60-00PROC. REF: AMM 24-60-00								
240101		MAIN BATTERY						Component ATA:24
PN:RG-380E/44K	MOS/MSC	25-Aug-26	O/C	TSN 0				
SN:70072951	HRS	1181.6		TSN 0				
WC#: 24.010	AFL	544		TSN 0				
PROC. REF: AMM 24-30-01PROC. REF: AMM 24-30-01								
242005		RIGHT VOLTAGE REGULATOR						Component ATA:24
PN:51538-001A	MOS/MSC	15-May-14	O/C	TSN 0				
SN:P3851	HRS	0		TSN 0				
WC#: 24.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
242010	LEFT VOLTAGE REGULATOR							Component ATA:24
PN:51538-001A	MOS/MSC	15-May-14	O/C	TSN 0				
SN:P3863	HRS	0		TSN 0				
WC#: 24.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242011	#1 AC POWER CONTROLLER							Component ATA:24
PN:106181-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:12241113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-25-03PROC. REF: AMM 24-25-03								
242012	#2 AC POWER CONTROLLER							Component ATA:24
PN:106181-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10890413	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-25-03PROC. REF: AMM 24-25-03								
242013	#3 AC POWER CONTROLLER							Component ATA:24
PN:106181-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:12081113	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-25-03PROC. REF: AMM 24-25-03								
242014	#4 AC POWER CONTROLLER							Component ATA:24
PN:106181-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:11731013	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-25-03PROC. REF: AMM 24-25-03								
242015	#5 AC POWER CONTROLLER							Component ATA:24
PN:106181-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:11000413	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-25-03PROC. REF: AMM 24-25-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
242016	1000VA DC TO 60HZ PHAS STATIC INVERTER							Component ATA:24
PN:SS100	MOS/MSC	15-May-14	O/C	TSN 0				
SN:692	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242035	LEFT INVERTER							Component ATA:24
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
242040	RIGHT INVERTER							Component ATA:24
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
243005	DC VOLTMETER							Component ATA:24
PN:101-384233-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K13-10143	HRS	0		TSN 0				
WC#: 24.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246005	LEFT DC LOADMETER INDICATOR							Component ATA:24
PN:109-384001-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K13-10796	HRS	0		TSN 0				
WC#: 24.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
246010	RIGHT DC LOADMETER INDICATOR							Component ATA:24
PN:109-384001-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K13-10787	HRS	0		TSN 0				
WC#: 24.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
246015	NO. 1 DC-DC POWER CONVERTER							Component ATA:24
PN:RR18	MOS/MSC	15-May-14	O/C	TSN 0				
SN:5526	HRS	0		TSN 0				
WC#: 24.040	AFL	0		TSN 0				
PROC. REF: AMM 24-31-01	PROC. REF: AMM 24-31-01							
246020	NO. 2 DC-DC POWER CONVERTER							Component ATA:24
PN:RR18	MOS/MSC	15-May-14	O/C	TSN 0				
SN:5580	HRS	0		TSN 0				
WC#: 24.040	AFL	0		TSN 0				
PROC. REF: AMM 24-31-01	PROC. REF: AMM 24-31-01							
ATA 25 - EQUIPMENT/FURNISHINGS								
25-10-00-2100 S	PILOT AND COPILOT SEAT BELT AND SHOULDER HARNESS GENERAL VISUAL INSPECTION							Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,207,208
PROC. REF: AMM 25-10-00	PROC. REF: AMM 25-10-00							
25-10-00-2101 S	PILOT AND COPILOT SEAT TRACKS GENERAL VISUAL INSPECTION							Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 25-10-00	PROC. REF: AMM 25-10-00							
25-10-03-2100 S	UPHOLSTERY PANELS GENERAL VISUAL INSPECTION							Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 25-10-03	PROC. REF: AMM 25-10-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-20-01-2100 S	PASSENGER SEAT BELT AND SHOULDER HARNESSES GENERAL VISUAL INSPECTION							Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,207,208
PROC. REF: AMM 25-20-01PROC. REF: AMM 25-20-01								
25-20-01-2101 S	PASSENGER SEAT TRACKS GENERAL VISUAL INSPECTION							Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 25-20-01PROC. REF: AMM 25-20-01								
25-20-01-7100 S	PASSENGER SEATS OPERATIONAL CHECK							Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 25-20-01PROC. REF: AMM 25-20-01								
25-20-01-7101 S	PASSENGER SEAT BELT AND SHOULDER HARNESS OPERATIONAL CHECK							Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 25-20-01PROC. REF: AMM 25-20-01								
25-21-01-2100 S	PASSENGER SEAT BELT AND SHOULDER HARNESS GENERAL VISUAL INSPECTION							Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-21-01-2101 S		PASSENGER SEAT TRACKS GENERAL VISUAL INSPECTION						Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								
25-21-01-7100 S		PASSENGER SEATS OPERATIONAL CHECK						Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								
25-21-01-7101 S		PASSENGER SEAT BELT AND SHOULDER HARNESS OPERATIONAL CHECK						Service ATA:25
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206
PROC. REF: AMM 25-21-01PROC. REF: AMM 25-21-01								
25-60-00-2200 S		EMERGENCY LOCATOR TRANSMITTER BATTERY DETAILED INSPECTION						Service ATA:25
PN:435-5000	MOS	25-Aug-26	12 (+1m/-1m)					
SN:01534	HRS	1181.6						
	AFL	544						
								PKG:209
PROC. REF: AMM 25-60-00PROC. REF: AMM 25-60-00								
25-60-00-7100 S		EMERGENCY LOCATOR TRANSMITTER OPERATIONAL CHECK						Service ATA:25
PN:435-5000	MOS	25-Aug-26	12 (+1d/-1d)					
SN:01534	HRS	1181.6						
WC#: 25.010	AFL	544						
								PKG:207,208,209
PROC. REF: AMM 25-60-00, CFR 91.207(D)PROC. REF: AMM 25-60-00, CFR 91.207(D)								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60-00-9600	EMERGENCY LOCATOR TRANSMITTER BATTERY REPLACEMENT							Service ATA:25
PN:PN	MOS/MSC	25-Aug-26	DUE		01-Apr-31 (M)		1670 d	REPLACE
SN:UNKNOWN	HRS	1181.6						
WC#: 25.010	AFL	544						
PROC. REF: AMM 25-60-00	PROC. REF: AMM 25-60-00							
252001	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130916062010N21	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252002	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925130216N31	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252003	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925111729N11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252004	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925111729N31	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252005	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925111332N11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252006	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925111729N21	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252007	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925123620N11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252008	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130916062010N11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252009	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130916062010N31	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252010	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925110129N11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252011	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925110936N21	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252012	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925105732N11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252013	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925110129N21	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252014	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925110936N11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252015	DIMMABLE WINDOW SHADE CONTROLLER							Component ATA:25
PN:NP2002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:130925110529N31	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-05	PROC. REF: AMM 56-21-05							
252016	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-01	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252017	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-02	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252018	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-03	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252019	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-04	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252020	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-05	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252021	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-06	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252022	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-07	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252023	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-08	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252024	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-09	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252025	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-10	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252026	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-11	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252027	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-12	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252028	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-13	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							
252029	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-14	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03	PROC. REF: AMM 56-21-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252030	ELECTRONIC WINDOW ASSEMBLY							Component ATA:25
PN:130-384074-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DW4C2601-15	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 56-21-03PROC. REF: AMM 56-21-03								
252601	EMERGENCY LOCATOR TRANSMITTER							Component ATA:25
PN:435-5000	MOS/MSC	25-Aug-26	O/C	TSR 0				
SN:01534	HRS	1181.6		TSR 0				
WC#: 25.010	AFL	544		TSR 0				
PROC. REF: AMM 25-61-01, AMM 25-63-01, AMM 25-65-01PROC. REF: AMM 25-61-01, AMM 25-63-01, AMM 25-65-01								
252605	EMERGENCY LOCATOR TRANSMITTER BATTERY							Component ATA:25
PN:PN	MOS/MSC	25-Aug-26	O/C	TSN 0				
SN:UNKNOWN	HRS	1181.6		TSN 0				
	AFL	544		TSN 0				
PROC. REF: AMM 25-61-03, AMM 25-63-03, AMM 25-65-03PROC. REF: AMM 25-61-03, AMM 25-63-03, AMM 25-65-03								
256005	EMERGENCY LOCATOR TRANSMITTER ANTENNA							Component ATA:25
PN:110-337-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4274174	HRS	0		TSN 0				
WC#: 25.030	AFL	0		TSN 0				
PROC. REF: AMM 25-61-05, AMM 25-63-05, AMM 25-65-05PROC. REF: AMM 25-61-05, AMM 25-63-05, AMM 25-65-05								
256076	FIRST AID KIT							Component ATA:25
PN:AFAK	MOS/MSC	25-Dec-22	DUE	TSN 13	31-Oct-23 (M)		OVD	
SN:051815003	HRS			TSN 1172.2				
	AFL			TSN 542				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 26 - FIRE PROTECTION								
26-10-00-2100 S	FIRE DETECTION SYSTEM GENERAL VISUAL INSPECTION							Service ATA:26
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						

PKG:201,205,208

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
PROC. REF: AMM 26-10-00PROC. REF: AMM 26-10-00								
26-10-00-7200 S		FIRE DETECTION SYSTEM FUNCTIONAL CHECK						Service ATA:26
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,205,207,208
PROC. REF: AMM 26-10-00PROC. REF: AMM 26-10-00								
26-20-05-2100 S		ENGINE FIRE EXTINGUISHER GENERAL VISUAL INSPECTION						Service ATA:26
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 26-20-05PROC. REF: AMM 26-20-05								
26-20-05-7200 S		FIRE EXTINGUISHER ACTIVATION FUNCTIONAL CHECK						Service ATA:26
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,207,208
PROC. REF: AMM 26-20-05PROC. REF: AMM 26-20-05								
26-20-05-7201		NO. 1 ENGINE FIRE EXTINGUISHER HYDROSTATIC TEST						Service ATA:26
PN:30301102	MOS	14-Nov-18	60		14-Nov-23	OVD		MANDATORY
SN:29193B1	HRS							
WC#: 26.010	AFL							
			HydroCheck Date: : 14-Nov-18					PKG:104
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20-05-7201		NO. 2 ENGINE FIRE EXTINGUISHER HYDROSTATIC TEST						Service ATA:26
PN:30301102	MOS	13-Aug-18	60		13-Aug-23	OVD		MANDATORY
SN:68717B1	HRS							
WC#: 26.020	AFL							
			HydroCheck Date: : 13-Aug-18					PKG:104
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20-05-9600	REPLACE NO. 1 ENGINE FIRE EXTINGUISHER SQUIB - LIFE LIMIT							Service ATA:26
	MOS	31-Mar-23	108		31-Mar-32		2035 d	LIFE LIMIT
	HRS							
WC#: 26.010	AFL							
			Manufacture Date:: 31-Mar-23					
PROC. REF: AMM 26-20-07PROC. REF: AMM 26-20-07								
26-20-05-9600	REPLACE NO. 2 ENGINE FIRE EXTINGUISHER SQUIB - LIFE LIMIT							Service ATA:26
	MOS	10-May-23	108		10-May-32		2075 d	LIFE LIMIT
	HRS							
WC#: 26.020	AFL							
			Manufacture Date:: 10-May-23					
PROC. REF: AMM 26-20-07PROC. REF: AMM 26-20-07								
26-20-05-9600 (SL)	REPLACE NO. 1 ENGINE FIRE EXTINGUISHER SQUIB-SERVICE LIFE							Service ATA:26
	MOS	31-Mar-23	72		31-Mar-29		939 d	SCRAP
	HRS							
WC#: 26.010	AFL							
			Installation Date: : 31-Mar-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-20-05-9600 (SL)	REPLACE NO. 2 ENGINE FIRE EXTINGUISHER SQUIB-SERVICE LIFE							Service ATA:26
	MOS	10-May-23	72		10-May-29		979 d	SCRAP
	HRS							
WC#: 26.020	AFL							
			Installation Date: : 10-May-23					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
26-21-00-2100 S	PORTABLE FIRE EXTINGUISHER (FLIGHT COMPARTMENT) GENERAL VISUAL INSPECTION (WEIGHT CHECK INCLUDED)							Service ATA:26
PN:C352TS	MOS	08-Aug-23	12					
SN:Y-650658	HRS							
	AFL							
								PKG:208,209
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-21-00-2101 S	PORTABLE FIRE EXTINGUISHER (CABIN) GENERAL VISUAL INSPECTION (WEIGHT CHECK INCLUDED)							Service ATA:26
PN:C352TS	MOS	07-Aug-23	12 (+1m/-1m)					
SN:Y-649577	HRS							
	AFL							
								PKG:208,209
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
26-21-00-7200	CABIN FIRE EXTINGUISHER HYDROSTATIC TEST							Service ATA:26
PN:C352TS	MOS	18-Dec-13	144 (+1m/-1m)		18-Dec-25	18-Jan-26	OVD	HYDROSTATIC TEST
SN:Y-649577	HRS							
WC#: 26.030	AFL							
			HydroCheck Date: : 18-Dec-13					PKG:105
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								
26-21-00-7200	COCKPIT FIRE EXTINGUISHER HYDROSTATIC TEST							Service ATA:26
	MOS	31-Jan-14	144 (+1m/-1m)		31-Jan-26	28-Feb-26	OVD	HYDROSTATIC TEST
	HRS							
WC#: 26.030	AFL							
			HydroCheck Date: : 31-Jan-14					PKG:105
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
260106	NO. 1 ENGINE FIRE EXTINGUISHER							Component ATA:26
PN:30301102	MOS/MSC	20-Dec-18	O/C	TSN 0				
SN:29193B1	HRS	922.5		TSN 0				
WC#: 26.010	AFL	434		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
260606	NO. 2 ENGINE FIRE EXTINGUISHER							Component ATA:26
PN:30301102	MOS/MSC	22-Feb-19	O/C	TSO 0				
SN:68717B1	HRS	962.2		TSO 0				
WC#: 26.020	AFL	451		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
261005	RIGHT FIRE OVERHEAT DETECTOR							Component ATA:26
PN:3001-109	MOS/MSC	15-May-14	O/C	TSN 0				
SN:98734	HRS	0		TSN 0				
WC#: 26.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
261010	INBOARD BLEED AIR WARNING PRESSURE SWITCH							Component ATA:26
PN:90-380002-3	MOS/MSC	18-Jun-18	O/C	TSN 0				
SN:26441	HRS	756.7		TSN 0				
WC#: 26.060	AFL	357		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
261015	OUTBOARD BLEED AIR WARNING PRESSURE SWITCH							Component ATA:26
PN:90-380002-3	MOS/MSC	21-Dec-17	O/C					
SN:25523	HRS	616.4						
WC#: 26.060	AFL	287						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
261020	LEFT FIRE OVERHEAT DETECTOR							Component ATA:26
PN:3001-109	MOS/MSC	15-May-14	O/C	TSN 0				
SN:98737	HRS	0		TSN 0				
WC#: 26.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
263201	CABIN FIRE EXTINGUISHER							Component ATA:26
PN:C352TS	MOS/MSC	15-May-14	O/C	TSN 0				
SN:Y-649577	HRS	0		TSN 0				
WC#: 26.030	AFL	0		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								
263216	FLIGHT COMPARTMENT FIRE EXTINGUISHER							Component ATA:26
PN:C352TS	MOS/MSC	15-May-14	O/C	TSN 0				
SN:Y-650658	HRS	0		TSN 0				
WC#: 26.030	AFL	0		TSN 0				
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00-00-2100 S	FLIGHT CONTROL COMPONENTS, CABLES, AND PULLEYS (FLIGHT COMPARTMENT)GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:214
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2101 S	FLIGHT CONTROL COMPONENTS, CABLES, AND PULLEYS (CABIN) GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:214
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2102 S	FLIGHT CONTROL COMPONENTS, CABLES, AND PULLEYS (WING) GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2103 S	FLIGHT CONTROL COMPONENTS, CABLES, AND PULLEYS (REAR FUSELAGE AND EMPENNAGE) GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2104 S	CONTROL CABLE SEALS (CABIN) GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00-00-2105 S	CONTROL CABLE SEALS (REAR FUSELAGE AND EMPENNAGE) GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2106 S	CONTROL COLUMN GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2107 S	AILERON QUADRANT REGULATOR GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2108 S	FLAPS AND ACTUATORS GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2109 S	FLAP MOTOR AND DRIVES GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00-00-2110 S	LEFT INBOARD FLAP GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	20-May-20	36 (+2m/-2m)					
	HRS	1151						
	AFL	537	3000 (+20/-20)					
								PKG:215
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2110 S	RIGHT INBOARD FLAP GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	20-May-20	36 (+2m/-2m)					
	HRS	1151						
	AFL	537	3000 (+20/-20)					
								PKG:215
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2111 S	LEFT OUTBOARD FLAP GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	20-May-20	36 (+2m/-2m)					
	HRS	1151						
	AFL	537	3000 (+20/-20)					
								PKG:215
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2111 S	RIGHT OUTBOARD FLAP GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	20-May-20	36 (+2m/-2m)					
	HRS	1151						
	AFL	537	3000 (+20/-20)					
								PKG:215
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2112 S	AILERON, OUTBOARD FLAP AND INBOARD FLAP GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00-00-2200 S	CONTROL CABLE TENSION DETAILED INSPECTION							Service ATA:27
	MOS	22-Feb-19	48 (+60d/-60d)					
	HRS	962.2						
	AFL	451						
								PKG:226
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-2201 S	FLIGHT CONTROLS (PRIORITY AREA) DETAILED INSPECTION							Service ATA:27
	MOS	15-May-14						
	HRS	0						
WC#: 27.010	AFL	0	T:10000 (+20/-20)					
								PKG:225
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-6400 S	FLIGHT CONTROLS (200 HOUR) LUBRICATION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,205,206
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-6401 S	AILERON CONTROL SYSTEM (400 HOUR) LUBRICATION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-6402 S	CONTROL COLUMN (800 HOUR) LUBRICATION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00-00-6403 S		FLAP ACTUATOR PISTONS (1200 HOUR) LUBRICATION						Service ATA:27
	MOS	20-May-20						
	HRS	1151	1200 (+20/-20)					
WC#: 12.060	AFL	537						
								PKG:210
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-6404 S		FLAP MOTOR AND GEARBOX (1200 HOUR) LUBRICATION						Service ATA:27
	MOS	15-May-14						
	HRS	0	1200					
	AFL	0						
								PKG:210
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-6405 S		FLIGHT CONTROLS (1200 HOUR) LUBRICATION						Service ATA:27
	MOS	15-May-14						
	HRS	0	1200					
	AFL	0						
								PKG:210
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-7100 S		CONTROL COLUMN OPERATIONAL CHECK						Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-7101 S		AILERON TRIM TAB OPERATIONAL CHECK						Service ATA:27
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00-00-7102 S	EMPENNAGE CONTROL SURFACE OPERATIONAL CHECK							Service ATA:27
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-7103 S	FLAPS AND ACTUATORS (INBOARD, OUTBOARD, LEFT AND RIGHT SIDE) OPERATIONAL CHECK							Service ATA:27
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-7104 S	AILERON (LEFT AND RIGHT) OPERATIONAL CHECK							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,207,208
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-9600 S	FLAP MOTOR GEARBOX RESTORATION							Service ATA:27
	MOS							
	HRS							
	AFL	EFF	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-9600 S	FLAP MOTOR RESTORATION							Service ATA:27
	MOS							
	HRS							
	AFL	EFF	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00-00-9600 S	LEFT INBOARD FLAP ACTUATOR 90 DEGREE DRIVE RESTORATION							Service ATA:27
	MOS							
	HRS							
	AFL	EFF	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-9600 S	LEFT INBOARD FLAP ACTUATOR RESTORATION							Service ATA:27
	MOS							
	HRS							
	AFL	EFF	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-9600 S	LEFT OUTBOARD FLAP ACTUATOR 90 DEGREE DRIVE RESTORATION							Service ATA:27
	MOS							
	HRS							
	AFL	EFF	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-9600 S	LEFT OUTBOARD FLAP ACTUATOR RESTORATION							Service ATA:27
	MOS							
	HRS							
	AFL	EFF	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-9600 S	RIGHT INBOARD FLAP ACTUATOR 90 DEGREE DRIVE RESTORATION							Service ATA:27
	MOS							
	HRS							
	AFL	EFF	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00-00-9600 S	RIGHT INBOARD FLAP ACTUATOR RESTORATION							Service ATA:27
	MOS							
	HRS							
	AFL	EFF	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-9600 S	RIGHT OUTBOARD FLAP ACTUATOR 90 DEGREE DRIVE RESTORATION							Service ATA:27
	MOS							
	HRS							
	AFL	EFF	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-00-00-9600 S	RIGHT OUTBOARD FLAP ACTUATOR RESTORATION							Service ATA:27
	MOS							
	HRS							
	AFL	EFF	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 27-00-00PROC. REF: AMM 27-00-00								
27-10-05-2200 S	CONTROL COLUMN BEARING SUPPORT DETAILED INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 27-10-05PROC. REF: AMM 27-10-05								
27-10-15-6400 S	AILERON TRIM TAB ACTUATOR LUBRICATION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206
PROC. REF: AMM 27-10-15PROC. REF: AMM 27-10-15								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10-15-7200 S	AILERON TRIM TAB FREE PLAY FUNCTIONAL CHECK							Service ATA:27
	MOS	22-Feb-19						
	HRS	962.2	1200 (+20/-20)					
	AFL	451						
								PKG:208,210
PROC. REF: AMM 27-10-15PROC. REF: AMM 27-10-15								
27-20-09-2100 S	RUDDER PEDALS GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 27-20-09PROC. REF: AMM 27-20-09								
27-20-09-2200 S	RUDDER PEDAL ARM DETAILED INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206
PROC. REF: AMM 27-20-09PROC. REF: AMM 27-20-09								
27-20-09-6400 S	RUDDER CONTROL SYSTEM (200 HOUR) LUBRICATION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,204,205,206
PROC. REF: AMM 27-20-09PROC. REF: AMM 27-20-09								
27-20-09-6401 S	RUDDER CONTROL SYSTEM (400 HOUR) LUBRICATION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206
PROC. REF: AMM 27-20-09PROC. REF: AMM 27-20-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20-11-6400 S	RUDDER TRIM TAB ACTUATOR LUBRICATION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206
PROC. REF: AMM 27-20-11PROC. REF: AMM 27-20-11								
27-20-11-7200 S	RUDDER TRIM TAB FREE PLAY FUNCTIONAL CHECK							Service ATA:27
	MOS	22-Feb-19						
	HRS	962.2	1200 (+20/-20)					
	AFL	451						
								PKG:208,210
PROC. REF: AMM 27-20-11PROC. REF: AMM 27-20-11								
27-20-19-7200 S	RUDDER TRIM TAB FREE PLAY (MODEL 300ER/300CER) FUNCTIONAL CHECK							Service ATA:27
	MOS	15-May-14						
	HRS	0	1200					
	AFL	0						
								PKG:208,210
PROC. REF: AMM 27-20-19PROC. REF: AMM 27-20-19								
27-21-01-2100 S	RUDDER BOOST TRANSDUCER GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,205,208
PROC. REF: AMM 27-21-01PROC. REF: AMM 27-21-01								
27-30-07-6400 S	ELEVATOR TRIM TAB ACTUATOR LUBRICATION							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206
PROC. REF: AMM 27-30-07PROC. REF: AMM 27-30-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30-07-7200 S		ELEVATOR TRIM TAB FREE PLAY FUNCTIONAL CHECK						Service ATA:27
	MOS	22-Feb-19						
	HRS	962.2	1200 (+20/-20)					
	AFL	451						
								PKG:208,210
PROC. REF: AMM 27-30-07PROC. REF: AMM 27-30-07								
27-30-07-7201 S		ELECTRIC ELEVATOR TRIM TAB FREE PLAY FUNCTIONAL CHECK (HUIP ONLY)						Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200
27-30-21-2200 S		ELEVATOR BOB-WEIGHT AND STOP DETAILED INSPECTION						Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 27-30-21PROC. REF: AMM 27-30-21								
27-30-23-2200 S		ELEVATOR BOB-WEIGHT LINK ASSEMBLY DETAILED INSPECTION						Service ATA:27
	MOS	22-Feb-19						
	HRS	962.2	5000 (+20/-20)					
	AFL	451						
								PKG:218
PROC. REF: AMM 27-30-23PROC. REF: AMM 27-30-23								
27-30-24-2900 S		ELEVATOR BOB-WEIGHT BELL CRANK ASSEMBLY DETAILED INSPECTION						Service ATA:27
	MOS							
	HRS		T:30000 (+20/-20)					
	AFL							
								PKG:256
PROC. REF: GENERIC NO REF, AMM 27-30-24PROC. REF: GENERIC NO REF, AMM 27-30-24								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-31-01-7100 S	STALL WARNING HEAT OPERATIONAL CHECK							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,207,208
PROC. REF: AMM 27-31-01PROC. REF: AMM 27-31-01								
27-50-11-7200 S	FLAP SAFETY MECHANISM FUNCTIONAL CHECK							Service ATA:27
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 27-50-11PROC. REF: AMM 27-50-11								
27-50-13-2200 S	LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFTS DETAILED INSPECTION							Service ATA:27
	MOS	15-May-14						
	HRS	0						
WC#: 27.020	AFL	0	5000 (+20/-20)					
								PKG:217
PROC. REF: AMM 27-50-13PROC. REF: AMM 27-50-13								
27-50-13-2200 S	LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFTS DETAILED INSPECTION							Service ATA:27
	MOS	15-May-14						
	HRS	0						
WC#: 27.020	AFL	0	5000 (+20/-20)					
								PKG:217
PROC. REF: AMM 27-50-13PROC. REF: AMM 27-50-13								
27-50-13-2200 S	RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFTS DETAILED INSPECTION							Service ATA:27
	MOS	15-May-14						
	HRS	0						
WC#: 27.030	AFL	0	5000 (+20/-20)					
								PKG:217
PROC. REF: AMM 27-50-13PROC. REF: AMM 27-50-13								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50-13-2200 S	RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFTS DETAILED INSPECTION							Service ATA:27
	MOS	15-May-14						
	HRS	0						
WC#: 27.030	AFL	0	5000 (+20/-20)					
								PKG:217
PROC. REF: AMM 27-50-13PROC. REF: AMM 27-50-13								
27-70-01-2100 S	CONTROL LOCK GENERAL VISUAL INSPECTION							Service ATA:27
	MOS	16-Dec-21	12 (+1m/-1m)					
	HRS	1172.2						
	AFL	542						
								PKG:209
PROC. REF: AMM 27-70-01PROC. REF: AMM 27-70-01								
271001	LEFT HAND AILERON ASSEMBLY							Component ATA:27
PN:101-130003-609	MOS/MSC	15-May-14	O/C	TSN 0				
SN:FL922	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-07PROC. REF: AMM 27-10-07								
271002	RIGHT HAND AILERON ASSEMBLY							Component ATA:27
PN:101-130003-610	MOS/MSC	15-May-14	O/C	TSN 0				
SN:FL922	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-07PROC. REF: AMM 27-10-07								
271005	LEFT AILERON TAB ACTUATOR							Component ATA:27
PN:130-521034-11	MOS/MSC	15-May-14	O/C	TSN 0				
SN:08241304ICT	HRS	0		TSN 0				
WC#: 27.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
272001	RUDDER ACTUATOR ASSY							Component ATA:27
PN:130-524051-11	MOS/MSC	15-May-14	O/C	TSN 0				
SN:12121301ICT	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
272002	RUDDER ASSEMBLY							Component ATA:27
PN:130-630000-627	MOS/MSC	15-May-14	O/C	TSN 0				
SN:51789180	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-20-01PROC. REF: AMM 27-20-01								
273001	LEFT HAND ELEVATOR							Component ATA:27
PN:130-610000-1	MOS/MSC	23-Apr-20	O/C					
SN:51773008	HRS	1151						
	AFL	537						
PROC. REF: AMM 27-30-01PROC. REF: AMM 27-30-01								
273002	RIGHT HAND ELEVATOR							Component ATA:27
PN:130-610000-2	MOS/MSC	05-Apr-20	O/C					
SN:52867309	HRS	1151						
	AFL	537						
PROC. REF: AMM 27-30-01PROC. REF: AMM 27-30-01								
273003	LEFT HAND ELEVATOR TAB ACTUATOR							Component ATA:27
PN:130-524052-17	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10261302ICT	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-13PROC. REF: AMM 27-30-13								
273004	RIGHT HAND ELEVATOR TAB ACTUATOR							Component ATA:27
PN:130-524052-19	MOS/MSC	15-May-14	O/C	TSN 0				
SN:01161402ICT	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-30-13PROC. REF: AMM 27-30-13								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
273005	LIFT COMPUTER							Component ATA:27
PN:101-380005-39	MOS/MSC	15-May-14	O/C	TSN 0				
SN:156743-05	HRS	0		TSN 0				
WC#: 27.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
274621	LEFT INBOARD FLAP FLEXIBLE SHAFT							Component ATA:27
PN:101-160001-617	MOS/MSC	15-May-14	O/C	TSN 0				
SN:FL-922	HRS	0		TSN 0				
WC#: 27.020	AFL	0		TSN 0				
PROC. REF: AMM 27-50-13PROC. REF: AMM 27-50-13								
274625	LEFT INBOARD FLAP TRACK							Component ATA:27
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
274646	LEFT OUTBOARD FLAP FLEXIBLE SHAFT							Component ATA:27
PN:130-160000-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:FL922	HRS	0		TSN 0				
WC#: 27.020	AFL	0		TSN 0				
PROC. REF: AMM 27-50-13PROC. REF: AMM 27-50-13								
274650	LEFT OUTBOARD FLAP TRACK							Component ATA:27
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275005	FLAP POSITION INDICATOR							Component ATA:27
PN:100-384093-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1166	HRS	0		TSN 0				
WC#: 27.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275006	FLAP POSITION MOTOR INDICATOR							Component ATA:27
PN:559-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10450A	HRS	0		TSN 0				
WC#: 27.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275007	FLAP MOTOR DRIVE ASSEMBLY							Component ATA:27
PN:100-524073-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:8010	HRS	0		TSN 0				
WC#: 27.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
275008	LEFT INBOARD FLAP ACTUATOR ASSEMBLY							Component ATA:27
PN:129-521050-6001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10261302ICT	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 27-50-09PROC. REF: AMM 27-50-09								
275009	RIGHT INBOARD FLAP ACTUATOR ASSEMBLY							Component ATA:27
PN:129-521050-6002	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10311302ICT	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 27-50-09PROC. REF: AMM 27-50-09								
275030	LEFT OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:129-521051-6001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:09161308ICT	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-50-09PROC. REF: AMM 27-50-09								
275035	RIGHT OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:129-521051-6002	MOS/MSC	15-May-14	O/C	TSN 0				
SN:08091302ICT	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: AMM 27-50-09PROC. REF: AMM 27-50-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
275121	RIGHT INBOARD FLAP FLEXIBLE SHAFT							Component ATA:27
PN:101-160001-631	MOS/MSC	15-May-14	O/C	TSN 0				
SN:FL-922	HRS	0		TSN 0				
WC#: 27.030	AFL	0		TSN 0				
PROC. REF: AMM 27-50-13	PROC. REF: AMM 27-50-13							
275125	RIGHT INBOARD FLAP TRACK							Component ATA:27
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
275621	RIGHT OUTBOARD FLAP FLEXIBLE SHAFT							Component ATA:27
PN:130-160000-2	MOS/MSC	15-May-14	O/C	TSN 0				
SN:FL922	HRS	0		TSN 0				
WC#: 27.030	AFL	0		TSN 0				
PROC. REF: AMM 27-50-13	PROC. REF: AMM 27-50-13							
275625	RIGHT OUTBOARD FLAP TRACK							Component ATA:27
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 27.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
278005	LEFT STALL WARNING SWITCH							Component ATA:27
PN:101-380005-33	MOS/MSC	15-May-14	O/C	TSN 0				
SN:153918-01	HRS	0		TSN 0				
WC#: 27.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
ATA 28 - FUEL								
28-20-00-2100 S	FUEL PUMPS GENERAL VISUAL INSPECTION							Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						

PKG:200,201,202,203,205,206,208

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-00-2101 S		LEADING EDGE AND NACELLE FUEL PLUMBING GENERAL VISUAL INSPECTION						Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-00-2102 S		NACELLE FUEL CELL GENERAL VISUAL INSPECTION						Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-00-2103 S		EXTERNAL FUEL TANKS AND VENTS GENERAL VISUAL INSPECTION						Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-00-2104 S		FUEL PROBES GENERAL VISUAL INSPECTION						Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-00-2105 S		INTEGRAL FUEL TANK GENERAL VISUAL INSPECTION						Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-20-00-2106 S	CENTER SECTION GENERAL VISUAL INSPECTION							Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-00-2200 S	AIRFRAME FUEL FILTERS AND SCREENS DETAILED INSPECTION							Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,204,206
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-00-2201 S	LEFT NACELLE FUEL CELLS AND PROBES DETAILED INSPECTION							Service ATA:28
	MOS	16-Dec-21	30 (+2m/-2m)					
	HRS	1172.2	2400 (+20/-20)					
	AFL	542						
								PKG:212
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-00-2201 S	RIGHT NACELLE FUEL CELLS AND PROBES DETAILED INSPECTION							Service ATA:28
	MOS	16-Dec-21	30 (+2m/-2m)					
	HRS	1172.2	2400 (+20/-20)					
	AFL	542						
								PKG:212
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-00-7100 S	FUEL TANK VENTS OPERATIONAL CHECK							Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,205,206,207,208
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-20-00-7101 S		AUXILIARY FUEL TRANSFER JET PUMPS OPERATIONAL CHECK						Service ATA:28
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-00-7102 S		CROSSFEED FUEL VALVE OPERATIONAL CHECK						Service ATA:28
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 28-20-00PROC. REF: AMM 28-20-00								
28-20-07-7100 S		FIREWALL SHUTOFF VALVE OPERATIONAL CHECK						Service ATA:28
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 28-20-07PROC. REF: AMM 28-20-07								
28-21-00-2200 S		EXTENDED RANGE FUEL TANK (MODEL 300ER/300CER) DETAILED INSPECTION						Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 28-21-00PROC. REF: AMM 28-21-00								
28-21-00-7200 S		FUEL TRANSFER FUNCTIONAL CHECK (MODEL 300ER/300CER)						Service ATA:28
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,207,208
PROC. REF: AMM 28-21-00PROC. REF: AMM 28-21-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-40-00-7100 S	FUEL QUANTITY GAUGES OPERATIONAL CHECK							Service ATA:28
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 28-40-00	PROC. REF: AMM 28-40-00							
281005	LH AUXILIARY FUEL CELL							Component ATA:28
PN:101-381001-9	MOS/MSC	15-May-14	O/C	TSN 0				
SN:CR916	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 28-10-15	PROC. REF: AMM 28-10-15							
281010	RH AUXILIARY FUEL CELL							Component ATA:28
PN:101-381001-10	MOS/MSC	15-May-14	O/C	TSN 0				
SN:CR793	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 28-10-15	PROC. REF: AMM 28-10-15							
281015	LEFT NACELLE FUEL CELL							Component ATA:28
PN:101-920090-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:CR665	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
PROC. REF: AMM 28-10-05	PROC. REF: AMM 28-10-05							
281020	RIGHT NACELLE FUEL CELL							Component ATA:28
PN:101-920090-4	MOS/MSC	15-May-14	O/C	TSN 0				
SN:DR655	HRS	0		TSN 0				
WC#: 28.100	AFL	0		TSN 0				
PROC. REF: AMM 28-10-05	PROC. REF: AMM 28-10-05							
281025	LEFT INBOARD LEADING EDGE FUEL CELL							Component ATA:28
PN:101-381002-13	MOS/MSC	15-May-14	O/C	TSN 0				
SN:CR939	HRS	0		TSN 0				
WC#: 28.150	AFL	0		TSN 0				
PROC. REF: AMM 28-10-07	PROC. REF: AMM 28-10-07							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281030	LEFT OUTBOARD LEADING EDGE FUEL CELL							Component ATA:28
PN:002-920013-1	MOS/MSC	06-Jan-22	O/C	TSN 0				
SN:21-83119	HRS	1172.2		TSN 0				
WC#: 28.150	AFL	542		TSN 0				
PROC. REF: AMM 28-10-09PROC. REF: AMM 28-10-09								
281035	LH INBOARD BOX SECTION FUEL CELL							Component ATA:28
PN:50-389034-17	MOS/MSC	23-Nov-20	O/C	TSN 0				
SN:20-77798	HRS	1151		TSN 0				
WC#: 28.160	AFL	537		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
281040	LH OUTBOARD BOX SECTION FUEL CELL							Component ATA:28
PN:100-381001-15	MOS/MSC	15-May-14	O/C	TSN 0				
SN:CR1325	HRS	0		TSN 0				
WC#: 28.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
281045	RIGHT INBOARD LEADING EDGE FUEL CELL							Component ATA:28
PN:101-381002-14	MOS/MSC	15-May-14	O/C	TSN 0				
SN:CR911	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-10-07PROC. REF: AMM 28-10-07								
281050	RIGHT OUTBOARD LEADING EDGE FUEL CELL							Component ATA:28
PN:002-920013-10	MOS/MSC	15-May-14	O/C	TSN 0				
SN:CR1884	HRS	0		TSN 0				
WC#: 28.170	AFL	0		TSN 0				
PROC. REF: AMM 28-10-09PROC. REF: AMM 28-10-09								
281055	RH INBOARD BOX SECTION FUEL CELL							Component ATA:28
PN:50-389034-24	MOS/MSC	15-May-14	O/C	TSN 0				
SN:CR943	HRS	0		TSN 0				
WC#: 28.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281060	RH OUTBOARD BOX SECTION FUEL CELL							Component ATA:28
PN:100-381001-16	MOS/MSC	15-May-14	O/C	TSN 0				
SN:CR1351	HRS	0		TSN 0				
WC#: 28.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
281100	L/H EXTENDED RANGE TANK ASSEMBLY							Component ATA:28
PN:130M980006-6017	MOS/MSC	15-May-14	O/C	TSN 0				
SN:51821914	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01	PROC. REF: AMM 28-21-01							
281110	L/H AFT EXTENDED RANGE TANK FUEL PROBE							Component ATA:28
PN:130-389021-0003	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAE3523	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-03	PROC. REF: AMM 28-41-03							
281120	L/H CENTER EXTENDED RANGE TANK FUEL PROBE							Component ATA:28
PN:130-389021-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAD0672	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-03	PROC. REF: AMM 28-41-03							
281130	L/H AFT EXTENDED RANGE JET PUMP							Component ATA:28
PN:99-389005-601	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-05	PROC. REF: AMM 28-21-05							
281150	R/H EXTENDED RANGE TANK ASSEMBLY							Component ATA:28
PN:130M980006-6018	MOS/MSC	15-May-14	O/C	TSN 0				
SN:51821915	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-01	PROC. REF: AMM 28-21-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
281160	R/H AFT EXTENDED RANGE TANK FUEL PROBE							Component ATA:28
PN:130-389021-0003	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAC3304	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-41-03	PROC. REF: AMM 28-41-03							
281170	R/H CENTER EXTENDED RANGE TANK FUEL PROBE							Component ATA:28
PN:130-389021-0001	MOS/MSC	16-Dec-21	O/C					
SN:AAV4804	HRS	1172.2						
	AFL	542						
PROC. REF: AMM 28-41-03	PROC. REF: AMM 28-41-03							
281180	R/H AFT EXTENDED RANGE JET PUMP							Component ATA:28
PN:99-389005-601	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-05	PROC. REF: AMM 28-21-05							
281190	EXTENDED RANGE PRESSURE SWITCH							Component ATA:28
PN:130-389004-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-19	PROC. REF: AMM 28-21-19							
281305	LEFT WING FUEL VENT							Component ATA:28
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
281310	RIGHT WING FUEL VENT							Component ATA:28
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282005	CROSS FEED VALVE							Component ATA:28
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.020	AFL	0		TSN 0				
PROC. REF: AMM 28-20-09PROC. REF: AMM 28-20-09								
282011	LEFT NACELLE BOOSTER PUMP							Component ATA:28
PN:50-380177-7	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10BJ174	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282015	RIGHT NACELLE BOOSTER PUMP							Component ATA:28
PN:50-380177-7	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10BJ176	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282020	LEFT PRESSURE SWITCH							Component ATA:28
PN:101-389004-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:13956	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282025	RIGHT PRESSURE SWITCH							Component ATA:28
PN:101-389004-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:13957	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282030	LEFT JET PUMP							Component ATA:28
PN:99-389005-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10634	HRS	0		TSN 0				
WC#: 28.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282035	RIGHT JET PUMP							Component ATA:28
PN:99-389005-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10671	HRS	0		TSN 0				
WC#: 28.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282040	LEFT MOTIVE FUEL VALVE							Component ATA:28
PN:100-389020-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:13-1010124	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 28-20-11PROC. REF: AMM 28-20-11								
282045	RIGHT MOTIVE FUEL VALVE							Component ATA:28
PN:100-389020-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:13-1010126	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 28-20-11PROC. REF: AMM 28-20-11								
282050	FUEL VALVE ASSEMBLY							Component ATA:28
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 28.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
282131	LEFT NACELLE FUEL QUANTITY TRANSMITER PROBE							Component ATA:28
PN:100-380006-171	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAF2897M3	HRS	0		TSN 0				
WC#: 28.010	AFL	0		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								
282136	RIGHT NACELLE FUEL QUANTITY TRANSMITTER PROBE							Component ATA:28
PN:100-380006-171	MOS/MSC	09-Sep-15	O/C	TSN 0				
SN:AAR0195	HRS	24.3		TSN 0				
WC#: 28.010	AFL	18		TSN 0				
PROC. REF: AMM 28-40-01PROC. REF: AMM 28-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284005	LEFT SHUTOFF VALVE							Component ATA:28
PN:109-389002-9	MOS/MSC	15-May-14	O/C	TSN 0				
SN:2177	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284006	RIGHT FUEL QUANTITY INDICATOR							Component ATA:28
PN:117-384019-7	MOS/MSC	15-May-14	O/C	TSN 0				
SN:13F545	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284010	RIGHT SHUTOFF VALVE							Component ATA:28
PN:109-389002-9	MOS/MSC	16-Feb-18	O/C	TSN 0				
SN:2804	HRS	686.1		TSN 0				
WC#: 28.030	AFL	325		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284011	LEFT FUEL QUANTITY INDICATOR							Component ATA:28
PN:117-384019-7	MOS/MSC	15-May-14	O/C	TSN 0				
SN:13F546	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284015	LEFT CENTER SECTION OUTBOARD FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-197	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAR0065M3	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284020	RIGHT CENTER SECTION OUTBOARD FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-197	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAR0062M3	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284025	LEFT CENTER SECTION INBOARD FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-167	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAR0037M3	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284030	RIGHT CENTER SECTION INBOARD FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-167	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAR0119M3	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284035	LEFT NACELLE FUEL LEVEL SENSOR							Component ATA:28
PN:114-389040-21	MOS/MSC	15-May-14	O/C	TSN 0				
SN:3434A	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284040	RIGHT NACELLE FUEL LEVEL SENSOR							Component ATA:28
PN:114-389040-21	MOS/MSC	15-May-14	O/C	TSN 0				
SN:3266A	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284045	LEFT INBOARD INTEGRAL WET CELL FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-179	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAF4026	HRS	0		TSN 0				
WC#: 28.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284050	RIGHT INBOARD INTEGRAL WET CELL FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-179	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAF4040	HRS	0		TSN 0				
WC#: 28.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284055	LEFT OUTBOARD INTEGRAL WET CELL FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-181	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAR0020	HRS	0		TSN 0				
WC#: 28.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284060	RIGHT OUTBOARD INTEGRAL WET CELL FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-181	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAR0013	HRS	0		TSN 0				
WC#: 28.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284065	LEFT INBOARD LEADING EDGE INBOARD FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-175	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAF4886	HRS	0		TSN 0				
WC#: 28.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284070	RIGHT INBOARD LEADING EDGE INBOARD FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-175	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAF2689	HRS	0		TSN 0				
WC#: 28.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284075	LEFT INBOARD LEADING EDGE OUTBOARD FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-177	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAF0677	HRS	0		TSN 0				
WC#: 28.220	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284080	RIGHT INBOARD LEADING EDGE OUTBOARD FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-177	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAF0688	HRS	0		TSN 0				
WC#: 28.220	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
284085	LEFT INBOARD WING (AFT) FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-173	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAF3082	HRS	0		TSN 0				
WC#: 28.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
284090	RIGHT INBOARD WING (AFT) FUEL TRANSMITTER PROBE							Component ATA:28
PN:100-380006-173	MOS/MSC	15-May-14	O/C	TSN 0				
SN:AAR0046	HRS	0		TSN 0				
WC#: 28.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 30 - ICE AND RAIN PROTECTION								
30-10-00-2100 S	PNEUMATIC PRESSURE REGULATOR, VACUUM EJECTOR AND DEICER GENERAL VISUAL INSPECTION							Service ATA:30
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								
30-10-00-7100 S	DEICE SYSTEM OPERATIONAL CHECK							Service ATA:30
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 30-10-00PROC. REF: AMM 30-10-00								
30-10-01-2100 S	WING DEICER BOOTS GENERAL VISUAL INSPECTION							Service ATA:30
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-10-01-2102 S	TAIL DEICER BOOTS GENERAL VISUAL INSPECTION							Service ATA:30
	MOS	15-May-14	T:12					
	HRS	0	T:200					
	AFL	0						
								PKG:200,202,205,206
PROC. REF: GENERIC NO REF, AMM 30-10-01PROC. REF: GENERIC NO REF, AMM 30-10-01								
30-10-01-7100 S	DEICER BOOTS OPERATIONAL CHECK AND GENERAL VISUAL INSPECTION							Service ATA:30
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,202,205,206
PROC. REF: AMM 30-10-01PROC. REF: AMM 30-10-01								
30-20-01-2200 S	INDUCTION SYSTEM DETAILED INSPECTION							Service ATA:30
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,205,208
PROC. REF: AMM 30-20-01PROC. REF: AMM 30-20-01								
30-20-01-7100 S	ENGINE INDUCTION SYSTEM OPERATIONAL CHECK							Service ATA:30
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,205,206,207,208
PROC. REF: AMM 30-20-01PROC. REF: AMM 30-20-01								
30-40-13-2100 S	WINDOW DEFOG SYSTEM GENERAL VISUAL INSPECTION							Service ATA:30
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:214
PROC. REF: AMM 30-40-13PROC. REF: AMM 30-40-13								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-40-13-9600	REPLACE WINDOW DEFOG FILTERS (IF INSTALLED)							Service ATA:30
	MOS	18-Jun-18						REPLACE
	HRS	756.7	800		1556.7		348.6	
WC#: 30.100	AFL	357						
PROC. REF: AMM 30-40-13	PROC. REF: AMM 30-40-13							
30-60-01-2100 S	PROPELLER DEICER BOOTS GENERAL VISUAL INSPECTION							Service ATA:30
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,204,206
PROC. REF: AMM 30-60-01	PROC. REF: AMM 30-60-01							
30-60-01-7100 S	PROPELLER DEICER OPERATIONAL CHECK							Service ATA:30
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 30-60-01	PROC. REF: AMM 30-60-01							
301005	DISTRIBUTOR VALVE							Component ATA:30
PN:101-384144-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:N133004	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
301010	AIR EJECTOR							Component ATA:30
PN:101-384149-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10BJ144	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
301015	PNEUMATIC VALVE							Component ATA:30
PN:101-381011-11	MOS/MSC	15-May-14	O/C	TSN 0				
SN:15137B	HRS	0		TSN 0				
WC#: 30.040	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301020	RIGHT PRESSURE REGULATOR PNEUMATIC MANIFOLD VALVE							Component ATA:30
PN:101-380027-5	MOS/MSC	15-May-14	O/C	TSN 0				
SN:11BJ145	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301025	LEFT PRESSURE REGULATOR WINDOW DEFOG VALVE							Component ATA:30
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 30.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301030	LEFT BLEED AIR SHUTOFF VALVE							Component ATA:30
PN:101-381015-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:34121A	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: AMM 36-10-03PROC. REF: AMM 36-10-03								
301035	RIGHT BLEED AIR SHUTOFF VALVE							Component ATA:30
PN:101-381015-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:3404A	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: AMM 36-10-03PROC. REF: AMM 36-10-03								
301040	LEFT HORIZONTAL STABILIZER BOOT							Component ATA:30
PN:101-380001-27	MOS/MSC	15-May-14	O/C	TSN 0				
SN:NBR8900	HRS	0		TSN 0				
WC#: 30.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301045	RIGHT HORIZONTAL STABILIZER BOOT							Component ATA:30
PN:101-380001-28	MOS/MSC	15-May-14	O/C	TSN 0				
SN:NBQ2200	HRS	0		TSN 0				
WC#: 30.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301050	LEFT OUTBOARD WING DE-ICE BOOT							Component ATA:30
PN:101-380001-31	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1167	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301051	LEFT INBOARD WING DE-ICE BOOT							Component ATA:30
PN:P25S-7D5041-09	MOS/MSC	20-May-20	O/C	TSN 4				
SN:NFF5440	HRS	1151		TSN 0				
WC#: 30.120	AFL	537		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301052	RIGHT INBOARD WING DE-ICE BOOT							Component ATA:30
PN:101-380001-30	MOS/MSC	15-May-14	O/C	TSN 0				
SN:NBQ2670	HRS	0		TSN 0				
WC#: 30.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301053	RIGHT OUTBOARD WING DE-ICE BOOT							Component ATA:30
PN:101-380001-32	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1396	HRS	0		TSN 0				
WC#: 30.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
301080	L/H BRAKE DE-ICE VALVE							Component ATA:30
PN:101-381012-7	MOS/MSC	03-May-17	O/C					
SN:7855B	HRS	398.75						
WC#: 32.090	AFL	200						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
301085	R/H BRAKE DE-ICE VALVE							Component ATA:30
PN:101-381012-7	MOS/MSC	22-Feb-19	O/C					
SN:6133B	HRS	962.2						
WC#: 32.090	AFL	451						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302005	LEFT ICE VANE ACTUATOR							Component ATA:30
PN:114-389039-23	MOS/MSC	18-Jun-18	O/C	TSN 0				
SN:5202H	HRS	756.7		TSN 0				
WC#: 30.090	AFL	357		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
302010	RIGHT ICE VANE ACTUATOR							Component ATA:30
PN:114-389039-23	MOS/MSC	15-May-14	O/C	TSN 0				
SN:5219G	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
304005	WINDSHIELD WIPER MOTOR							Component ATA:30
PN:101-384165-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:03520	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: AMM 30-40-01PROC. REF: AMM 30-40-01								
305001	NOSE CONE ASSEMBLY							Component ATA:30
PN:101-410095-29	MOS/MSC	15-May-14	O/C	TSN 0				
SN:NRD-0061	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
306005	DE-ICER TIMER							Component ATA:30
PN:3E1964-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UD778	HRS	0		TSN 0				
WC#: 30.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-10-00-2100 S	PEDESTAL GENERAL VISUAL INSPECTION							Service ATA:31
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,203,206,208
PROC. REF: AMM 31-10-00PROC. REF: AMM 31-10-00								
31-10-00-2101 S	INSTRUMENT PANEL, PLUMBING AND WIRING GENERAL VISUAL INSPECTION							Service ATA:31
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 31-10-00PROC. REF: AMM 31-10-00								
31-10-00-2102 S	PILOT'S FUEL CONTROL PANEL AND LOWER PANEL, COPILOT'S CIRCUIT BREAKER PANEL AND OTHER WIRING CIRCUITRY BELOW THE STORM WINDOWS GENERAL VISUAL INSPECTION							Service ATA:31
	MOS	16-Dec-21	12 (+1m/-1m)					
	HRS	1172.2						
WC#: 33.070	AFL	542						
								PKG:209
PROC. REF: AMM 31-10-00PROC. REF: AMM 31-10-00								
31-10-00-7100 S	GYRO INSTRUMENTS OPERATIONAL CHECK							Service ATA:31
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 31-10-00PROC. REF: AMM 31-10-00								
310005	O.A.T. OUTSIDE AIR TEMPRATURE SENSOR							Component ATA:31
PN:122-384003-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:B21062	HRS	0		TSN 0				
WC#: 31.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
310111	FLIGHT HOUR METER							Component ATA:31
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
311005	FLIGHT CONTROL PANEL							Component ATA:31
PN:822-1107-103	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42C184	HRS	0		TSN 0				
WC#: 31.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
311010	PILOT DISPLAY CONTROL (DCP) PANEL							Component ATA:31
PN:822-1828-061	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42C088	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: AMM 31-60-03PROC. REF: AMM 31-60-03								
311011	COPILOT DISPLAY CONTROL (DCP) PANEL							Component ATA:31
PN:822-1828-061	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42C180	HRS	0		TSN 0				
WC#: 31.050	AFL	0		TSN 0				
PROC. REF: AMM 31-60-03PROC. REF: AMM 31-60-03								
311015	COURSE HEADING PANEL							Component ATA:31
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
312001	PILOT CLOCK							Component ATA:31
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
312003	COPILOT CLOCK							Component ATA:31
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
312005	CABIN ALTIMETER INDICATOR							Component ATA:31
PN:101-380026-15	MOS/MSC	15-May-14	O/C	TSN 0				
SN:25425	HRS	0		TSN 0				
WC#: 31.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
312010	CABIN CLIMB INDICATOR							Component ATA:31
PN:114-380018-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:368421	HRS	0		TSN 0				
WC#: 31.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
312015	SLIP/SKID SENSOR							Component ATA:31
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
313005 S	FLIGHT DATA RECORDER							Component ATA:31
PN:2306-1800-00	MOS/MSC	26-Nov-19	O/C					
SN:001209847	HRS	1140.6						
	AFL	534						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
314000	INTEGRATED AVIONICS PROCESSOR SYSTEM - IAPS							Component ATA:31
PN:822-1129-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42728V	HRS	0		TSN 0				
WC#: 31.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
314001	#1 POWER SUPPLY - IAPS							Component ATA:31
PN:822-1137-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4272CY	HRS	0		TSN 0				
WC#: 31.190	AFL	0		TSN 0				
PROC. REF: AMM 31-40-03	PROC. REF: AMM 31-40-03							
314002	#2 POWER SUPPLY - IAPS							Component ATA:31
PN:822-1137-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42720N	HRS	0		TSN 0				
WC#: 31.200	AFL	0		TSN 0				
PROC. REF: AMM 31-40-03	PROC. REF: AMM 31-40-03							
314003	ENVIRONMENTAL CONTROLLER - IAPS							Component ATA:31
PN:822-1167-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4271F1	HRS	0		TSN 0				
WC#: 31.210	AFL	0		TSN 0				
PROC. REF: AMM 31-40-07	PROC. REF: AMM 31-40-07							
314007	NO. 1 (OCM) OPTIONS CONTROL MODULE							Component ATA:31
PN:822-1484-228	MOS/MSC	15-May-14	O/C	TSN 0				
SN:426XPR	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
314008	NO. 2 (OCM) OPTIONS CONTROL MODULE							Component ATA:31
PN:822-1484-228	MOS/MSC	15-May-14	O/C	TSN 0				
SN:426XPT	HRS	0		TSN 0				
WC#: 31.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
314041	NO. 1 (IOC-3100) IN/OUT CONCENTRATOR							Component ATA:31
PN:822-1361-614	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4272G9	HRS	0		TSN 0				
WC#: 31.140	AFL	0		TSN 0				
PROC. REF: AMM 31-40-05	PROC. REF: AMM 31-40-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
314042	NO. 2 (IOC-3100) IN/OUT CONCENTRATOR							Component ATA:31
PN:822-1361-614	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4272L8	HRS	0		TSN 0				
WC#: 31.140	AFL	0		TSN 0				
PROC. REF: AMM 31-40-05	PROC. REF: AMM 31-40-05							
314047	NO. 1 (CSU) CONFIGURATION STRAPPING UNIT							Component ATA:31
PN:822-1363-002	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4271D4	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: AMM 31-40-09	PROC. REF: AMM 31-40-09							
314048	NO. 2 (CSU) CONFIGURATION STRAPPING UNIT							Component ATA:31
PN:822-1363-002	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4271D2	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: AMM 31-40-09	PROC. REF: AMM 31-40-09							
315005	PRESELECTOR/ ALERTER							Component ATA:31
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
315010	LEFT LIGHT ASSEMBLY ANNUNCIATOR							Component ATA:31
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
315016	RIGHT LIGHT ASSEMBLY ANNUNCIATOR							Component ATA:31
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
316101	FILE SERVER UNIT- EXTERNAL COMPENSATION UNIT (ECU-3000)							Component ATA:31
PN:822-1200-998	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42RHN3	HRS	0		TSN 0				
WC#: 31.150	AFL	0		TSN 0				
PROC. REF: AMM 31-61-03, AMM 31-63-07PROC. REF: AMM 31-61-03, AMM 31-63-07								
316102	WEATHER RADAR - EXTERNAL COMPENSATION UNIT (ECU-3000)							Component ATA:31
PN:822-1200-999	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42RHKD	HRS	0		TSN 0				
WC#: 31.160	AFL	0		TSN 0				
PROC. REF: AMM 31-61-03, AMM 31-63-07PROC. REF: AMM 31-61-03, AMM 31-63-07								
316201	(FSU-5010) FILE SERVER UNIT							Component ATA:31
PN:822-1543-201	MOS/MSC	15-May-14	O/C	TSN 0				
SN:426D6H	HRS	0		TSN 0				
WC#: 31.120	AFL	0		TSN 0				
PROC. REF: AMM 31-61-01PROC. REF: AMM 31-61-01								
ATA 32 - LANDING GEAR								
32-10-03-2100 S	MAIN WHEELS GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,204,206
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2101 S	ELECTRICAL WIRING AND EQUIPMENT (MAIN LANDING GEAR) GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-03-2102 S	MAIN LANDING GEAR DRAG BRACE GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2103 S	MAIN LANDING GEAR AREA GENERAL VISUAL INSPECTION (CPCP)							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2200 S	MAIN GEAR TIRE DETAILED INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,204,206
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2201 S	LEFT MAIN LANDING GEAR SHOCK ABSORBER ASSEMBLY (PAVED RUNWAY) DETAILED INSPECTION							Service ATA:32
	MOS	20-May-20	72 (-2m)					
	HRS	1151						
WC#: 32.010	AFL	537	8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2201 S	RIGHT MAIN LANDING GEAR SHOCK ABSORBER ASSEMBLY (PAVED RUNWAY) DETAILED INSPECTION							Service ATA:32
	MOS	10-Feb-20	72 (+2m)					
	HRS	1151						
WC#: 32.010	AFL	537	8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-03-2203 S		LEFT MAIN LANDING GEAR DRAG BRACE ASSEMBLY (PAVED RUNWAY) DETAILED INSPECTION						Service ATA:32
	MOS	15-May-14	T:72 (+2m/-2m)					
	HRS	0						
	AFL	0	T:8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2203 S		RIGHT MAIN LANDING GEAR DRAG BRACE ASSEMBLY (PAVED RUNWAY) DETAILED INSPECTION						Service ATA:32
	MOS	15-May-14	T:72 (+2m/-2m)					
	HRS	0						
	AFL	0	T:8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2205 S		LEFT MAIN LANDING GEAR AXLE ASSEMBLY AND TORQUE KNEES (PAVED RUNWAY) DETAILED INSPECTION						Service ATA:32
	MOS	15-May-14	T:72 (+2m/-2m)					
	HRS	0						
	AFL	0	T:8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2205 S		RIGHT MAIN LANDING GEAR AXLE ASSEMBLY AND TORQUE KNEES (PAVED RUNWAY) DETAILED INSPECTION						Service ATA:32
	MOS	15-May-14	T:72 (+2m/-2m)					
	HRS	0						
	AFL	0	T:8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2207 S		LEFT MAIN LANDING GEAR TRUNNION BOLT HOLES AND DRAG BRACE ATTACH HOLES (PAVED RUNWAY) DETAILED INSPECTION						Service ATA:32
	MOS	10-Feb-20	72 (+2m/-2m)					
	HRS	1151						
WC#: 32.020	AFL	537	8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-03-2207 S	RIGHT MAIN LANDING GEAR TRUNNION BOLT HOLES AND DRAG BRACE ATTACH HOLES (PAVED RUNWAY) DETAILED INSPECTION							Service ATA:32
	MOS	10-Feb-20	72 (+2m/-2m)					
	HRS	1151						
WC#: 32.020	AFL	537	8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2209	LEFT INBOARD MAIN LANDING GEAR WHEELS DETAILED INSPECTION							Service ATA:32
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:239
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2209	LEFT OUTBOARD MAIN LANDING GEAR WHEELS DETAILED INSPECTION							Service ATA:32
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:239
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2209	RIGHT INBOARD MAIN LANDING GEAR WHEELS DETAILED INSPECTION							Service ATA:32
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:239
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2209	RIGHT OUTBOARD MAIN LANDING GEAR WHEELS DETAILED INSPECTION							Service ATA:32
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:239
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-03-2210 S	MAIN LANDING GEAR DOORS AND LINKAGE DETAILED INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-2211 S	LANDING GEAR STRUTS DETAILED INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,203,204,205,206,208
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-6400 S	MAIN LANDING GEAR (200) LUBRICATION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,204,205,206,207,208
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-6401 S	MAIN LANDING GEAR DOOR LINKAGE LUBRICATION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,206,207,208
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-6402 S	MAIN LANDING GEAR LUBRICATION (HUIP PROGRAM ONLY)							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10-03-6403 S	MAIN LANDING GEAR DOWNLOCK HOOKS AND PIN CONTACT AREA LUBRICATION							Service ATA:32
	MOS	16-Dec-21	24					
	HRS	1172.2	800					
WC#: 12.080	AFL	542						
								PKG:244
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-7100 S	MAIN LANDING GEAR SAFETY SWITCH OPERATIONAL CHECK							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-9600	LEFT INBOARD MAIN GEAR WHEELS, BEARINGS AND TIRES RESTORATION							Component ATA:32
PN:5006028-5	MOS/MSC	25-Aug-26	O/C					
SN:OCT13-5457	HRS	1181.6		TSN 1181.6				
WC#: 32.110	AFL	544		TSN 544				
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-9600	LEFT OUTBOARD MAIN GEAR WHEELS, BEARINGS AND TIRES RESTORATION							Component ATA:32
PN:5006028-5	MOS/MSC	25-Aug-26	O/C					
SN:OCT13-5461	HRS	1181.6		TSN 1181.6				
WC#: 32.100	AFL	544		TSN 544				
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-9600	RIGHT INBOARD MAIN GEAR WHEELS, BEARINGS AND TIRES RESTORATION							Component ATA:32
PN:5006028-5	MOS/MSC	25-Aug-26	O/C	TSR 75				
SN:JAN11-4772	HRS	1181.6		TSR 30.6				
WC#: 32.140	AFL	544		TSR 7				
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-10-03-9600	RIGHT OUTBOARD MAIN GEAR WHEELS, BEARINGS AND TIRES RESTORATION							Component ATA:32
PN:5006028-5	MOS/MSC	25-Aug-26	O/C					
SN:JUL15-5718	HRS	1181.6		TSN 1181.6				
WC#: 32.130	AFL	544		TSN 544				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
32-20-03-2100 S	STEERING LINKAGE GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,203,205,206,208
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-2101 S	NOSE GEAR STEERING STOP GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-2102 S	NOSE LANDING GEAR WHEEL GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,205,206,208
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-2103 S	ELECTRICAL WIRING AND EQUIPMENT (NOSE LANDING GEAR) GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-2104 S	NOSE LANDING GEAR AREA GENERAL VISUAL INSPECTION (CPCP)							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20-03-2200 S		NOSE GEAR LOWER DRAG LEG DETAILED INSPECTION						Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-2201 S		NOSE LANDING GEAR TIRE DETAILED INSPECTION						Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,204,205,206
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-2202 S		NOSE LANDING GEAR SHOCK ABSORBER ASSEMBLY (PAVED RUNWAY) DETAILED INSPECTION						Service ATA:32
	MOS	20-May-20	72 (+2m/-2m)					
	HRS	1151						
WC#: 32.030	AFL	537	8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-2204 S		NOSE LANDING GEAR DRAG BRACE ASSEMBLY (PAVED RUNWAY) DETAILED INSPECTION						Service ATA:32
	MOS	15-May-14	T:72 (+2m/-2m)					
	HRS	0						
	AFL	0	T:8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-2206 S		NOSE LANDING GEAR AXLE ASSEMBLY AND TORQUE KNEES (PAVED RUNWAY) DETAILED INSPECTION						Service ATA:32
	MOS	15-May-14	T:72 (+2m/-2m)					
	HRS	0						
	AFL	0	T:8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20-03-2208 S	NOSE LANDING GEAR TRUNNION BOLT HOLES AND DRAG BRACE ATTACH HOLES (PAVED RUNWAY) DETAILED INSPECTION							Service ATA:32
	MOS	20-May-20	72 (+2m/-2m)					
	HRS	1151						
WC#: 32.020	AFL	537	8000 (+20/-20)					
								PKG:221
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-2210	NOSE LANDING GEAR WHEEL DETAILED INSPECTION							Service ATA:32
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:239
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-2211 S	NOSE LANDING GEAR DOORS AND LINKAGE DETAILED INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-03-6400 S	NOSE LANDING GEAR LUBRICATION							Service ATA:32
	MOS	15-May-14	T:12					
	HRS	0	T:200					
	AFL	0						
								PKG:200,201,202,203,205,206
PROC. REF: GENERIC NO REF, AMM 32-20-03PROC. REF: GENERIC NO REF, AMM 32-20-03								
32-20-03-6401 S	NOSE LANDING GEAR DOOR LINKAGE LUBRICATION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206
PROC. REF: GENERIC NO REF, AMM 32-20-03PROC. REF: GENERIC NO REF, AMM 32-20-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20-03-9600	NOSE GEAR WHEELS, BEARINGS AND TIRES RESTORATION							Component ATA:32
PN:3-1481	MOS/MSC	25-Aug-26	O/C	TSR 123				
SN:7891	HRS	1181.6		TSN 1181.6, TSR 987.2				
WC#: 32.160	AFL	544		TSN 544, TSR 457				
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
32-20-09-2100 S	NOSE GEAR DRAG BRACE GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206
PROC. REF: AMM 32-20-09PROC. REF: AMM 32-20-09								
32-20-11-2100 S	SHIMMY DAMPER GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,205,206,208
PROC. REF: AMM 32-20-11PROC. REF: AMM 32-20-11								
32-30-00-2100 S	MANUAL LANDING GEAR HANDLE GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								
32-30-00-2102 S	EMERGENCY EXTENSION HAND PUMP SUCTION LINE FILTER GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30-00-2200 S	LANDING GEAR POWER PACK AND MOTOR GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								
32-30-00-7100 S	EMERGENCY EXTENSION OPERATIONAL CHECK							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								
32-30-00-7101 S	WARNING HORN OPERATIONAL CHECK							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								
32-30-00-7102 S	ACTUATORS OPERATIONAL CHECK							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								
32-30-00-7200 S	LANDING GEAR POWER PACK MOTOR 20 SECOND TIME DELAY RELAY FUNCTIONAL CHECK (FL-792 AND AFTER; FM-53 AND AFTER AND AIRPLANES WITH KIT 130-3100 INSTALLED)							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30-00-7201 S	RETRACT MECHANISM FUNCTIONAL CHECK							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								
32-30-00-7202 S	POSITION INDICATORS FUNCTIONAL CHECK							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-30-00PROC. REF: AMM 32-30-00								
32-30-01-2100 S	LANDING GEAR HYDRAULIC LINES GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206
PROC. REF: AMM 32-30-01, AMM 32-30-01PROC. REF: AMM 32-30-01, AMM 32-30-01								
32-30-01-2101 S	LANDING GEAR HYDRAULIC FILL RESERVOIR SCREEN GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	04-May-17						
	HRS	398.75	1200 (+20/-20)	Adj 6.55				
	AFL	200						
								PKG:230
32-30-01-9600	LANDING GEAR HYDRAULIC SYSTEM FILTER AND PACKINGS REPLACEMENT							Service ATA:32
	MOS	20-May-20						REPLACE
	HRS	1151	1200		2351		1142.9	
WC#: 32.060	AFL	537	1000		1537		987	
PROC. REF: AMM 32-30-01PROC. REF: AMM 32-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30-01-9601	LANDING GEAR RETRACTION AND EXTENSION TEFLON HYDRAULIC HOSES REPLACEMENT							Service ATA:32
	MOS	15-May-14	120		15-May-24		OVD	REPLACE
	HRS	0						
WC#: 32.080	AFL	0						
PROC. REF: AMM 32-30-01	PROC. REF: AMM 32-30-01							
32-30-03-2200 S	DOWNLOCK MECHANISM DETAILED INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 32-30-03	PROC. REF: AMM 32-30-03							
32-30-05-2100 S	MAIN LANDING GEAR ACTUATOR GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 32-30-05	PROC. REF: AMM 32-30-05							
32-30-05-2200 S	LEFT MAIN LANDING GEAR ACTUATOR CLEVIS/BOLT/LOCK TAG DETAILED INSPECTION							Service ATA:32
	MOS	15-May-14						
	HRS	0						
WC#: 32.010	AFL	0	1000 (+20/-20)					
								PKG:211
PROC. REF: AMM 32-30-05	PROC. REF: AMM 32-30-05							
32-30-05-2200 S	RIGHT MAIN LANDING GEAR ACTUATOR CLEVIS/BOLT/LOCK TAG DETAILED INSPECTION							Service ATA:32
	MOS	15-May-14						
	HRS	0						
WC#: 32.010	AFL	0	1000 (+20/-20)					
								PKG:211
PROC. REF: AMM 32-30-05	PROC. REF: AMM 32-30-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30-11-2100 S	NOSE LANDING GEAR ACTUATOR GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 32-30-11PROC. REF: AMM 32-30-11								
32-30-11-2200 S	NOSE LANDING GEAR ACTUATOR CLEVIS DETAILED INSPECTION							Service ATA:32
	MOS	15-May-14						
	HRS	0						
WC#: 32.030	AFL	0	1000 (+20/-20)					
								PKG:211
PROC. REF: AMM 32-30-11PROC. REF: AMM 32-30-11								
32-40-01-1600 S	BRAKE FLUID RESERVOIR PRESSURE EQUALIZATION LINE AND ORIFICE CLEANING							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01								
32-40-01-2100 S	BRAKES GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,205,206,208
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01								
32-40-01-2101 S	BRAKE SYSTEM GENERAL VISUAL INSPECTION (HIGH UTILIZATION)							Service ATA:32
	MOS	15-May-14						HIGH UTILIZATION
	HRS	0	T:1200					
	AFL	0						
								PKG:202
PROC. REF: AMM 32-40-01PROC. REF: AMM 32-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-40-01-9600	LEFT INBOARD MAIN GEAR BRAKES RESTORATION							Component ATA:32
PN:114-388024-1	MOS/MSC	20-May-20	O/C	TSO 0				
SN:JAN96-2017	HRS	1151		TSO 0				
WC#: 32.120	AFL	537		TSO 0				
PROC. REF: AMM 32-40-01	PROC. REF: AMM 32-40-01							
32-40-01-9600	LEFT OUTBOARD MAIN GEAR BRAKES RESTORATION							Component ATA:32
PN:114-388024-1	MOS/MSC	20-May-20	O/C	TSO 0				
SN:JAN02-3373	HRS	1151		TSO 0				
WC#: 32.120	AFL	537		TSO 0				
PROC. REF: AMM 32-40-01	PROC. REF: AMM 32-40-01							
32-40-01-9600	RIGHT INBOARD MAIN GEAR BRAKES RESTORATION							Component ATA:32
PN:114-388024-1	MOS/MSC	20-May-20	O/C	TSO 0				
SN:NOV98-2823	HRS	1151		TSO 0				
WC#: 32.150	AFL	537		TSO 0				
PROC. REF: AMM 32-40-01	PROC. REF: AMM 32-40-01							
32-40-01-9600	RIGHT OUTBOARD MAIN GEAR BRAKES RESTORATION							Component ATA:32
PN:114-388024-1	MOS/MSC	20-May-20	O/C	TSO 0				
SN:JUN96-2156	HRS	1151		TSO 0				
WC#: 32.150	AFL	537		TSO 0				
PROC. REF: AMM 32-40-01	PROC. REF: AMM 32-40-01							
32-40-01-9601	LEFT LANDING GEAR BRAKE HOSE REPLACEMENT (ONLY HOSES EXPOSED IN THE WHEEL WELL)							Service ATA:32
	MOS	22-Feb-19	60		22-Feb-24		OVD	REPLACE
	HRS	962.2						
WC#: 32.050	AFL	451						
PROC. REF: AMM 32-40-01	PROC. REF: AMM 32-40-01							
32-40-01-9601	RIGHT LANDING GEAR BRAKE HOSE REPLACEMENT (ONLY HOSES EXPOSED IN THE WHEEL WELL)							Service ATA:32
	MOS	22-Feb-19	60		22-Feb-24		OVD	REPLACE
	HRS	962.2						
WC#: 32.050	AFL	451						
PROC. REF: AMM 32-40-01	PROC. REF: AMM 32-40-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-43-00-2100 S	BRAKE DEICE SYSTEM (IF INSTALLED) GENERAL VISUAL INSPECTION							Service ATA:32
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,205,206,208
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00								
32-43-00-7100 S	BRAKE DEICE SYSTEM (IF INSTALLED) OPERATIONAL CHECK							Service ATA:32
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 32-43-00PROC. REF: AMM 32-43-00								
320601	LEFT MAIN LANDING GEAR							Component ATA:32
PN:130-810172-601	MOS/MSC	15-May-14	O/C	TSN 0				
SN:01291401ICT	HRS	0		TSN 0				
WC#: 32.010	AFL	0		TSN 0				
PROC. REF: AMM 32-10-03, AMM 32-11-01PROC. REF: AMM 32-10-03, AMM 32-11-01								
320613	INSPECT LEFT MAIN LANDING GEAR - SOFT OR UNUSUAL TERRAIN							Service ATA:32
	MOS/MSC	15-May-14	N/R					
	HRS	0						
WC#: 32.010	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320624	CHECK LEFT MAIN LANDING GEAR BRAKE DISCS - SOFT OR UNUSUAL TERRAIN							Service ATA:32
	MOS/MSC	15-May-14	N/R					
	HRS	0						
WC#: 32.040	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321101	RIGHT MAIN LANDING GEAR							Component ATA:32
PN:130-810172-601	MOS/MSC	15-May-14	O/C	TSN 0				
SN:01291402ICT	HRS	0		TSN 0				
WC#: 32.010	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-10-03, AMM 32-11-01PROC. REF: AMM 32-10-03, AMM 32-11-01								
321113	INSPECT RIGHT MAIN LANDING GEAR - SOFT OR UNUSUAL TERRAIN							Service ATA:32
	MOS/MSC	15-May-14	N/R					
	HRS	0						
WC#: 32.010	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
321124	CHECK RIGHT MAIN LANDING GEAR BRAKE DISCS - SOFT OR UNUSUAL TERRAIN							Service ATA:32
	MOS/MSC	15-May-14	N/R					
	HRS	0						
WC#: 32.040	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
322010	NOSE GEAR TIRE							Component ATA:32
PN:265F86-8	MOS/MSC	25-Aug-26	O/C	TSN 0				
SN:60790211	HRS	1181.6		TSN 0				
WC#: 32.160	AFL	544		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
322101	NOSE LANDING GEAR							Component ATA:32
PN:101-820020-615	MOS/MSC	15-May-14	O/C	TSN 0				
SN:01301401ICT	HRS	0		TSN 0				
WC#: 32.030	AFL	0		TSN 0				
PROC. REF: AMM 32-20-03PROC. REF: AMM 32-20-03								
322113	INSPECT NOSE LANDING GEAR - SOFT OR UNUSUAL TERRAIN							Service ATA:32
	MOS/MSC	15-May-14	N/R					
	HRS	0						
WC#: 32.030	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323005	LIQUID LEVEL SENSOR							Component ATA:32
PN:99-388007-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:3839A	HRS	0		TSN 0				
WC#: 32.180	AFL	0		TSN 0				
PROC. REF: AMM 32-30-21	PROC. REF: AMM 32-30-21							
323010	LANDING GEAR SERVICE VALVE							Component ATA:32
PN:101-388008-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:5008	HRS	0		TSN 0				
WC#: 32.190	AFL	0		TSN 0				
PROC. REF: AMM 32-30-27	PROC. REF: AMM 32-30-27							
323015	LANDING GEAR ACCUMULATOR							Component ATA:32
PN:101-388009-5	MOS/MSC	15-May-14	O/C	TSN 0				
SN:APW98	HRS	0		TSN 0				
WC#: 32.200	AFL	0		TSN 0				
PROC. REF: AMM 32-30-25	PROC. REF: AMM 32-30-25							
323020	NOSE GEAR ACTUATOR							Component ATA:32
PN:112-380022-21	MOS/MSC	15-May-14	O/C	TSN 0				
SN:3487	HRS	0		TSN 0				
WC#: 32.230	AFL	0		TSN 0				
PROC. REF: AMM 32-30-11	PROC. REF: AMM 32-30-11							
323025	HYDRAULIC BRAKE HANDPUMP							Component ATA:32
PN:101-388007-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4353	HRS	0		TSN 0				
WC#: 32.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
323057	LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component ATA:32
PN:101-388014-19	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1228	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: AMM 32-30-05	PROC. REF: AMM 32-30-05							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323058	RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY							Component ATA:32
PN:101-388014-19	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1230	HRS	0		TSN 0				
WC#: 32.170	AFL	0		TSN 0				
PROC. REF: AMM 32-30-05PROC. REF: AMM 32-30-05								
324015	LEFT OUTBOARD MAIN LANDING GEAR TIRE							Component ATA:32
PN:265K08-1	MOS/MSC	25-Aug-26	O/C	TSN 0				
SN:61030256	HRS	1181.6		TSN 0				
WC#: 32.100	AFL	544		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324020	LEFT INBOARD MAIN LANDING GEAR TIRE							Component ATA:32
PN:265K08-1	MOS/MSC	25-Aug-26	O/C	TSN 0				
SN:60410304	HRS	1181.6		TSN 0				
WC#: 32.110	AFL	544		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324045	RIGHT OUTBOARD MAIN LANDING GEAR TIRE							Component ATA:32
PN:265K08-1	MOS/MSC	25-Aug-26	O/C	TSN 0				
SN:61030232	HRS	1181.6		TSN 0				
WC#: 32.130	AFL	544		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324050	RIGHT INBOARD MAIN LANDING GEAR TIRE							Component ATA:32
PN:265K08-1	MOS/MSC	25-Aug-26	O/C	TSN 0				
SN:60350027	HRS	1181.6		TSN 0				
WC#: 32.140	AFL	544		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
324065	PILOT LEFT BRAKE CYLINDER							Component ATA:32
PN:90-380001-23	MOS/MSC	15-May-14	O/C	TSN 0				
SN:APW1966	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 32-40-03PROC. REF: AMM 32-40-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324070	PILOT RIGHT BRAKE CYLINDER							Component ATA:32
PN:90-380001-23	MOS/MSC	15-May-14	O/C	TSN 0				
SN:APW2274	HRS	0		TSN 0				
WC#: 32.210	AFL	0		TSN 0				
PROC. REF: AMM 32-40-03	PROC. REF: AMM 32-40-03							
324075	COPILOT LEFT BRAKE CYLINDER							Component ATA:32
PN:90-380001-23	MOS/MSC	20-May-20	O/C	TSN 0				
SN:APW5673	HRS	1151		TSN 0				
WC#: 32.220	AFL	537		TSN 0				
PROC. REF: AMM 32-40-03	PROC. REF: AMM 32-40-03							
324080	COPILOT RIGHT BRAKE CYLINDER							Component ATA:32
PN:90-380001-23	MOS/MSC	15-May-14	O/C	TSN 0				
SN:APW2294	HRS	0		TSN 0				
WC#: 32.220	AFL	0		TSN 0				
PROC. REF: AMM 32-40-03	PROC. REF: AMM 32-40-03							
324101	HYDRAULIC LANDING GEAR POWER PACK							Component ATA:32
PN:101-388005-21	MOS/MSC	15-May-14	O/C	TSN 0				
SN:MX774084	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
326005	LANDING GEAR SWITCH							Component ATA:32
PN:101-384137-7	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4456A	HRS	0		TSN 0				
WC#: 32.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
ATA 33 - LIGHTS								
33-10-01-2200 S	EDGELIGHTED PANELS DETAILED INSPECTION (FL-1 THRUFL-380, FL-382; FM-1 THRU FM-11).							Service ATA:33
	MOS/MSC	20-May-20	N/A					
	HRS	1151						
WC#: 33.010	AFL	537						

PKG:247

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
PROC. REF: AMM 33-10-01PROC. REF: AMM 33-10-01								
33-13-05-2200 S	ELECTROLUMINESCENT PANELS DETAILED INSPECTION(FL-381, FL-383 AND AFTER; FM-12 AND AFTER).							Service ATA:33
	MOS	20-May-20	48					
	HRS	1151	2000					
	AFL	537						
								PKG:247
PROC. REF: GENERIC NO REF, AMM 33-13-05PROC. REF: GENERIC NO REF, AMM 33-13-05								
33-40-00-2100 S	LOWER ROTATING BEACON LIGHT GENERAL VISUAL INSPECTION							Service ATA:33
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
33-40-00-2101 S	NAVIGATION LIGHT AND UPPER BEACON LIGHT GENERAL VISUAL INSPECTION							Service ATA:33
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
33-40-00-2102 S	LANDING AND TAXI LIGHTS GENERAL VISUAL INSPECTION							Service ATA:33
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 33-40-00PROC. REF: AMM 33-40-00								
33-40-00-2103 S	LIGHTS (WING) GENERAL VISUAL INSPECTION							Service ATA:33
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 33-40-00PROC. REF: AMM 33-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-40-00-6100 S	LANDING LIGHT FOCUS SERVICING							Service ATA:33
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 33-40-00PROC. REF: AMM 33-40-00								
33-40-00-7100 S	LANDING AND TAXI LIGHTS OPERATIONAL CHECK							Service ATA:33
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:204,207,208
PROC. REF: AMM 33-40-00PROC. REF: AMM 33-40-00								
33-40-00-7101 S	OUTBOARD WING LIGHTS OPERATIONAL CHECK							Service ATA:33
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:204,207,208
PROC. REF: AMM 33-40-00PROC. REF: AMM 33-40-00								
33-40-00-7102 S	REAR FUSELAGE AND EMPENNAGE LIGHTS OPERATIONAL CHECK							Service ATA:33
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:204,207,208
PROC. REF: AMM 33-40-00PROC. REF: AMM 33-40-00								
33-50-00-2100 S	EMERGENCY EXIT LIGHTS GENERAL VISUAL INSPECTION							Service ATA:33
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-50-00-2800		LEFT SELF-ILLUMINATING EMERGENCY EXIT SIGN REPLACEMENT						Service ATA:33
	MOS	16-Dec-21	T:84 (+1m/-1m)		16-Dec-28 (M)	16-Jan-29	834 d (+31)	LIFE LIMIT
	HRS	1172.2						
	AFL	542						
								PKG:101
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-50-00-2800		RIGHT SELF-ILLUMINATING EMERGENCY EXIT SIGN REPLACEMENT						Service ATA:33
	MOS	16-Dec-21	T:84 (+1m/-1m)		16-Dec-28 (M)	16-Jan-29	834 d (+31)	LIFE LIMIT
	HRS	1172.2						
	AFL	542						
								PKG:101
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
33-50-00-7200 S		LEFT SELF-ILLUMINATING EMERGENCY EXIT SIGN FUNCTIONAL CHECK						Service ATA:33
PN:132848-13	MOS	16-Dec-21	12 (+1m/-1m)					MANDATORY
SN:46428	HRS	1172.2						
WC#: 33.020	AFL	542						
								PKG:101
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
33-50-00-7200 S		RIGHT SELF-ILLUMINATING EMERGENCY EXIT SIGN FUNCTIONAL CHECK						Service ATA:33
PN:132848-13	MOS	16-Dec-21	12 (+1m/-1m)					MANDATORY
SN:46375	HRS	1172.2						
WC#: 33.020	AFL	542						
								PKG:101
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								
33-50-00-9600		EMERGENCY EXIT LIGHT BATTERIES (CABIN DOOR)						Service ATA:33
	MOS	16-Dec-21	12		16-Dec-22		OVD	REPLACE
	HRS	1172.2						
WC#: 33.030	AFL	542						
PROC. REF: AMM 33-50-00PROC. REF: AMM 33-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
33-50-00-9600	EMERGENCY EXIT LIGHT BATTERIES (EMERGENCY EXIT BATTERIES)							Service ATA:33
	MOS	16-Dec-21	12		16-Dec-22		OVD	REPLACE
	HRS	1172.2						
WC#: 33.030	AFL	542						
PROC. REF: AMM 33-50-00	PROC. REF: AMM 33-50-00							
330001	INPUT/OUTPUT CONCENTRATOR							Component ATA:33
PN:IOC100-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:265000202	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-17	PROC. REF: AMM 33-21-17							
331001	CABIN LIGHTING CONTROLLER							Component ATA:33
PN:CLC500-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:500004795	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-19	PROC. REF: AMM 33-21-19							
331002	ELECTROLUMINESCENT POWER SUPPLY							Component ATA:33
PN:130-384023-0001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1302	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-13-03	PROC. REF: AMM 33-13-03							
334005	LOWER BEACON LIGHT							Component ATA:33
PN:01-0771080-05	MOS/MSC	18-Jun-18	O/C	TSN 1				
SN:00953	HRS	756.7		TSN 0				
WC#: 33.060	AFL	357		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
334006	UPPER BEACON LIGHT							Component ATA:33
PN:90033-6	MOS/MSC	15-May-14	O/C	TSN 0				
SN:22383	HRS	0		TSN 0				
WC#: 33.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
335001	LEFT HAND ESCAPE HATCH HANDLE/EXIT - EMERGENCY EXIT (SELF-ILLUMINATING)							Component ATA:33
PN:132848-13	MOS/MSC	16-Dec-21	H/T	TSN 0				
SN:46428	HRS	1172.2		TSN 0				
	AFL	542						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
335002	RIGHT HAND ESCAPE HATCH HANDLE/EXIT - EMERGENCY EXIT (SELF-ILLUMINATING)							Component ATA:33
PN:132848-13	MOS/MSC	16-Dec-21	H/T	TSN 0				
SN:46375	HRS	1172.2		TSN 0				
	AFL	542						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
335005	POWER PACK							Component ATA:33
PN:100-384118-19	MOS/MSC	15-May-14	O/C	TSN 0				
SN:0002762	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				
PROC. REF: AMM 32-30-13PROC. REF: AMM 32-30-13								
336050	NO. 1 5 VDC (VOLT) POWER SUPPLY							Component ATA:33
PN:LT-55(C)	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4453	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: AMM 33-13-01PROC. REF: AMM 33-13-01								
336055	NO. 2 5 VDC (VOLT) POWER SUPPLY							Component ATA:33
PN:LT-55(C)	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4454	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: AMM 33-13-01PROC. REF: AMM 33-13-01								
336060	NO. 3 5 VDC (VOLT) POWER SUPPLY							Component ATA:33
PN:LT-55(C)	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4461	HRS	0		TSN 0				
WC#: 33.090	AFL	0		TSN 0				
PROC. REF: AMM 33-13-01PROC. REF: AMM 33-13-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-10-01-7100 S		PITOT TUBE HEAT OPERATIONAL CHECK						Service ATA:34
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 34-10-01PROC. REF: AMM 34-10-01								
34-10-05-7200 S		CO-PILOT PITOT AND STATIC SYSTEM FUNCTIONAL CHECK						Service ATA:34
	MOS	25-Aug-26	24					
	HRS	1181.6						
WC#: 34.030	AFL	544						
								PKG:207,208,213
PROC. REF: STC 05-11-00, AMM 34-10-05PROC. REF: STC 05-11-00, AMM 34-10-05								
34-10-05-7200 S		PILOT PITOT AND STATIC SYSTEM FUNCTIONAL CHECK						Service ATA:34
	MOS	25-Aug-26	24					
	HRS	1181.6						
WC#: 34.030	AFL	544						
								PKG:207,208,213
PROC. REF: STC 05-11-00, AMM 34-10-05PROC. REF: STC 05-11-00, AMM 34-10-05								
34-11-00-2200		NO. 1 AIR DATA SYSTEM AND TRANSPONDER DETAILED INSPECTION						Service ATA:34
PN:622-9210-501	MOS	25-Aug-26	24		25-Aug-28		721 d	
SN:4MRM3	HRS	1181.6						
WC#: 34.020	AFL	544						
			Test Date: : 25-Aug-26					PKG:213
PROC. REF: CFR 91.413, AMM 34-11-00PROC. REF: CFR 91.413, AMM 34-11-00								
34-11-00-2200		NO. 2 AIR DATA SYSTEM AND TRANSPONDER DETAILED INSPECTION						Service ATA:34
PN:622-9210-501	MOS	25-Aug-26	24		25-Aug-28		721 d	
SN:4HXOH	HRS	1181.6						
WC#: 34.020	AFL	544						
			Test Date: : 25-Aug-26					PKG:213
PROC. REF: CFR 91.413, AMM 34-11-00PROC. REF: CFR 91.413, AMM 34-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-11-01-2200		NO. 1 AIR DATA SYSTEM (RVSM COMPLIANT AIRPLANES) DETAILED INSPECTION (AIRPLANES FL-352 THRU FL-380, FL-382; FM-11; AND AIRPLANES WITH SB 34-3507 INCORPORATED AND EQUIPPED WITH COLLINS EFIS-85B (14))						Service ATA:34
	MOS/MSC	16-Dec-21	N/R					
	HRS	1172.2						
WC#: 34.520	AFL	542						
								PKG:213
34-13-03-2200		NO. 1 AIR DATA SYSTEM (RVSM COMPLIANT AIRPLANES) DETAILED INSPECTION (AIRPLANES FL-381, FL-383 AND AFTER; FM-12 AND AFTER)						Service ATA:34
	MOS	25-Aug-26	24		25-Aug-28		721 d	
	HRS	1181.6						
	AFL	544						
								PKG:213
PROC. REF: AMM 34-11-01, AMM 34-13-03PROC. REF: AMM 34-11-01, AMM 34-13-03								
34-20-03-7100 S		EFIS COOLING BLOWERS (IF INSTALLED) OPERATIONAL CHECK						Service ATA:34
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 34-20-03PROC. REF: AMM 34-20-03								
34-23-05-7200 (FC)		ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) BATTERY (PS835-D) FUNCTIONAL CHECK (FL-381, FL-383 AND AFTER; FM-12 AND AFTER)						Service ATA:34
PN:501-1228-04	MOS	25-Aug-26	6 (+15d/-15d)		25-Feb-27	12-Mar-27	174 d (+15)	
SN:83571	HRS	1181.6						
WC#: 34.510	AFL	544						
								PKG:237
PROC. REF: CMM TP-329 24-30-02, AMM 34-23-05PROC. REF: CMM TP-329 24-30-02, AMM 34-23-05								
34-23-05-7201 (FC)		STANDBY POWER SUPPLY BATTERY (JET MODEL - PS-835) (EFIS AUX POWER) FUNCTIONAL CHECK (AIRPLANES FL-114 AND AFTER; FM-9 AND AFTER)						Service ATA:34
PN:501-1228-04	MOS	25-Aug-26	6 (+15d/-15d)		25-Feb-27	12-Mar-27	174 d (+15)	
SN:83571	HRS	1181.6						
	AFL	544						
								PKG:237
PROC. REF: AMM 34-23-05PROC. REF: AMM 34-23-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-23-CA-7200 (CT)	STANDBY POWER SUPPLY CAPACITY TEST ELECTRONIC STANDBY INSTRUMENT SYSTEM (ESIS) BATTERY (PS-835D)							Service ATA:34
PN:501-1228-04	MOS	25-Aug-26	12 (+1m/-1m)		25-Aug-27	25-Sep-27	355 d (+31)	
SN:83571	HRS	1181.6						
WC#: 34.510	AFL	544						
								PKG:237
PROC. REF: CMM TP-329 24-30-02, AMM 34-23-05PROC. REF: CMM TP-329 24-30-02, AMM 34-23-05								
340005	PILOT DISPLAY PROCESSOR UNIT							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340010	HSI CONTROL PANEL							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340015	HSI PROCESSOR UNIT							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.180	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340020	NO. 1 DUAL NAVIGATION OR MARKER BEACON COUPLER							Component ATA:34
PN:101-380042	MOS/MSC	15-May-14	O/C	TSN 0				
SN:52275	HRS	0		TSN 0				
WC#: 34.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340025	NO. 2 DUAL NAVIGATION OR MARKER BEACON COUPLER							Component ATA:34
PN:101-380042	MOS/MSC	15-May-14	O/C	TSN 0				
SN:52298	HRS	0		TSN 0				
WC#: 34.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340030	REMOTE DATA PROGRAMMER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340035	MULTIFUNCTION DISPLAY							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.320	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340040	COPILOT DISPLAY PROCESSOR UNIT							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.330	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340045	LATERAL ACCELEROMETER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.340	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340050	NORMAL ACCELEROMETER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.350	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340055	MULTI-AXIAL ACCELEROMETER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.410	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340111	CHECK PITOT/STATIC LINES							Service ATA:34
	MOS/MSC	15-May-14	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
WC#: 34.010	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340145	ESIS DISPLAY							Component ATA:34
PN:501-1860-0403	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4804	HRS	0		TSN 0				
WC#: 34.540	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340160	ESIS CONFIGURATION MODULE							Component ATA:34
PN:501-1870-77	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4368	HRS	0		TSN 0				
WC#: 34.680	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341001	CABIN DIFFERENTIAL PRESSURE SWITCH							Component ATA:34
PN:129-384001-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1056	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341015	AIR DATA SENSOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.280	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341020	AIRDATA MODULE							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.290	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341025	LEFT AIRSPEED INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.420	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341030	RIGHT AIRSPEED INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.420	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341035	LEFT INSTANTANEOUS VERTICAL SPEED INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341040	RIGHT INSTANTANEOUS VERTICAL SPEED INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
341045	ALTITUDE INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.460	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341616	NO. 1 AIR DATA COMPUTER							Component ATA:34
PN:822-1109-023	MOS/MSC	24-Sep-15	O/C	TSN 16				
SN:41HC28	HRS	31.6		TSN 31.6				
WC#: 34.530	AFL	24		TSN 24				
PROC. REF: AMM 34-13-01	PROC. REF: AMM 34-13-01							
341626	NO. 2 AIR DATA COMPUTER							Component ATA:34
PN:822-1109-023	MOS/MSC	24-Sep-15	O/C	TSN 16				
SN:41HC5L	HRS	31.6		TSN 31.6				
WC#: 34.530	AFL	24		TSN 24				
PROC. REF: AMM 34-13-01	PROC. REF: AMM 34-13-01							
342005	NO. 1 RADIO ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002-14	MOS/MSC	15-May-14	O/C	TSN 0				
SN:546-11640	HRS	0		TSN 0				
WC#: 34.130	AFL	0		TSN 0				
PROC. REF: AMM 34-43-03	PROC. REF: AMM 34-43-03							
342010	NO. 2 RADIO ALTIMETER ANTENNA							Component ATA:34
PN:S67-2002-14	MOS/MSC	15-May-14	O/C	TSN 0				
SN:546-11648	HRS	0		TSN 0				
WC#: 34.130	AFL	0		TSN 0				
PROC. REF: AMM 34-43-03	PROC. REF: AMM 34-43-03							
342013	STANDBY POWER SUPPLY							Component ATA:34
PN:501-1228-04	MOS/MSC	25-Aug-26	O/C	TSO 0				
SN:83571	HRS	1181.6		TSO 0				
WC#: 34.510	AFL	544		TSO 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
342015	LEFT DIRECTIONAL GYRO							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342020	LEFT FLUX DETECTOR							Component ATA:34
PN:822-1193-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:302549	HRS	0		TSN 0				
WC#: 34.270	AFL	0		TSN 0				
PROC. REF: AMM 34-21-05	PROC. REF: AMM 34-21-05							
342025	RIGHT DIRECTIONAL GYRO							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.260	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
342030	RIGHT FLUX DETECTOR							Component ATA:34
PN:822-1193-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:302548	HRS	0		TSN 0				
WC#: 34.270	AFL	0		TSN 0				
PROC. REF: AMM 34-21-05	PROC. REF: AMM 34-21-05							
342045	VERTICAL GYRO							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
342050	RADIO ALTIMETER							Component ATA:34
PN:822-0615-206	MOS/MSC	08-May-20	O/C	TSO 4				
SN:2L6DG	HRS	1151		TSO 0				
WC#: 34.370	AFL	537		TSO 0				
PROC. REF: AMM 34-43-01	PROC. REF: AMM 34-43-01							
342055	RADAR RECEIVER/TRANSMITTER ANTENNA							Component ATA:34
PN:622-8439-004	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4KBWN	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: AMM 34-41-01	PROC. REF: AMM 34-41-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342060	LEFT TURN AND SLIP INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.440	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342065	RIGHT TURN AND SLIP INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.440	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342075	LEFT ATTITUDE GYRO							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342076	HSI ELECTRONIC FLIGHT DISPLAY							Component ATA:34
PN:822-1084-358	MOS/MSC	15-May-14	O/C	TSN 0				
SN:41FY9D	HRS	0		TSN 0				
WC#: 34.490	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342080	NO. 1 ADI ELECTRONIC FLIGHT DISPLAY							Component ATA:34
PN:822-1084-358	MOS/MSC	15-May-14	O/C	TSN 0				
SN:41FYDD	HRS	0		TSN 0				
WC#: 34.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
342090	NO. 1 ATTITUDE HEADING - EXTERNAL COMPENSATION UNIT (ECU-3000)							Component ATA:34
PN:822-1200-002	MOS/MSC	15-May-14	O/C	TSN 0				
SN:40M0GY	HRS	0		TSN 0				
WC#: 34.660	AFL	0		TSN 0				
PROC. REF: AMM 34-21-03PROC. REF: AMM 34-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342095	NO. 2 ATTITUDE HEADING - EXTERNAL COMPENSATION UNIT (ECU-3000)							Component ATA:34
PN:822-1200-002	MOS/MSC	15-May-14	O/C	TSN 0				
SN:40M163	HRS	0		TSN 0				
WC#: 34.660	AFL	0		TSN 0				
PROC. REF: AMM 34-21-03	PROC. REF: AMM 34-21-03							
342410	NO. 1 ATTITUDE HEADING COMPUTER							Component ATA:34
PN:822-1110-002	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42RHLV	HRS	0		TSN 0				
WC#: 34.570	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01	PROC. REF: AMM 34-21-01							
342411	NO. 2 ATTITUDE HEADING COMPUTER							Component ATA:34
PN:822-1110-002	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42RHM1	HRS	0		TSN 0				
WC#: 34.570	AFL	0		TSN 0				
PROC. REF: AMM 34-21-01	PROC. REF: AMM 34-21-01							
342470	RIGHT ATTITUDE GYRO							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
342601	NO. 1 ATC TRANSPONDER							Component ATA:34
PN:622-9210-501	MOS/MSC	20-May-20	O/C	TSO 12				
SN:4MRM3	HRS	1151		TSO 0				
WC#: 34.020	AFL	537		TSO 0				
PROC. REF: AMM 34-46-03	PROC. REF: AMM 34-46-03							
342621	NO. 2 ATC TRANSPONDER							Component ATA:34
PN:622-9210-501	MOS/MSC	21-Feb-19	O/C					
SN:4HXOH	HRS	962.2						
WC#: 34.020	AFL	451						
PROC. REF: AMM 34-46-03	PROC. REF: AMM 34-46-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
343005	GLIDESLOPE ANTENNA							Component ATA:34
PN:100-384128	MOS/MSC	15-May-14	O/C	TSN 0				
SN:9365	HRS	0		TSN 0				
WC#: 34.100	AFL	0		TSN 0				
PROC. REF: AMM 34-30-01PROC. REF: AMM 34-30-01								
343007	MARKER BEACON ANTENNA							Component ATA:34
PN:101-384179	MOS/MSC	15-May-14	O/C	TSN 0				
SN:439452	HRS	0		TSN 0				
WC#: 34.580	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
343010	GLIDESLOPE COUPLER							Component ATA:34
PN:101-380043	MOS/MSC	15-May-14	O/C	TSN 0				
SN:28240	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344001	AP-950 CONFIGURATION MODULE							Component ATA:34
PN:9000001-10001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:APE02237	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
344225	XM WEATHER RECEIVER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.590	AFL	0		TSN 0				
PROC. REF: AMM 31-61-05PROC. REF: AMM 31-61-05								
344305	SKYWATCH TRAFFIC COLLISION AVOIDANCE (TCAS I) COMPUTER							Component ATA:34
PN:805-11900-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:6748	HRS	0		TSN 0				
WC#: 34.640	AFL	0		TSN 0				
PROC. REF: AMM 34-45-01PROC. REF: AMM 34-45-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344310	SKYWATCH TRAFFIC COLLISION AVOIDANCE (TCAS I) ANTENNA							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.650	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345002	LEFT NAVIGATION VERTICAL STABILIZER ANTENNA							Component ATA:34
PN:100-384125-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:9951	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345004	RIGHT NAVIGATION VERTICAL STABILIZER ANTENNA							Component ATA:34
PN:100-384125-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:9950	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345006	NAVIGATION ANTENNA COUPLER							Component ATA:34
PN:80-37-101	MOS/MSC	15-May-14	O/C	TSN 0				
SN:6791	HRS	0		TSN 0				
WC#: 34.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345008	L/H ADF LOOP ANTENNA							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345010	R/H ADF LOOP ANTENNA							Component ATA:34
PN:622-7383-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:40LTXF	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345012	NO. 1 DME ANTENNA							Component ATA:34
PN:100-384129	MOS/MSC	07-May-20	O/C	TSN 8				
SN:35035	HRS	1151		TSN 0				
WC#: 34.110	AFL	537		TSN 0				
PROC. REF: AMM 34-46-07	PROC. REF: AMM 34-46-07							
345014	NO. 2 DME ANTENNA							Component ATA:34
PN:100-384129	MOS/MSC	15-May-14	O/C	TSN 0				
SN:31988	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 34-46-07	PROC. REF: AMM 34-46-07							
345016	NO. 1 TRANSPONDER ANTENNA							Component ATA:34
PN:100-384129	MOS/MSC	15-May-14	O/C	TSN 0				
SN:31980	HRS	0		TSN 0				
WC#: 34.120	AFL	0		TSN 0				
PROC. REF: AMM 34-46-07	PROC. REF: AMM 34-46-07							
345017	#1LTP TDR 94 OPTIONAL							Component ATA:34
PN:100-384129	MOS/MSC	15-May-14	O/C	TSN 0				
SN:31953	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
345018	NO. 2 TRANSPONDER ANTENNA							Component ATA:34
PN:100-384129	MOS/MSC	15-May-14	O/C	TSN 0				
SN:31989	HRS	0		TSN 0				
WC#: 34.120	AFL	0		TSN 0				
PROC. REF: AMM 34-46-07	PROC. REF: AMM 34-46-07							
345019	#1RTP TDR 94 OPTIONAL							Component ATA:34
PN:100-384129	MOS/MSC	15-May-14	O/C	TSN 0				
SN:31955	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345020	NO. 1 VOR/ILS RECEIVER							Component ATA:34
PN:822-1465-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4KDJV	HRS	0		TSN 0				
WC#: 34.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345022	NO. 1 NAVIGATION CONTROL							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345024	NO. 2 VOR/ILS RECEIVER							Component ATA:34
PN:822-1579-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4KMTF	HRS	0		TSN 0				
WC#: 34.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345026	NO. 2 NAVIGATION CONTROL							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345028	NO. 1 ADF RECEIVER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345030	NO. 2 ADF RECEIVER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345032	ADF CONTROL							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345034	NO. 2 ADF CONTROL							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345036	NO. 1 ADF/NAVIGATION CONTROL ADAPTER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.220	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345038	NO. 2 ADF/NAVIGATION CONTROL ADAPTER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.220	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345040	NO. 1 DME RECEIVER							Component ATA:34
PN:822-1466-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:40MF99	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								
345042	NO. 2 DME RECEIVER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.250	AFL	0		TSN 0				
PROC. REF: AMM 34-53-01PROC. REF: AMM 34-53-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345044	TRANSPONDER CONTROL							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.360	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345046	GPS ANTENNA							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.380	AFL	0		TSN 0				
PROC. REF: AMM 34-51-03PROC. REF: AMM 34-51-03								
345048	UNIVERSAL NAVIGATION SYSTEM							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.390	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345050	UNIVERSAL NAVIGATION SYSTEM MODIFICATION ADAPTER							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.400	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345052	LEFT DME INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.450	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345054	RIGHT DME INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.450	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345056	NO. 1 RADIO MAGNETIC INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.480	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345058	NO. 2 RADIO MAGNETIC INDICATOR							Component ATA:34
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 34.480	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
345207	NO. 1 GLOBAL POSITIONING SYSTEM (GPS-400A) RECEIVER							Component ATA:34
PN:822-2189-010	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4JDRL	HRS	0		TSN 0				
WC#: 34.620	AFL	0		TSN 0				
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01								
345208	NO. 2 GLOBAL POSITIONING SYSTEM (GPS-4000A/S) RECEIVER							Component ATA:34
PN:822-2189-010	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4JDTN	HRS	0		TSN 0				
WC#: 34.620	AFL	0		TSN 0				
PROC. REF: AMM 34-51-01PROC. REF: AMM 34-51-01								
345705	DATA BASE UNIT							Component ATA:34
PN:822-2215-201	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42721P	HRS	0		TSN 0				
WC#: 34.670	AFL	0		TSN 0				
PROC. REF: AMM 34-57-00, AMM 34-59-00PROC. REF: AMM 34-57-00, AMM 34-59-00								
346005	ELECTRONIC FLIGHT DISPLAY							Component ATA:34
PN:822-1753-358	MOS/MSC	15-May-14	O/C	TSN 0				
SN:41FYCK	HRS	0		TSN 0				
WC#: 34.470	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
346015	NO. 1 FLIGHT MANAGEMENT COMPUTER							Component ATA:34
PN:822-0883-053	MOS/MSC	25-Aug-26	O/C	TSO 0				
SN:46VBT	HRS	1181.6		TSO 0				
WC#: 34.610	AFL	544		TSO 0				
PROC. REF: AMM 34-61-01	PROC. REF: AMM 34-61-01							
346016	NO. 2 FLIGHT MANAGEMENT COMPUTER							Component ATA:34
PN:822-0883-053	MOS/MSC	25-Aug-26	O/C	TSO 0				
SN:22G6L	HRS	1181.6		TSO 0				
WC#: 34.610	AFL	544		TSO 0				
PROC. REF: AMM 34-61-01	PROC. REF: AMM 34-61-01							
346020	#1 (CDU-3000) CONTROL DISPLAY UNIT							Component ATA:34
PN:822-0884-491	MOS/MSC	15-May-14	O/C	TSN 0				
SN:412KXT	HRS	0		TSN 0				
WC#: 34.690	AFL	0		TSN 0				
PROC. REF: AMM 34-61-03	PROC. REF: AMM 34-61-03							
346025	#2 (CDU-3000) CONTROL DISPLAY UNIT							Component ATA:34
PN:822-0884-491	MOS/MSC	15-May-14	O/C	TSN 0				
SN:412KYP	HRS	0		TSN 0				
WC#: 34.700	AFL	0		TSN 0				
PROC. REF: AMM 34-61-03	PROC. REF: AMM 34-61-03							
346030	PERFORM REDUCED VERTICAL SEPARATION MINIMUM (RVSM) HEIGHT MONITORING REQUIREMENTS							Service ATA:34
	MOS/MSC	28-Jan-16	-					
	HRS	126.3						
	AFL	59						
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
347119	MAGNETOMETER							Component ATA:34
PN:501-1826-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:6409	HRS	0		TSN 0				
WC#: 34.600	AFL	0		TSN 0				
PROC. REF: AMM 34-23-03	PROC. REF: AMM 34-23-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
348004	TCAS (TTR-4000) TRANSCEIVER							Component ATA:34
PN:822-1294-032	MOS/MSC	15-May-14	O/C	TSN 0				
SN:190228	HRS	0		TSN 0				
WC#: 34.630	AFL	0		TSN 0				
PROC. REF: AMM 34-46-01PROC. REF: AMM 34-46-01								
348005	NO. 1 TCAS DIRECTIONAL ANTENNA							Component ATA:34
PN:622-8973-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:54345	HRS	0		TSN 0				
WC#: 34.550	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
348006	NO. 2 TCAS DIRECTIONAL ANTENNA							Component ATA:34
PN:622-8973-001	MOS/MSC	15-May-14	O/C	TSN 0				
SN:54428	HRS	0		TSN 0				
WC#: 34.550	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
348010	EGPWS COMPUTER							Component ATA:34
PN:9000000-85006	MOS/MSC	15-May-14	O/C	TSN 0				
SN:TWE01032	HRS	0		TSN 0				
WC#: 34.560	AFL	0		TSN 0				
PROC. REF: AMM 34-47-01PROC. REF: AMM 34-47-01								
ATA 35 - OXYGEN								
35-00-00-2100 S	OXYGEN BOTTLE PLUMBING GENERAL VISUAL INSPECTION							Service ATA:35
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-00-00-2101 S		OXYGEN SYSTEM PRESSURE GENERAL VISUAL INSPECTION						Service ATA:35
	MOS	15-May-14	T:12					
	HRS	0	T:200					
	AFL	0						
								PKG:200,201,202,203,205,206
PROC. REF: GENERIC NO REF, AMM 35-00-00PROC. REF: GENERIC NO REF, AMM 35-00-00								
35-00-00-7200 S		OXYGEN SYSTEM PRESSURE FUNCTIONAL CHECK						Service ATA:35
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,206,207,208
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								
35-00-00-7201 S		OXYGEN SYSTEM BAROMETRIC PRESSURE SWITCH FUNCTIONAL CHECK						Service ATA:35
PN:101-384028-43	MOS	16-Dec-21	12 (+1m/-1m)					
SN:5641	HRS	1172.2						
WC#: 35.050	AFL	542						
								PKG:209
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								
35-00-00-7202 S		OXYGEN SYSTEM MANUAL OPERATION FUNCTIONAL CHECK						Service ATA:35
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 35-00-00PROC. REF: AMM 35-00-00								
35-00-01-7200		OXYGEN CYLINDER (LIGHTWEIGHT COMPOSITE) HYDROSTATIC TEST						Service ATA:35
PN:101-384200-7	MOS	18-Jun-18	60		18-Jun-23	OVD	MANDATORY	
SN:C18030153	HRS							
WC#: 35.010	AFL							
			HydroCheck Date: : 18-Jun-18					PKG:104
PROC. REF: GENERIC CMMPROC. REF: GENERIC CMM								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-00-01-7201	OXYGEN CYLINDER (STANDARD WEIGHT - DOT 3AA 1800 49CFR 180.209) HYDROSTATIC TEST							Service ATA:35
	MOS/MSC		N/A					
	HRS							
	AFL							
								PKG:104
PROC. REF: AMM 35-00-01PROC. REF: AMM 35-00-01								
35-00-01-7202	OXYGEN CYLINDER (LIGHTWEIGHT - 3.HT 1850 49CFR 180.209) HYDROSTATIC TEST							Service ATA:35
	MOS/MSC		N/A					
	HRS							
	AFL							
								PKG:103
PROC. REF: AMM 35-00-01PROC. REF: AMM 35-00-01								
35-00-01-7203	OXYGEN CYLINDER REGULATOR OVERHAUL							Service ATA:35
PN:803213-02	MOS	05-Jun-18	60		05-Jun-23		NEW REQMT	OVERHAUL
SN:P2696	HRS							
	AFL							
PROC. REF: AMM 35-00-01PROC. REF: AMM 35-00-01								
35-00-01-9600	OXYGEN CYLINDER (LIGHTWEIGHT COMPOSITE) LIFE LIMIT							Service ATA:35
	MOS		180		18-Jun-33 (M)		2479 d	LIFE LIMIT
	HRS							
	AFL							
PROC. REF: AMM 35-00-01PROC. REF: AMM 35-00-01								
35-00-01-9601	OXYGEN CYLINDER (STANDARD WEIGHT - DOT 3AA 1800 49CFR 180.209) LIFE LIMIT							Service ATA:35
	MOS/MSC		N/A					
	HRS							
	AFL							
PROC. REF: AMM 35-00-01PROC. REF: AMM 35-00-01								
35-00-01-9602	OXYGEN CYLINDER (STANDARD WEIGHT - DOT 3AA 1850 49CFR 180.209) LIFE LIMIT							Service ATA:35
	MOS/MSC		O/C					MANDATORY
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-00-900-9600	CO-PILOT CREW MASK							Component ATA:35
PN:174250-92	MOS/MSC	11-Mar-20	H/T	TSN 0				
SN:30347	HRS	1151		TSN 0				
	AFL	537		TSN 0				
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
35-00-900-9600	PILOT CREW MASK							Component ATA:35
PN:174250-92	MOS/MSC	11-Mar-20	H/T	TSN 0				
SN:21151	HRS	1151		TSN 0				
	AFL	537		TSN 0				
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
35-10-01-2200 S	CO-PILOT CREW MASKS DETAIL INSPECTION							Service ATA:35
PN:174250-92	MOS	16-Dec-21	12 (+1m/-1m)					
SN:30347	HRS	1172.2						
	AFL	542						
								PKG:209
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
35-10-01-2200 S	PILOT MASKS DETAILED INSPECTION							Service ATA:35
PN:174250-92	MOS	16-Dec-21	12 (+1m/-1m)					
SN:21151	HRS	1172.2						
	AFL	542						
								PKG:209
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
35-10-01-9600	CO-PILOT CREW MASKS RESTORATION							Service ATA:35
PN:174250-92	MOS	11-Mar-20	72		11-Mar-26	OVD	OVERHAUL	
SN:30347	HRS	1151						
	AFL	537						
								PKG:238
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10-01-9600		PILOT CREW MASKS RESTORATION						Service ATA:35
PN:174250-92	MOS	11-Mar-20	72		11-Mar-26		OVD	OVERHAUL
SN:21151	HRS	1151						
	AFL	537						
								PKG:238
PROC. REF: AMM 35-10-01PROC. REF: AMM 35-10-01								
35-20-05-2200 S		PASSENGER OXYGEN MASKS DETAILED INSPECTION						Service ATA:35
	MOS	16-Dec-21	12 (+1m/-1m)					
	HRS	1172.2						
	AFL	542						
								PKG:242
PROC. REF: AMM 35-20-05PROC. REF: AMM 35-20-05								
35-20-05-7100 S		OXYGEN SYSTEM MASKS OPERATIONAL CHECK						Service ATA:35
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 35-20-05PROC. REF: AMM 35-20-05								
35-20-05-7101 S		PASSENGER MASKS OPERATIONAL CHECK						Service ATA:35
	MOS	16-Dec-21	12 (+1m/-1m)					
	HRS	1172.2						
	AFL	542						
								PKG:209
PROC. REF: AMM 35-20-05PROC. REF: AMM 35-20-05								
35-20-05-9600		PASSENGER OXYGEN SHUTOFF VALVE (AUTODEPLOYMENT VALVE)PACKING REPLACEMENT						Service ATA:35
	MOS	16-Dec-21	48		16-Dec-25		OVD	REPLACE
	HRS	1172.2						
WC#: 35.020	AFL	542						
PROC. REF: AMM 35-20-05PROC. REF: AMM 35-20-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
350001	FORWARD OXYGEN PRESSURE SWITCH							Component ATA:35
PN:101-384034-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:5710	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350002	AFT OXYGEN PRESSURE SWITCH							Component ATA:35
PN:101-384034-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:5717	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350005	OXYGEN REGULATOR							Component ATA:35
PN:803213-02	MOS/MSC	05-Jun-18	H/T	TSN 57, TSO 0				
SN:P2696	HRS			TSO 0				
WC#: 35.030	AFL			TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350010	FORWARD OXYGEN PRESSURE GAUGE							Component ATA:35
PN:99-384042-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:04199	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350015	AFT OXYGEN PRESSURE GAUGE							Component ATA:35
PN:99-384042-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:04229	HRS	0		TSN 0				
WC#: 35.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350020	BAROMETRIC PRESSURE SWITCH							Component ATA:35
PN:101-384028-43	MOS/MSC	13-Nov-20	O/C	TSN 21				
SN:5641	HRS	1151		TSN 188.8				
WC#: 35.050	AFL	537		TSN 86				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
350101	OXYGEN CYLINDER							Component ATA:35
PN:101-384200-7	MOS/MSC	18-Jun-18	H/T	TSN 0				
SN:C18030153	HRS	756.7		TSN 0				
WC#: 35.010	AFL	357		TSN 0				
PROC. REF: AMM 35-00-01	PROC. REF: AMM 35-00-01							
350666	PASSENGER OXYGEN SHUTOFF VALVE							Component ATA:35
PN:101-384032-7	MOS/MSC	15-May-14	O/C	TSN 0				
SN:5708B	HRS	0		TSN 0				
WC#: 35.020	AFL	0		TSN 0				
PROC. REF: AMM 35-20-01	PROC. REF: AMM 35-20-01							
ATA 36 - PNEUMATIC								
36-10-01-7100 S	PNEUMATIC PRESSURE GAUGE OPERATIONAL CHECK							Service ATA:36
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 36-10-01	PROC. REF: AMM 36-10-01							
36-10-01-7101 S	PNEUMATIC SYSTEM SHUTOFF VALVES OPERATIONAL CHECK							Service ATA:36
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 36-10-01	PROC. REF: AMM 36-10-01							
361005	LEFT ELECTRONIC CONTROLLER							Component ATA:36
PN:101-380025-17	MOS/MSC	15-May-14	O/C	TSN 0				
SN:10BJ284	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
361010	RIGHT ELECTRONIC CONTROLLER							Component ATA:36
PN:101-380025-17	MOS/MSC	15-May-14	O/C	TSN 0				
SN:11BJ295	HRS	0		TSN 0				
WC#: 36.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361015	LEFT BLEED AIR VALVE							Component ATA:36
PN:101-380025-21	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1BK17M	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
361020	RIGHT BLEED AIR VALVE							Component ATA:36
PN:101-380025-21	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1BK12M	HRS	0		TSN 0				
WC#: 36.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
362001	LH REGULATOR VALVE							Component ATA:36
PN:2H3-15	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1BK2	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
362050	PNEUMATIC PRESSURE GAUGE							Component ATA:36
PN:50-380105-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K13-10637	HRS	0		TSN 0				
WC#: 36.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 37 - VACUUM								
37-10-01-9600	VACUUM REGULATOR VALVE FILTER REPLACEMENT							Service ATA:37
	MOS	EFF	T:12		01-Nov-26 *		58 d	
	HRS	EFF						
	AFL							
PROC. REF: AMM 37-10-01	PROC. REF: AMM 37-10-01							
37-10-03-9600	INSTRUMENT AIR FILTER REPLACEMENT							Service ATA:37
	MOS	25-Aug-26						REPLACE
	HRS	1181.6	800		1981.6		773.5	
WC#: 37.010	AFL	544						
PROC. REF: AMM 37-10-03	PROC. REF: AMM 37-10-03							
372005	GYRO SUCTION GAUGE							Component ATA:37
PN:101-384133-0003	MOS/MSC	29-Dec-17	O/C					
SN:C12-10942	HRS	616.4						
WC#: 37.020	AFL	287						
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
38-30-00-2100 S	RELIEF TUBE (IF INSTALLED - FLIGHT COMPARTMENT) GENERAL VISUAL INSPECTION							Service ATA:38
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 38-30-00PROC. REF: AMM 38-30-00								
38-30-00-2101 S	RELIEF TUBE (IF INSTALLED- CABIN) GENERAL VISUAL INSPECTION							Service ATA:38
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 38-30-00PROC. REF: AMM 38-30-00								
38-30-01-2100 S	TOILET GENERAL VISUAL INSPECTION (CPCP)							Service ATA:38
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 38-30-01PROC. REF: AMM 38-30-01								
ATA 39 - ELECTRICAL PANELS, PARTS AND INSTRUMENTS								
391010	REVERSIONARY PANEL							Component ATA:39
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 44 - CABIN SYSTEMS								
440001	1X1 MINI SWITCH							Component ATA:44
PN:441-0024-100	MOS/MSC	15-May-14	O/C	TSN 0				
SN:427K17	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
440002	1X3 MINI SWITCH							Component ATA:44
PN:441-0025-101	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4J7HY	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
440010	#1 ENVIRONMENTAL CONTROLLER							Component ATA:44
PN:2052-1-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42YD8V	HRS	0		TSN 0				
WC#: 44.015	AFL	0		TSN 0				
PROC. REF: AMM 31-40-07	PROC. REF: AMM 31-40-07							
440020	#2 ENVIRONMENTAL CONTROLLER							Component ATA:44
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 44.020	AFL	0		TSN 0				
PROC. REF: AMM 31-40-07	PROC. REF: AMM 31-40-07							
441001	HDAV-3000							Component ATA:44
PN:441-0007-102	MOS/MSC	15-May-14	O/C	TSN 0				
SN:40GTRF	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-31-21	PROC. REF: AMM 23-31-21							
442403	GPS/XM COMDAT ANTENNA							Component ATA:44
PN:CI 429-410	MOS/MSC	15-May-14	O/C	TSN 0				
SN:444238	HRS	0		TSN 0				
WC#: 44.010	AFL	0		TSN 0				
PROC. REF: AMM 34-51-03	PROC. REF: AMM 34-51-03							
442404	GPS/XM COMDAT ANTENNA							Component ATA:44
PN:CI 429-200	MOS/MSC	15-May-14	O/C	TSN 0				
SN:437911	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-03	PROC. REF: AMM 34-51-03							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
445001	FORWARD 15.3 INCH HD MONITOR BULKHEAD							Component ATA:44
PN:441-0081-100	MOS/MSC	15-May-14	O/C	TSN 0				
SN:1310000217	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-31-09	PROC. REF: AMM 23-31-09							
446001	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261002974	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446002	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261002895	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446003	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261002971	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446004	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261002899	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446005	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261003080	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
446006	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261003004	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446007	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261003064	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446008	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261003117	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446009	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261003038	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446010	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261003160	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446011	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261003123	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 44 - CABIN SYSTEMS								
446012	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261003033	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446013	POWER SUPPLY MODULE							Component ATA:44
PN:PSM120-01	MOS/MSC	15-May-14	O/C	TSN 0				
SN:261003169	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-21-15	PROC. REF: AMM 33-21-15							
446015	MEDIA CENTER DEVICE							Component ATA:44
PN:441-0008-100	MOS/MSC	15-May-14	O/C	TSN 0				
SN:42YFXY	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-31-07	PROC. REF: AMM 23-31-07							
ATA 45 - CENTRAL MAINT SYSTEM								
451001	MAINTENANCE DIAGNOSTIC COMPUTER							Component ATA:45
PN:822-1987-005	MOS/MSC	25-Aug-26	O/C	TSO 0				
SN:2MX4L	HRS	1181.6		TSO 0				
WC#: 45.010	AFL	544		TSO 0				
PROC. REF: AMM 31-40-11	PROC. REF: AMM 31-40-11							
ATA 51 - STD PRACTICES AND STRUCT-GENRL								
51-00-00-2800 S	WING CENTER SECTION BONDED PANEL UPPER SKIN SPECIAL DETAILED INSPECTION							Service ATA:51
	MOS	16-Dec-21	18 (+1m/-1m)					
	HRS	1172.2						
WC#: 51.060	AFL	542						
								PKG:232
PROC. REF: AMM 51-00-00	PROC. REF: AMM 51-00-00							
ATA 52 - DOORS								
52-10-01-2100 S	CABIN ENTRANCE DOOR GENERAL VISUAL INSPECTION (AIRPLANES FL-1 AND AFTER)							Service ATA:52
	MOS	15-May-14	24					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,207
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
52-10-01-2200 S		CABIN ENTRANCE DOOR DETAILED INSPECTION (AIPLANES FL-1 THRU FL-953, FL-955 THRU FL-1009, FL-1011 THRU FL-1030)						Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
52-10-01-6400 S		CABIN DOOR LUBRICATION						Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,204,205,206
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
52-10-01-7100 S		CABIN ENTRANCE DOOR OPERATIONAL CHECK (FL-1 AND AFTER)						Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,207,208
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
52-10-01-9600		LOWER FORWARD CABIN AIRSTAIR DOOR LATCH-BOLT						Service ATA:52
PN:PN	MOS	15-May-14						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	5000		5000		4450	
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
52-10-01-9600		REPLACE LOWER AFT CABIN AIRSTAIR DOOR LATCH-BOLT						Service ATA:52
PN:PN	MOS	15-May-14						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	5000		5000		4450	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
52-10-01-9600		REPLACE UPPER AFT CABIN AIRSTAIR DOOR LATCH-BOLT						Service ATA:52
PN:PN	MOS	15-May-14						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	5000		5000		4450	
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
52-10-01-9600		REPLACE UPPER FORWARD CABIN AIRSTAIR DOOR LATCH-BOLT						Service ATA:52
PN:PN	MOS	15-May-14						LIFE LIMIT
SN:UNKNOWN	HRS	0						
	AFL	0	5000		5000		4450	
PROC. REF: AMM 52-10-01PROC. REF: AMM 52-10-01								
52-10-01-9601		REPLACE AIRSTAIR DOOR UPPER HOOK MECHANISM						Service ATA:52
	MOS	15-May-14						LIFE LIMIT
	HRS	0						
WC#: 52.040	AFL	0	10000 (+20/-20)		10000	10020	9450 (+20)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-20-01-2200 S		EMERGENCY EXITS DETAILED INSPECTION (CPCP)						Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,207,208
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01								
52-20-01-6400 S		EMERGENCY EXIT DOOR (800 HOUR) LUBRICATION						Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206
PROC. REF: AMM 52-20-01PROC. REF: AMM 52-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30-00-2100 S	CABIN CARGO DOOR AND CABIN ENTRANCE DOOR GENERAL VISUAL INSPECTION (AIRPLANES FM-1 THRU FM-65)							Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,207,208
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								
52-30-00-2200 S	CABIN CARGO DOOR AND CABIN ENTRANCE DOOR DETAILED INSPECTION (AIRPLANES FM-1 THRU FM-65)							Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								
52-30-00-6400 S	CARGO DOOR LUBRICATION (FM ONLY)							Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,204,205,206
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								
52-30-00-7100 S	CABIN CARGO DOOR AND CABIN ENTRANCE DOOR OPERATIONAL CHECK (AIRPLANES FM-1 AND AFTER)							Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,207,208
PROC. REF: AMM 52-30-00PROC. REF: AMM 52-30-00								
52-40-00-2100 S	PILOT'S COMPARTMENT ACCESS PANELS GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,205,206,208
PROC. REF: AMM 52-40-00PROC. REF: AMM 52-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-40-00-2101 S	CABIN ACCESS DOORS GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	15-May-14	12					
	HRS	0						
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 52-40-00PROC. REF: AMM 52-40-00								
52-40-00-2102 S	REAR FUSELAGE AND EMPENNAGE ACCESS DOORS GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,205,206,208
PROC. REF: AMM 52-40-00PROC. REF: AMM 52-40-00								
52-40-00-2103 S	WING ACCESS PANELS GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,204,205,206,208
PROC. REF: AMM 52-40-00PROC. REF: AMM 52-40-00								
52-40-00-2104 S	HINGED ACCESS DOORS ABOVE DOORS NO. 532CB, 532HB, AND 632CB, 632HB GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 52-40-00PROC. REF: AMM 52-40-00								
52-40-00-2105 S	DOORS, FASTENERS AND SEAL (NOSE AND AVIONICS BAY) GENERAL VISUAL INSPECTION							Service ATA:52
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,203,205,206,208
PROC. REF: AMM 52-40-00PROC. REF: AMM 52-40-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
520156	UPPER FORWARD CABIN AIRSTAIR DOOR LATCH-BOLT							Component ATA:52
PN:PN	MOS/MSC	15-May-14	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
520161	UPPER AFT CABIN AIRSTAIR DOOR LATCH-BOLT							Component ATA:52
PN:PN	MOS/MSC	15-May-14	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
520166	LOWER FORWARD CABIN AIRSTAIR DOOR LATCH-BOLT							Component ATA:52
PN:PN	MOS/MSC	15-May-14	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
520171	LOWER AFT CABIN AIRSTAIR DOOR LATCH-BOLT							Component ATA:52
PN:PN	MOS/MSC	15-May-14	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 52.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
521005	DOOR SEAL VALVE							Component ATA:52
PN:101-380018-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:13949	HRS	0		TSN 0				
WC#: 52.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
521010	SOLENOID VALVE							Component ATA:52
PN:101-380018-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:14042	HRS	0		TSN 0				
WC#: 52.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-2100 S	RADOME GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,203,205,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2101 S	AVIONICS COMPARTMENT, EQUIPMENT AND RACKS (NOSE AND AVIONICS BAY) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2102 S	AVIONICS EQUIPMENT AND RACKS (CABIN - IF INSTALLED) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2103 S	FLIGHT COMPARTMENT STRUCTURE GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2104 S	CABIN AREA STRUCTURE GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:214
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-2105 S	BULKHEADS GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2106 S	BELLY DRAIN VALVES GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2107 S	AVIONICS AND AUTOPILOT EQUIPMENT AND RACKS (REAR FUSELAGE AND EMPENNAGE) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2108 S	PLUMBING (REAR FUSELAGE AND EMPENNAGE) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,203,205,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2109 S	ELECTRICAL WIRING AND EQUIPMENT (NOSE AND AVIONICS BAY) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00-00-2110 S	ELECTRICAL WIRING AND EQUIPMENT (FLIGHT COMPARTMENT) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2111 S	ELECTRICAL WIRING AND EQUIPMENT (CABIN) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:208,214
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2112 S	ELECTRICAL WIRING AND EQUIPMENT (REAR FUSELAGE AND EMPENNAGE) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2113 S	NOSE SECTION GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:203,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								
53-00-00-2114 S	REAR FUSELAGE AND EMPENNAGE GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,203,205,206,208
PROC. REF: AMM 53-00-00PROC. REF: AMM 53-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-2100 S	AIRSTAIR DOOR, CARGO DOOR AND FUSELAGE FRAME (PRIORITY AREA) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14						
	HRS	0						
WC#: 52.030	AFL	0	T:5000 (+20/-20)					
								PKG:219
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2101 S	ESCAPE HATCHES (PRIORITY AREA) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14						
	HRS	0						
WC#: 52.050	AFL	0	T:5000 (+20/-20)					
								PKG:219
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2102 S	FORWARD PRESSURE BULKHEAD (PRIORITY AREA) GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-953, FL-955 THRU FL-1009, FL-1011 THRU FL-1030, AND FM-1 THRU FM-65)							Service ATA:53
	MOS	15-May-14						
	HRS	0						
WC#: 51.020	AFL	0	2500 (+20/-20)					
								PKG:214
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2103 S	FUSELAGE STRINGER (PRIORITY AREA) (10,000 CYCLES INITIAL / 2,500 CYCLES RECURRING INTERVAL) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS							
	HRS							
WC#: 51.030	AFL		2500 (+20/-20)					
								PKG:214,255
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2104 S	FRAME WEB FS 143 THRU FS 382 (FL SERIAL AIRPLANES) AT FS 143 THRU FS 312 (LEFT SIDE) AND FS 143 THRU FS 382 (RIGHT SIDE) (PRIORITY AREA) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14						
	HRS	0						
WC#: 51.040	AFL	0	2500 (+20/-20)					
								PKG:214
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-2105 S	FRAME WEB FS 143 THRU FS 382 (FM SERIAL AIRPLANES) AT FS 143 THRU FS 260 (LEFT SIDE) AND FS 143 THRU FS 382 (RIGHT SIDE) (PRIORITY AREA) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS/MSC	15-May-14	N/A					
	HRS	0						
	AFL	0						
								PKG:214,233
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2106 S	STRINGERS FROM FS 88 THRU FS 125 AND INSTRUMENT PANEL SUPPORT BRACKETS GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14						
	HRS	0						
WC#: 51.050	AFL	0	10000 (+20/-20)					
								PKG:222
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2107 S	AFT FUSELAGE AREA AND AFT PRESSURE BULKHEAD (PRIORITY AREA) GENERAL VISUAL INSPECTION (ON NONE REWORKED STRINGERS ONLY)							Service ATA:53
	MOS	15-May-14						
	HRS	0						
WC#: 53.050	AFL	0	T:10000 (+20/-20)					
								PKG:223
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2108 S	EXTERIOR SKIN (PRIORITY AREA) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14						
	HRS	0						
WC#: 51.010	AFL	0	T:10000 (+20/-20)					
								PKG:224
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2109 S	FRAME WEB FS 179 THRU FS 271 (PRIORITY AREA) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS							
	HRS							
	AFL	EFF	1000 (+20/-20)					
								PKG:219,233
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-00-2110 S	LEFT UPPER AND LOWER WINDSHIELD CORNERS (PRIORITY AREA) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14						
	HRS	0						
WC#: 53.010	AFL	0	T:10000 (+20/-20)					
								PKG:214,224
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2110 S	RIGHT UPPER AND LOWER WINDSHIELD CORNERS (PRIORITY AREA) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14						
	HRS	0						
WC#: 53.010	AFL	0	T:10000 (+20/-20)					
								PKG:214,224
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2111 S	CABIN DOOR AND FUSELAGE FRAME (PRIORITY AREA) GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14						
	HRS	0						
	AFL	0	T:10000					
								PKG:224
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-00-2113 S	FUSELAGE STRINGER (PRIORITY AREA) GENERAL VISUAL INSPECTION (AIRPLANES FL-1 THRU FL-103; FM-1 THRU FM-8)							Service ATA:53
	MOS	15-May-14						
	HRS	0						
	AFL	0	2500					
								PKG:214
PROC. REF: AMM 53-10-00PROC. REF: AMM 53-10-00								
53-10-01-2100 S	AFT FUSELAGE MOISTURE DRAINAGE SYSTEM GENERAL VISUAL INSPECTION							Service ATA:53
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,203,205,206,208
PROC. REF: AMM 53-10-01PROC. REF: AMM 53-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-00-11-0001 S		PERFORM HORIZONTAL STABILIZER INSPECTION						Service ATA:55
	MOS	16-Dec-21	12 (+1m/-1m)					MANDATORY
	HRS	1172.2						
WC#: 55.030	AFL	542						
								PKG:100
PROC. REF: SIRM 55-00-11, SIRM 55-00-12PROC. REF: SIRM 55-00-11, SIRM 55-00-12								
55-00-12-0001 S		PERFORM VERTICAL STABILIZER INSPECTION						Service ATA:55
PN:101-640001-619	MOS	15-May-14	12					MANDATORY
SN:51796409	HRS	0						
	AFL	0						
								PKG:100
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-10-01-2800 S		HORIZONTAL STABILIZER (BORESCOPE) SPECIAL DETAILED INSPECTION (CPCP)						Service ATA:55
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205
PROC. REF: AMM 55-10-01PROC. REF: AMM 55-10-01								
55-30-01-2100 S		VERTICAL STABILIZER GENERAL VISUAL INSPECTION (CPCP)						Service ATA:55
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,203,205,206,208
PROC. REF: AMM 55-30-01PROC. REF: AMM 55-30-01								
55-30-01-2800 S		VERTICAL STABILIZER GENERAL VISUAL INSPECTION - FOR NON-HUIP PROGRAM ONLY						Service ATA:55
	MOS	15-May-14	12 (+12m/-12m)					
	HRS	0						
	AFL	0						
								PKG:209
PROC. REF: AMM 55-30-01PROC. REF: AMM 55-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40-03-2200 S	RUDDER TRIM TAB DRAIN HOLES DETAILED INSPECTION							Service ATA:55
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,202,203,205,206,208
PROC. REF: AMM 55-40-03PROC. REF: AMM 55-40-03								
550121	HORIZONTAL STABILIZER							Component ATA:55
PN:101-620000-629	MOS/MSC	15-May-14	O/C	TSN 0				
SN:51800215	HRS	0		TSN 0				
WC#: 55.010	AFL	0		TSN 0				
PROC. REF: AMM 55-10-01PROC. REF: AMM 55-10-01								
550122	VERTICAL STABILIZER							Component ATA:55
PN:101-640001-619	MOS/MSC	15-May-14	O/C	TSN 0				
SN:51796409	HRS	0		TSN 0				
WC#: 55.020	AFL	0		TSN 0				
PROC. REF: AMM 55-30-01PROC. REF: AMM 55-30-01								
ATA 56 - WINDOWS								
56-00-00-2100 S	WINDOWS (COCKPIT SIDE) GENERAL VISUAL INSPECTION (CPCP)							Service ATA:56
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00								
56-00-00-2101 S	WINDOWS (CABIN) GENERAL VISUAL INSPECTION							Service ATA:56
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-00-00-2102	SIDE WINDOW (COCKPIT OR CABIN) CRACKED LIMITED FLIGHT							Service ATA:56
	MOS/MSC		A/R				NEW REQMT	MANDATORY
	HRS							
	AFL							
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00								
56-00-00-2200 S	CREW COMPARTMENT/CABIN/BAGGAGE ACRYLIC WINDOW ATTACH FRAMES DETAILED INSPECTION							Service ATA:56
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 56-00-00PROC. REF: AMM 56-00-00								
56-10-01-2100 S	WINDSHIELDS GENERAL VISUAL INSPECTION							Service ATA:56
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01								
56-10-01-2102	CO-PILOT WINDSHIELD CRACKED FLIGHT LIMITATIONS							Service ATA:56
PN:101-384025-24	MOS/MSC		A/R				NEW REQMT	MANDATORY
SN:23013H3796	HRS							
	AFL							
56-10-01-2102	PILOT WINDSHIELD CRACKED FLIGHT LIMITATIONS							Service ATA:56
PN:101-384025-23	MOS/MSC		A/R				NEW REQMT	MANDATORY
SN:21222H4406	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-10-01-2200 S		WINDSHIELDS DETAILED INSPECTION						Service ATA:56
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01								
56-10-01-9600		REPLACE LEFT WINDSHIELD SCREWS						Service ATA:56
	MOS	15-May-14						LIFE LIMIT
	HRS	0						
WC#: 56.010	AFL	0	10000 (+20/-20)		10000	10020	9450 (+20)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-10-01-9600		REPLACE RIGHT WINDSHIELD SCREWS						Service ATA:56
	MOS	02-May-23						LIFE LIMIT
	HRS	1181.58						
WC#: 56.010	AFL	544	10000 (+20/-20)		10544	10564	9994 (+20)	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-21-04-7200 S		ELECTROCHROMIC WINDOW SHADE POWER SUPPLY CAPACITY CHECK						Service ATA:56
	MOS	15-May-14	12 (+1m/-1m)					
	HRS	0						
	AFL	0						
								PKG:209
PROC. REF: AMM 56-21-04PROC. REF: AMM 56-21-04								
560101		LEFT WINDSHIELD ASSY, (LH)						Component ATA:56
PN:101-384025-23	MOS/MSC	16-Dec-21	O/C					
SN:21222H4406	HRS	1172.2						
WC#: 56.010	AFL	542						
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01								
560115		RIGHT WINDSHIELD ASSY, (RH)						Component ATA:56
PN:101-384025-24	MOS/MSC	02-May-23	O/C	TSN 4				
SN:23013H3796	HRS	1181.58		TSN 0				
WC#: 56.010	AFL	544		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
PROC. REF: AMM 56-10-01PROC. REF: AMM 56-10-01								
562110	LEFT ELECTRIC WINDOW SHADE EMERGENCY POWER SUPPLY							Component ATA:56
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
562112	RIGHT ELECTRIC WINDOW SHADE EMERGENCY POWER SUPPLY							Component ATA:56
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 57 - WINGS								
57-00-00-2100 S	WINGS GENERAL VISUAL INSPECTION (CPCP)							Service ATA:57
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2101 S	ELECTRICAL WIRING AND EQUIPMENT (WING) GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,205,208
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2102 S	STATIC GROUND RECEPTACLES GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-2103 S	WING ATTACH FITTING DRAIN HOLES GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,201,202,203,205,206,208
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2106 S	LEFT WING FORWARD (MAIN) SPAR LOWER FITTINGS GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	22-Feb-19	60 (+2m/-2m)					MANDATORY
	HRS	962.2						
WC#: 57.050	AFL	451						
								PKG:216
PROC. REF: SIRM 57-18-02, AMM 57-00-00PROC. REF: SIRM 57-18-02, AMM 57-00-00								
57-00-00-2106 S	RIGHT WING FORWARD (MAIN) SPAR LOWER FITTINGS GENERAL VISUAL INSPECTION							Service ATA:57
	MOS	22-Feb-19	60 (+2m/-2m)					MANDATORY
	HRS	962.2						
WC#: 57.050	AFL	451						
								PKG:216
PROC. REF: SIRM 57-18-02, AMM 57-00-00PROC. REF: SIRM 57-18-02, AMM 57-00-00								
57-00-00-2200 S	MAIN LOWER SPAR CAP BUMPER BLOCK DETAILED INSPECTION (EXTENDED RANGE AND HEAVY WEIGHT AIRPLANES ONLY)							Service ATA:57
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-2300 S	LEFT WING FORWARD (MAIN) SPAR UPPER AND AFT SPAR UPPER AND LOWER WING BOLTS SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	22-Feb-19	60 (+2m/-2m)					MANDATORY
	HRS	962.2						
WC#: 57.050	AFL	451						
								PKG:216
PROC. REF: SIRM 57-18-02, AMM 57-00-00PROC. REF: SIRM 57-18-02, AMM 57-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-2300 S	RIGHT WING FORWARD (MAIN) SPAR UPPER AND AFT SPAR UPPER AND LOWER WING BOLTS SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	22-Feb-19	60 (+2m/-2m)					MANDATORY
	HRS	962.2						
WC#: 57.050	AFL	451						
								PKG:216
PROC. REF: SIRM 57-18-02, AMM 57-00-00PROC. REF: SIRM 57-18-02, AMM 57-00-00								
57-00-00-2500 S	LEFT WING FORWARD (MAIN) SPAR LOWER SHEAR FITTING LUGS SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)					
WC#: 57.060	AFL	0						
								PKG:250
PROC. REF: SIRM 57-18-02, AMM 57-00-00PROC. REF: SIRM 57-18-02, AMM 57-00-00								
57-00-00-2500 S	RIGHT WING FORWARD (MAIN) SPAR LOWER SHEAR FITTING LUGS SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)					
WC#: 57.060	AFL	0						
								PKG:250
PROC. REF: SIRM 57-18-02, AMM 57-00-00PROC. REF: SIRM 57-18-02, AMM 57-00-00								
57-00-00-2501 S	LEFT WING FORWARD (MAIN) SPAR UPPER FITTING AND AFT SPAR UPPER AND LOWER FITTING (FLAT SURFACES, COUNTERBORES AND BOLT BORES) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	22-Feb-19	60 (+2m/-2m)					MANDATORY
	HRS	962.2						
WC#: 57.050	AFL	451						
								PKG:216
PROC. REF: SIRM 57-18-02, AMM 57-00-00PROC. REF: SIRM 57-18-02, AMM 57-00-00								
57-00-00-2501 S	RIGHT WING FORWARD (MAIN) SPAR UPPER FITTING AND AFT SPAR UPPER AND LOWER FITTING (FLAT SURFACES, COUNTERBORES AND BOLT BORES) SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	22-Feb-19	60 (+2m/-2m)					MANDATORY
	HRS	962.2						
WC#: 57.050	AFL	451						
								PKG:216
PROC. REF: SIRM 57-18-02, AMM 57-00-00PROC. REF: SIRM 57-18-02, AMM 57-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-2800 S	NACELLE SPLICE PLATES SPECIAL DETAILED INSPECTION (CPCP)							Service ATA:57
	MOS	16-Dec-21	12 (+1m/-1m)					
	HRS	1172.2						
	AFL	542						
								PKG:235
PROC. REF: SIRM 57-18-03, AMM 57-00-00PROC. REF: SIRM 57-18-03, AMM 57-00-00								
57-00-00-6100 S	LEFT WING FORWARD (MAIN) SPAR UPPER AND AFT SPAR UPPER AND LOWER WING BOLT TORQUE CHECK							Service ATA:57
	MOS/MSC	22-Feb-19	C/C					
	HRS	962.2						
WC#: 57.020	AFL	451						
								PKG:252
PROC. REF: SIRM 57-18-02, AMM 57-00-00PROC. REF: SIRM 57-18-02, AMM 57-00-00								
57-00-00-6100 S	RIGHT WING FORWARD (MAIN) SPAR UPPER AND AFT SPAR UPPER AND LOWER WING BOLT TORQUE CHECK							Service ATA:57
	MOS/MSC	20-May-16	C/C					
	HRS	194.4						
WC#: 57.020	AFL	87						
								PKG:252
PROC. REF: SIRM 57-18-02, AMM 57-00-00PROC. REF: SIRM 57-18-02, AMM 57-00-00								
57-00-00-6400 S	LEFT WINGS LUBRICATION							Service ATA:57
	MOS	16-Dec-21	12					
	HRS	1172.2						
WC#: 12.070	AFL	542						
								PKG:243
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-00-00-6400 S	RIGHT WINGS LUBRICATION							Service ATA:57
	MOS	16-Dec-21	12					
	HRS	1172.2						
WC#: 12.070	AFL	542						
								PKG:243
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-9600		REPLACE LEFT WING LOWER FORWARD BOLT AND NUT						Service ATA:57
	MOS	22-Feb-19	60 (+1m/-1m)		22-Feb-24	22-Mar-24	OVD	LIFE LIMIT
	HRS	962.2						
WC#: 57.010	AFL	451						
PROC. REF: SIRM 57-18-02	PROC. REF: SIRM 57-18-02							
57-00-00-9600		REPLACE RIGHT WING LOWER FORWARD BOLT AND NUT						Service ATA:57
	MOS	22-Feb-19	60 (+1m/-1m)		22-Feb-24	22-Mar-24	OVD	LIFE LIMIT
	HRS	962.2						
WC#: 57.010	AFL	451						
PROC. REF: SIRM 57-18-02	PROC. REF: SIRM 57-18-02							
57-00-00-9601		REPLACE LEFT AFT UPPER WING UPPER AFT BOLT AND NUT						Service ATA:57
	MOS	15-May-14	240 (+1m/-1m)		15-May-34	15-Jun-34	2810 d (+31)	LIFE LIMIT
	HRS	0	20000 (+20/-20)		20000	20020	18791.9 (+20)	
WC#: 57.030	AFL	0						
PROC. REF: SIRM 57-18-02	PROC. REF: SIRM 57-18-02							
57-00-00-9601		REPLACE LEFT WING LOWER AFT BOLT AND NUT						Service ATA:57
	MOS	15-May-14	240 (+1m/-1m)		15-May-34	15-Jun-34	2810 d (+31)	LIFE LIMIT
	HRS	0	20000 (+20/-20)		20000	20020	18791.9 (+20)	
WC#: 57.030	AFL	0						
PROC. REF: SIRM 57-18-02	PROC. REF: SIRM 57-18-02							
57-00-00-9601		REPLACE LEFT WING UPPER FORWARD BOLT AND NUT						Service ATA:57
	MOS	15-May-14	240 (+1m/-1m)		15-May-34	15-Jun-34	2810 d (+31)	LIFE LIMIT
	HRS	0	20000 (+20/-20)		20000	20020	18791.9 (+20)	
WC#: 57.030	AFL	0						
PROC. REF: SIRM 57-18-02	PROC. REF: SIRM 57-18-02							
57-00-00-9601		REPLACE RIGHT FORWARD UPPER BOLT AND NUT						Service ATA:57
	MOS	15-May-14	240 (+1m/-1m)		15-May-34	15-Jun-34	2810 d (+31)	LIFE LIMIT
	HRS	0	20000 (+20/-20)		20000	20020	18791.9 (+20)	
WC#: 57.030	AFL	0						
PROC. REF: SIRM 57-18-02	PROC. REF: SIRM 57-18-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00-00-9601	REPLACE RIGHT WING LOWER AFT BOLT AND NUT							Service ATA:57
	MOS	15-May-14	240 (+1m/-1m)		15-May-34	15-Jun-34	2810 d (+31)	LIFE LIMIT
	HRS	0	20000 (+20/-20)		20000	20020	18791.9 (+20)	
WC#: 57.030	AFL	0						
PROC. REF: SIRM 57-18-02PROC. REF: SIRM 57-18-02								
57-00-00-9601	REPLACE RIGHT WING UPPER AFT BOLT AND NUT							Service ATA:57
	MOS	15-May-14	240 (+1m/-1m)		15-May-34	15-Jun-34	2810 d (+31)	LIFE LIMIT
	HRS	0	20000 (+20/-20)		20000	20020	18791.9 (+20)	
WC#: 57.030	AFL	0						
PROC. REF: SIRM 57-18-02PROC. REF: SIRM 57-18-02								
57-00-00-9602	REPLACE WING-TO-FUSELAGE ATTACH ANGLES (FL-1 THRU FL-175, FL-177;FM-1 THRU FM-9; UNLESS KIT101-1202-0001 IS INSTALLED)							Service ATA:57
	MOS/MSC	15-May-14	N/A					
	HRS	0						
WC#: 57.140	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00-00-9603	REPLACE WING TO FUSELAGE ATTACH ANGLES (FL-176, FL-178 AND AFTER; FM-10 AND AFTER; AND PRIOR AIRPLANES WITH KIT 101-1202-0001 INSTALLED)							Service ATA:57
	MOS	15-May-14					NEW REQMT	LIFE LIMIT
	HRS	0	30000		30000			
	AFL	0						
PROC. REF: AMM 57-00-00PROC. REF: AMM 57-00-00								
57-10-01-2500 S	WING CENTER SECTION FORWARD (MAIN) SPAR LOWER CAP SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:18000 (+20/-20)					
WC#: 57.090	AFL	0						PKG:251
PROC. REF: SIRM 57-17-01, SIRM 57-18-02, AMM 57-10-01PROC. REF: SIRM 57-17-01, SIRM 57-18-02, AMM 57-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-01-2501 S	WING CENTER SECTION BELLY SKIN SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:10500 (+20/-20)					
WC#: 57.100	AFL	0						
								PKG:240
PROC. REF: SIRM 57-18-02, SIRM 57-18-02, AMM 57-10-01PROC. REF: SIRM 57-18-02, SIRM 57-18-02, AMM 57-10-01								
57-10-01-2502 S	WING CENTER SECTION AFT SPAR LOWER CAP SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)					
WC#: 57.110	AFL	0						
								PKG:248
PROC. REF: SIRM 57-18-02, AMM 57-10-01PROC. REF: SIRM 57-18-02, AMM 57-10-01								
57-10-01-2503 S	LEFT WING CENTER SECTION AFT SPAR LOWER FITTINGS SPECIAL DETAIL INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)					
WC#: 57.110	AFL	0						
								PKG:248
PROC. REF: SIRM 57-18-02, AMM 57-10-01PROC. REF: SIRM 57-18-02, AMM 57-10-01								
57-10-01-2503 S	RIGHT WING CENTER SECTION AFT SPAR LOWER FITTINGS SPECIAL DETAIL INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)					
WC#: 57.110	AFL	0						
								PKG:248
PROC. REF: SIRM 57-18-02, AMM 57-10-01PROC. REF: SIRM 57-18-02, AMM 57-10-01								
57-10-01-9600	WING CENTER SECTION							Component ATA:57
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 57.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-20-01-2100 S	LEFT WING OUTBOARD PANEL FORWARD (MAIN) SPAR UPPER AND LOWER CAPS GENERAL VISUAL INSPECTION (FL-126 AND AFTER; FM -9 AND AFTER; AND EARLIER SERIALS WITH P/N 101-110084 SPAR ASSEMBLY)							Service ATA:57
	MOS	16-Dec-21	12 (+1m/-1m)					
	HRS	1172.2						
WC#: 57.040	AFL	542						
								PKG:253
PROC. REF: SIRM 57-18-02, AMM 57-20-01PROC. REF: SIRM 57-18-02, AMM 57-20-01								
57-20-01-2100 S	RIGHT WING OUTBOARD PANEL FORWARD (MAIN) SPAR UPPER AND LOWER CAPS GENERAL VISUAL INSPECTION (FL-126 AND AFTER; FM-9 AND AFTER; AND EARLIER SERIALS WITH P/N 101-110084 SPAR ASSEMBLY)							Service ATA:57
	MOS	16-Dec-21	12 (+1m/-1m)					
	HRS	1172.2						
WC#: 57.040	AFL	542						
								PKG:253
PROC. REF: SIRM 57-18-02, AMM 57-20-01PROC. REF: SIRM 57-18-02, AMM 57-20-01								
57-20-01-2500 S	LEFT WING OUTBOARD PANEL FORWARD (MAIN) SPAR LOWER CAP SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)					
WC#: 57.070	AFL	0						
								PKG:249
PROC. REF: SIRM 57-18-02, AMM 57-20-01PROC. REF: SIRM 57-18-02, AMM 57-20-01								
57-20-01-2500 S	RIGHT WING OUTBOARD PANEL FORWARD (MAIN) SPAR LOWER CAP SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)					
WC#: 57.070	AFL	0						
								PKG:249
PROC. REF: SIRM 57-18-02, AMM 57-20-01PROC. REF: SIRM 57-18-02, AMM 57-20-01								
57-20-01-2501 S	LEFT OUTBOARD WING PANEL AFT SPAR LOWER FITTINGS SPECIAL DETAIL INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)					
WC#: 57.110	AFL	0						
								PKG:248
PROC. REF: SIRM 57-18-02, AMM 57-20-01PROC. REF: SIRM 57-18-02, AMM 57-20-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-20-01-2501 S	RIGHT OUTBOARD WING PANEL AFT SPAR LOWER FITTINGS SPECIAL DETAIL INSPECTION							Service ATA:57
	MOS	15-May-14						
	HRS	0	T:15000 (+20/-20)					
WC#: 57.110	AFL	0						
								PKG:248
PROC. REF: SIRM 57-18-02, AMM 57-20-01PROC. REF: SIRM 57-18-02, AMM 57-20-01								
57-20-01-2502 S	LEFT WING OUTBOARD PANEL FORWARD (MAIN) SPAR ANGLE SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS							
	HRS	EFF	T:18000 (+20/-20)					
	AFL							
								PKG:251
PROC. REF: SIRM 57-18-02, AMM 57-20-01PROC. REF: SIRM 57-18-02, AMM 57-20-01								
57-20-01-2502 S	RIGHT WING OUTBOARD PANEL FORWARD (MAIN) SPAR ANGLE SPECIAL DETAILED INSPECTION							Service ATA:57
	MOS							
	HRS	EFF	T:18000 (+20/-20)					
	AFL							
								PKG:251
PROC. REF: SIRM 57-18-02, AMM 57-20-01PROC. REF: SIRM 57-18-02, AMM 57-20-01								
57-20-01-9600	LEFT OUTBOARD WING							Component ATA:57
PN:101-110002-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:352-124119	HRS	0		TSN 0				
WC#: 57.020	AFL	0		TSN 0				
PROC. REF: AMM 57-20-01PROC. REF: AMM 57-20-01								
57-20-01-9600	RIGHT OUTBOARD WING							Component ATA:57
PN:101-110002-2	MOS/MSC	15-May-14	O/C	TSN 0				
SN:352-124128	HRS	0		TSN 0				
WC#: 57.020	AFL	0		TSN 0				
PROC. REF: AMM 57-20-01PROC. REF: AMM 57-20-01								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
571001	LEFT HAND FRONT SPAR ASSEMBLY							Component ATA:57
PN:101-110084-603	MOS/MSC	15-May-14	O/C	TSN 0				
SN:352-121747	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
571002	RIGHT HAND FRONT SPAR ASSEMBLY							Component ATA:57
PN:101-110084-602	MOS/MSC	15-May-14	O/C	TSN 0				
SN:352-121759	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
571003	LEFT HAND LEADING EDGE ASSEMBLY							Component ATA:57
PN:000-110164-657	MOS/MSC	15-May-14	O/C	TSN 0				
SN:352-122977	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
571004	RIGHT HAND LEADING EDGE ASSEMBLY							Component ATA:57
PN:000-110164-658	MOS/MSC	15-May-14	O/C	TSN 0				
SN:352-122981	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
571005	LEFT HAND REAR SPAR & TRAILING EDGE							Component ATA:57
PN:100-110010-679	MOS/MSC	15-May-14	O/C	TSN 0				
SN:352-123076	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
571006	RIGHT HAND REAR SPAR & TRAILING EDGE							Component ATA:57
PN:100-110010-6680	MOS/MSC	15-May-14	O/C	TSN 0				
SN:352-123085	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
571007	LEFT HAND WING TIP							Component ATA:57
PN:130-170000-607	MOS/MSC	15-May-14	O/C	TSN 0				
SN:352-121696	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01	PROC. REF: AMM 33-40-01							
571008	RIGHT HAND WING TIP							Component ATA:57
PN:101-170005-608	MOS/MSC	15-May-14	O/C	TSN 0				
SN:352-121711	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-01	PROC. REF: AMM 33-40-01							
572001	LEFT HAND LEADING EDGE CAP							Component ATA:57
PN:101-120123-49	MOS/MSC	15-May-14	O/C	TSN 0				
SN:51760705	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
572002	RIGHT HAND LEADING EDGE CAP							Component ATA:57
PN:101-120123-51	MOS/MSC	15-May-14	O/C	TSN 0				
SN:5176759	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
ATA 61 - PROPELLERS/PROPULSORS								
61-10-01-2100 S	PROPELLER GENERAL VISUAL INSPECTION							Service ATA:61
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,204,205,206
PROC. REF: AMM 61-10-01	PROC. REF: AMM 61-10-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-10-01-2101 S	PRIMARY PROPELLER GOVERNOR GENERAL VISUAL INSPECTION							Service ATA:61
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,205,208
PROC. REF: AMM 61-10-01PROC. REF: AMM 61-10-01								
61-10-01-2102 S	OVERSPEED GOVERNOR GENERAL VISUAL INSPECTION							Service ATA:61
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,204,205,208
PROC. REF: AMM 61-10-01PROC. REF: AMM 61-10-01								
61-10-01-2103 S	PROPELLER SYNCHROPHASER GENERAL VISUAL INSPECTION							Service ATA:61
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,205,208
PROC. REF: AMM 61-10-01PROC. REF: AMM 61-10-01								
61-10-01-2104 S	BETA BLOCKS GENERAL VISUAL INSPECTIONS							Service ATA:61
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206
PROC. REF: AMM 61-10-01PROC. REF: AMM 61-10-01								
61-10-01-2200 S	PROPELLER DETAILED (PERIODIC) INSPECTIONS							Service ATA:61
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: POM 61-00-49, AMM 61-10-01PROC. REF: POM 61-00-49, AMM 61-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-10-01-6400 S	PROPELLER LUBRICATION							Service ATA:61
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,204,205,206
PROC. REF: POM 61-00-49, AMM 61-10-01PROC. REF: POM 61-00-49, AMM 61-10-01								
61-10-01-9601	NO. 1 OVERSPEED GOVERNOR RESTORATION							Component ATA:61
PN:101-389029-3	MOS	15-May-14		TSN 0				OVERHAUL
SN:19185906	HRS	0	6500	TSN 0	6500		5291.9	
WC#: 61.020	AFL	0		TSN 0				
PROC. REF: AMM 61-10-01PROC. REF: AMM 61-10-01								
61-10-01-9601	NO. 2 OVERSPEED GOVERNOR RESTORATION							Component ATA:61
PN:101-389029-3	MOS	15-May-14		TSN 0				OVERHAUL
SN:19066668	HRS	0	6500	TSN 0	6500		5291.9	
WC#: 61.020	AFL	0		TSN 0				
PROC. REF: AMM 61-10-01PROC. REF: AMM 61-10-01								
61-10-01-9602	NO. 1 PROPELLER GOVERNOR RESTORATION							Component ATA:61
PN:3057250-01	MOS	15-May-14	72	TSN 0	15-May-20	OVD		OVERHAUL
SN:19137627	HRS	0	4500	TSN 0	4500		3291.9	
WC#: 61.030	AFL	0		TSN 0				
PROC. REF: AMM 61-10-01, EMM 61-20-00PROC. REF: AMM 61-10-01, EMM 61-20-00								
61-10-01-9602	NO. 2 PROPELLER GOVERNOR RESTORATION							Component ATA:61
PN:3057250-01	MOS	15-May-14	72	TSN 0	15-May-20	OVD		OVERHAUL
SN:19078162	HRS	0	4500	TSN 0	4500		3291.9	
WC#: 61.030	AFL	0		TSN 0				
PROC. REF: AMM 61-10-01, EMM 61-20-00PROC. REF: AMM 61-10-01, EMM 61-20-00								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
61-21-00-2100 S	AUTOFEATHER AND AUTO-IGNITION PRESSURE SWITCHES GENERAL VISUAL INSPECTION							Service ATA:61
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,204,205,208
PROC. REF: AMM 61-21-00PROC. REF: AMM 61-21-00								
61-21-00-7100 S	AUTOFEATHERING SYSTEM OPERATIONAL CHECK							Service ATA:61
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 61-21-00PROC. REF: AMM 61-21-00								
61-23-00-7100 S	PROPELLER SYNCHROPHASER OPERATIONAL CHECK							Service ATA:61
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 61-23-00PROC. REF: AMM 61-23-00								
612005	PROPELLER SYNCHRONIZER							Component ATA:61
PN:A213796	MOS/MSC	15-May-14	O/C	TSN 0				
SN:SN01172	HRS	0		TSN 0				
WC#: 61.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
612010	LEFT HIGH PRESSURE SWITCH							Component ATA:61
PN:50-389121-57	MOS/MSC	15-May-14	O/C	TSN 0				
SN:0223	HRS	0		TSN 0				
WC#: 61.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
612015	LEFT LOW PRESSURE SWITCH							Component ATA:61
PN:50-389121-29	MOS/MSC	15-May-14	O/C	TSN 0				
SN:6191	HRS	0		TSN 0				
WC#: 61.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
612020	RIGHT HIGH PRESSURE SWITCH							Component ATA:61
PN:50-389121-57	MOS/MSC	15-May-14	O/C	TSN 0				
SN:0214	HRS	0		TSN 0				
WC#: 61.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
612025	RIGHT LOW PRESSURE SWITCH							Component ATA:61
PN:50-389121-29	MOS/MSC	15-May-14	O/C	TSN 0				
SN:6183	HRS	0		TSN 0				
WC#: 61.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
612030	LEFT TORQUE TRANSDUCER							Component ATA:61
PN:130-389002-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:8101-1-259	HRS	0		TSN 0				
WC#: 61.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
612035	RIGHT TORQUE TRANSDUCER							Component ATA:61
PN:130-389002-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:8101-1-496	HRS	0		TSN 0				
WC#: 61.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
612040	LEFT RUDDER BOOST TRANSDUCER							Component ATA:61
PN:130-380003-3	MOS/MSC	15-May-14	O/C	TSN 0				
SN:8102-3-133	HRS	0		TSN 0				
WC#: 61.080	AFL	0		TSN 0				
PROC. REF: AMM 27-21-03PROC. REF: AMM 27-21-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
612045	RIGHT RUDDER BOOST TRANSDUCER							Component ATA:61
PN:130-380003-3	MOS/MSC	27-Mar-20	O/C					
SN:8327-4-389	HRS	1151						
WC#: 61.080	AFL	537						
PROC. REF: AMM 27-21-03PROC. REF: AMM 27-21-03								
612050	NO. 1 PROPELLER PITCH PROXIMITY SWITCH							Component ATA:61
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
612055	NO. 2 PROPELLER PITCH PROXIMITY SWITCH							Component ATA:61
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
614005	PROPELLER SYNCHRONIZER							Component ATA:61
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 61.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
614010	NO. 1 PROPELLER TACHOMETER INDICATOR							Component ATA:61
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 61.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
614015	NO. 2 PROPELLER TACHOMETER INDICATOR							Component ATA:61
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 61.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
614020	LEFT TORQUE INDICATOR							Component ATA:61
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 61.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
614025	RIGHT TORQUE INDICATOR							Component ATA:61
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 61.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
614030	PROPELLER AMMETER INDICATOR							Component ATA:61
PN:101-384222-5	MOS/MSC	15-May-14	O/C	TSN 0				
SN:K13-10406	HRS	0		TSN 0				
WC#: 61.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
61PR1	NO. 1 PROPELLER							Component ATA:61
PN:MTV-27-1-E-C-F-R(P)	MOS/MSC	19-Dec-17	PP/C					
SN:170711	HRS	616.4		TSN 0				
WC#: 61.PR1	AFL	287						
PROC. REF: AMM 61-10-01PROC. REF: AMM 61-10-01								
61PR2	NO. 2 PROPELLER							Component ATA:61
PN:MTV-27-1-E-C-F-R(P)	MOS/MSC	19-Dec-17	PP/C					
SN:170710	HRS	616.4		TSN 0				
WC#: 61.PR2	AFL	287						
PROC. REF: AMM 61-10-01PROC. REF: AMM 61-10-01								
ATA 71 - POWER PLANT								
71-00-01-2100 S	FIRESEALS GENERAL VISUAL INSPECTION							Service ATA:71
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						

PKG:201,203,205,206,208

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-2101 S		ENGINE MOUNT TRUSS ASSEMBLY GENERAL VISUAL INSPECTION						Service ATA:71
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,205,208
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-2200 S		ENGINE PERIODIC INSPECTIONS						Service ATA:71
	MOS/MSC	11-Nov-15	-					
	HRS	61.8						
WC#: 05.960	AFL	31						
								PKG:200,201,202,203,204,205,206,207,229
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-2201		NO. 1 ENGINE - HOT SECTION DETAIL INSPECTION						Service ATA:71
	MOS	15-May-14						
	HRS	0	1800 (+50)		(1800) 1800	1850	591.9 (+50)	
	ENC	0						
PROC. REF: AMM 71-00-01, EMM 72-00-00, AMM 71-00-01PROC. REF: AMM 71-00-01, EMM 72-00-00, AMM 71-00-01								
71-00-01-2201		NO. 2 ENGINE - HOT SECTION DETAIL INSPECTION						Service ATA:71
	MOS	15-May-14						
	HRS	0	1800 (+50)		(1800) 1800	1850	591.9 (+50)	
	ENC	0						
PROC. REF: AMM 71-00-01, EMM 72-00-00, AMM 71-00-01PROC. REF: AMM 71-00-01, EMM 72-00-00, AMM 71-00-01								
71-00-01-2202 S		LEFT ENGINE TRUSS BOLT TORQUE DETAILED INSPECTION						Service ATA:71
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:245
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-01-2202 S	RIGHT ENGINE TRUSS BOLT TORQUE DETAILED INSPECTION							Service ATA:71
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	AFL	0						
								PKG:245
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-9600	NO. 1 ENGINE LOWER INBOARD VIBRATION ISOLATOR MOUNT ASSEMBLIES REPLACEMENT							Component ATA:71
PN:PN	MOS	15-May-14		TSN 0				REPLACE
SN:UNKNOWN	HRS	0	3600	TSN 0	3600		2391.9	
WC#: 71.050	AFL	0		TSN 0				
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-9600	NO. 1 ENGINE LOWER OUTBOARD VIBRATION ISOLATOR MOUNT ASSEMBLIES REPLACEMENT							Component ATA:71
PN:114-389031-17	MOS	20-May-20		TSN 0				REPLACE
SN:N/A	HRS	1151	3600	TSN 0	4751		3542.9	
WC#: 71.050	AFL	537		TSN 0				
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-9600	NO. 1 ENGINE UPPER INBOARD VIBRATION ISOLATOR MOUNT ASSEMBLIES REPLACEMENT							Component ATA:71
PN:PN	MOS	15-May-14		TSN 0				REPLACE
SN:UNKNOWN	HRS	0	3600	TSN 0	3600		2391.9	
WC#: 71.040	AFL	0		TSN 0				
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-9600	NO. 1 ENGINE UPPER OUTBOARD VIBRATION ISOLATOR MOUNT ASSEMBLIES REPLACEMENT							Component ATA:71
PN:114-389031-17	MOS	20-May-20		TSN 0				REPLACE
SN:N/A	HRS	1151	3600	TSN 0	4751		3542.9	
WC#: 71.040	AFL	537		TSN 0				
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-9600	NO. 2 ENGINE LOWER INBOARD VIBRATION ISOLATOR MOUNT ASSEMBLIES REPLACEMENT							Component ATA:71
PN:114-389031-17	MOS	20-May-20		TSN 0				REPLACE
SN:N/A	HRS	1151	3600	TSN 0	4751		3542.9	
WC#: 71.070	AFL	537		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-9600	NO. 2 ENGINE LOWER OUTBOARD VIBRATION ISOLATOR MOUNT ASSEMBLIES REPLACEMENT							Component ATA:71
PN:114-389031-17	MOS	20-May-20		TSN 0				REPLACE
SN:N/A	HRS	1151	3600	TSN 0	4751		3542.9	
WC#: 71.070	AFL	537		TSN 0				
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-9600	NO. 2 ENGINE UPPER INBOARD VIBRATION ISOLATOR MOUNT ASSEMBLIES REPLACEMENT							Component ATA:71
PN:114-389031-17	MOS	20-May-20		TSN 0				REPLACE
SN:N/A	HRS	1151	3600	TSN 0	4751		3542.9	
WC#: 71.060	AFL	537		TSN 0				
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-9600	NO. 2 ENGINE UPPER OUTBOARD VIBRATION ISOLATOR MOUNT ASSEMBLIES REPLACEMENT							Component ATA:71
PN:PN	MOS	15-May-14		TSN 0				REPLACE
SN:UNKNOWN	HRS	0	3600	TSN 0	3600		2391.9	
WC#: 71.060	AFL	0		TSN 0				
PROC. REF: AMM 71-00-01PROC. REF: AMM 71-00-01								
71-00-01-9601	NO. 1 ENGINE - ENGINE RESTORATION (TBO)							Service ATA:71
	MOS	15-May-14						OVERHAUL
	HRS	0	3600		(3600) 3600		2391.9	
	ENC	0						
PROC. REF: AMM 71-00-01, AMM 71-00-01, AMM 71-00-01PROC. REF: AMM 71-00-01, AMM 71-00-01, AMM 71-00-01								
71-00-01-9601	NO. 2 ENGINE - ENGINE RESTORATION (TBO)							Service ATA:71
	MOS	15-May-14						OVERHAUL
	HRS	0	3600		(3600) 3600		2391.9	
	ENC	0						
PROC. REF: AMM 71-00-01, AMM 71-00-01, AMM 71-00-01PROC. REF: AMM 71-00-01, AMM 71-00-01, AMM 71-00-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00-01-9603	NO. 1 ENGINE - P3 AIR FILTER RESTORATION (REPLACEMENT)							Service ATA:71
	MOS	25-Aug-26						REPLACE
	HRS	1181.6	1000 (+100)		(2181.6) 2181.6	2281.6	973.5 (+100)	
	ENC	544						
PROC. REF: AMM 71-00-01, AMM 71-00-01, EMM 73-10-07, AMM 71-00-01PROC. REF: AMM 71-00-01, AMM 71-00-01, EMM 73-10-07, AMM 71-00-01								
71-00-01-9603	NO. 2 ENGINE - P3 AIR FILTER RESTORATION (REPLACEMENT)							Service ATA:71
	MOS	25-Aug-26						REPLACE
	HRS	1181.6	1000 (+100)		(2181.6) 2181.6	2281.6	973.5 (+100)	
	ENC	544						
PROC. REF: AMM 71-00-01, AMM 71-00-01, EMM 73-10-07, AMM 71-00-01PROC. REF: AMM 71-00-01, AMM 71-00-01, EMM 73-10-07, AMM 71-00-01								
71-10-00-2100 S	COWLING GENERAL VISUAL INSPECTION							Service ATA:71
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 71-10-00PROC. REF: AMM 71-10-00								
71-70-00-1600 S	FUEL PURGE SYSTEM CHECK VALVE CLEANING							Service ATA:71
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,204,205,206,208
PROC. REF: AMM 71-70-00PROC. REF: AMM 71-70-00								
71-70-00-7200 S	FUEL PURGE SYSTEM FLOW DIVIDER/PURGE VALVE FUNCTIONAL CHECK							Service ATA:71
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,204,205,206,208
PROC. REF: AMM 71-70-00PROC. REF: AMM 71-70-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-70-01-1600 S	FUEL PURGE TANK CLEANING							Service ATA:71
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 71-70-01PROC. REF: AMM 71-70-01								
71-70-03-1600 S	FUEL PURGE SYSTEM AIR FILTER CLEANING							Service ATA:71
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,204,205,206,208
PROC. REF: AMM 71-70-03PROC. REF: AMM 71-70-03								
710005	NO. 1 ENGINE FORWARD (PROP) TACH GENERATOR							Component ATA:71
PN:50-389057-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:32325C	HRS	0		TSN 0				
WC#: 71.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
710006	NO. 1 ENGINE AFT (TURBINE) TACH GENERATOR							Component ATA:71
PN:50-389057-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:32322C	HRS	0		TSN 0				
WC#: 71.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
710007	NO.2 ENGINE FORWARD (PROP) TACH GENERATOR							Component ATA:71
PN:50-389057-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:32303C	HRS	0		TSN 0				
WC#: 71.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
710008	NO.2 ENGINE AFT (TURBINE) TACH GENERATOR							Component ATA:71
PN:50-389057-1	MOS/MSC	15-May-14	O/C	TSN 0				
SN:32307C	HRS	0		TSN 0				
WC#: 71.090	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
710030	NO. 1 ENGINE - BORESCOPE HOT SECTION							Service ATA:71
	MOS	25-Aug-26						
	HRS	1181.6	400 (+10%)		(1581.6) 1581.6	1621.6	373.5 (+40)	
	ENC	544						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
710030	NO. 2 ENGINE - BORESCOPE HOT SECTION							Service ATA:71
	MOS	25-Aug-26						
	HRS	1181.6	400 (+10%)		(1581.6) 1581.6	1621.6	373.5 (+40)	
	ENC	544						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
710050	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS/MSC	10-Jul-19	A/R					
	HRS	1064						
	ENC	499						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710050	NO. 2 ENGINE - COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS/MSC	10-Jul-19	A/R					
	HRS	1064						
	ENC	499						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710051	NO. 1 ENGINE - COMPRESSOR TURBINE DESALINATION WASH							Service ATA:71
	MOS/MSC	10-Jul-19	A/R					
	HRS	1064						
	ENC	499						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710051	NO. 2 ENGINE - COMPRESSOR TURBINE DESALINATION WASH							Service ATA:71
	MOS/MSC	10-Jul-19	A/R					
	HRS	1064						
	ENC	499						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710052	NO. 1 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	25-Aug-26	A/R					
	HRS	1181.6						
	ENC	544						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710052	NO. 2 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	25-Aug-26	A/R					
	HRS	1181.6						
	ENC	544						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710060 S	NO. 1 ENGINE - CHECK FCU MANUAL OVERRIDE SYSTEM FOR STATIC OPERATION IF FITTED AND CONNECTED (FOR PT6A-60AG ENGINES)							Service ATA:71
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
710060 S	NO. 2 ENGINE - CHECK FCU MANUAL OVERRIDE SYSTEM FOR STATIC OPERATION IF FITTED AND CONNECTED (FOR PT6A-60AG ENGINES)							Service ATA:71
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:PT6A-60A	MOS/MSC	15-May-14	E/C	TSN 0				
SN:PCE-PK1818	HRS	0		TSN 0				
WC#: 71.EN1	AFL	0		TSN 0				
PROC. REF: AMM 71-00-01, EMM 72-00-00PROC. REF: AMM 71-00-01, EMM 72-00-00								
71EN2	NO. 2 ENGINE							Component ATA:71
PN:PT6A-60A	MOS/MSC	15-May-14	E/C	TSN 0				
SN:PCE-PK1804	HRS	0		TSN 0				
WC#: 71.EN2	AFL	0		TSN 0				
PROC. REF: AMM 71-00-01, EMM 72-00-00PROC. REF: AMM 71-00-01, EMM 72-00-00								
ATA 72 - ENGINE								
720002	NO. 1 ENGINE - CHECK OIL LEVEL							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720002	NO. 2 ENGINE - CHECK OIL LEVEL							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720010	NO. 1 ENGINE - PERFORM CORROSION INHIBITION PROCEDURE							Service ATA:72
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720010	NO. 2 ENGINE - PERFORM CORROSION INHIBITION PROCEDURE							Service ATA:72
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720020	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE 0 TO 7 DAYS							Service ATA:72
	DAYS	31-Jul-22	7		07-Aug-22		OVD	STORAGE & PRESERVATION
	HRS							
	ENC							
PROC. REF: EMM 72-00-00	PROC. REF: EMM 72-00-00							
720020	NO. 2 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE 0 TO 7 DAYS							Service ATA:72
	DAYS	31-Jul-22	7		07-Aug-22		OVD	STORAGE & PRESERVATION
	HRS							
	ENC							
PROC. REF: EMM 72-00-00	PROC. REF: EMM 72-00-00							
720021	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE 8 TO 28 DAYS							Service ATA:72
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00	PROC. REF: EMM 72-00-00							
720021	NO. 2 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE 8 TO 28 DAYS							Service ATA:72
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00	PROC. REF: EMM 72-00-00							
720022	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE 29 TO 90 DAYS							Service ATA:72
	MOS/MSC	05-Jul-22	A/R					
	HRS							
	ENC							
PROC. REF: EMM 72-00-00	PROC. REF: EMM 72-00-00							

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720022	NO. 2 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE 29 TO 90 DAYS							Service ATA:72
	MOS/MSC	05-Jul-22	A/R					
	HRS							
	ENC							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720023	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE FOR PERIODS EXCEEDING 90 DAYS							Service ATA:72
	MOS/MSC	25-Dec-22	A/R					
	HRS							
	ENC							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720023	NO. 2 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE FOR PERIODS EXCEEDING 90 DAYS							Service ATA:72
	MOS/MSC	25-Dec-22	A/R					
	HRS							
	ENC							
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720030 S	NO. 1 ENGINE - CHECK ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS FOR ATTACHMENT							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720030 S	NO. 2 ENGINE - CHECK ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS FOR ATTACHMENT							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720040 S	NO. 1 ENGINE - CHECK CLAMPS, BRACKETS, TUBES/LINES, LINKAGES FOR CHAFING, CRACKS AND CORROSION							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720040 S	NO. 2 ENGINE - CHECK CLAMPS, BRACKETS, TUBES/LINES, LINKAGES FOR CHAFING, CRACKS AND CORROSION							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720050 S	NO. 1 ENGINE - CHECK ACCESSORIES ATTACHMENT AND LINKAGES, AIR, OIL AND FUEL LINES							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720050 S	NO. 2 ENGINE - CHECK ACCESSORIES ATTACHMENT AND LINKAGES, AIR, OIL AND FUEL LINES							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720060 S	NO. 1 ENGINE - INSPECT FIRST-STAGE COMPRESSOR ROTOR WITH A MIRROR OR A BORESCOPE							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720060 S	NO. 2 ENGINE - INSPECT FIRST-STAGE COMPRESSOR ROTOR WITH A MIRROR OR A BORESCOPE							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								
720070 S	NO. 1 ENGINE - INSPECT OIL AND FUEL LEAKS AS APPLICABLE							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720070 S	NO. 2 ENGINE - INSPECT OIL AND FUEL LEAKS AS APPLICABLE							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720091 S	NO. 1 ENGINE - INSPECT FUEL AND OIL LINES FOR LEAKS							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720091 S	NO. 2 ENGINE - INSPECT FUEL AND OIL LINES FOR LEAKS							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
721002	NO. 1 ENGINE - CHECK PROPELLER SHAFT SEAL FOR OIL LEAKS							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: EMM 72-10-00PROC. REF: EMM 72-10-00								
721002	NO. 2 ENGINE - CHECK PROPELLER SHAFT SEAL FOR OIL LEAKS							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: EMM 72-10-00PROC. REF: EMM 72-10-00								
721005	NO. 1 PROPELLER REDUCTION FRONT GEARBOX							Component ATA:72
PN:3120081-04	MOS/MSC	15-May-14	O/C	TSN 0				
SN:EAAD000C962	HRS	0		TSN 0				
WC#: 72.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
721010	NO. 2 PROPELLER REDUCTION FRONT GEARBOX							Component ATA:72
PN:3120081-04	MOS/MSC	15-May-14	O/C	TSN 0				
SN:EAAD000C881	HRS	0		TSN 0				
WC#: 72.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
722010 S	NO. 1 ENGINE - INSPECT THE AIR INLET SCREEN FOR CLEANLINESS							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 72-20-00PROC. REF: EMM 72-20-00								
722010 S	NO. 2 ENGINE - INSPECT THE AIR INLET SCREEN FOR CLEANLINESS							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EMM 72-20-00PROC. REF: EMM 72-20-00								
722020 S	NO. 1 ENGINE - INSPECT AIR INLET WITH INLET SCREEN REMOVED OR ALTERNATIVELY WITH BORESCOPE, INSPECT COMPRESSOR INLET CASE OVERALL SURFACE AREAS AND STRUTS FOR CORROSION							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 72-20-00PROC. REF: EMM 72-20-00								
722020 S	NO. 2 ENGINE - INSPECT AIR INLET WITH INLET SCREEN REMOVED OR ALTERNATIVELY WITH BORESCOPE, INSPECT COMPRESSOR INLET CASE OVERALL SURFACE AREAS AND STRUTS FOR CORROSION							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 72-20-00PROC. REF: EMM 72-20-00								
723020	NO. 1 ENGINE - ROTOR, COMPRESSOR (1ST STAGE)							Component ATA:72
PN:3041271	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:TXA1C8943	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		14450	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723020	NO. 2 ENGINE - ROTOR, COMPRESSOR (1ST STAGE)							Component ATA:72
PN:3041271	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:EAAD000E303	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		14450	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723026 S	NO. 1 ENGINE - INSPECTION/CHECK GAS GENERATOR CASE EXTERNAL SURFACES, AND FIRESEAL MOUNT RING BRACKETS FOR CRACKS, DISTORTION, AND CORROSION							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 72-30-04PROC. REF: EMM 72-30-04								
723026 S	NO. 2 ENGINE - INSPECTION/CHECK GAS GENERATOR CASE EXTERNAL SURFACES, AND FIRESEAL MOUNT RING BRACKETS FOR CRACKS, DISTORTION, AND CORROSION							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 72-30-04PROC. REF: EMM 72-30-04								
723030	NO. 1 ENGINE - COMPRESSOR 2ND STAGE DISC							Component ATA:72
PN:3034312	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:A003BPFX	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		19450	
	ACCCYC	0	20000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723030	NO. 2 ENGINE - COMPRESSOR 2ND STAGE DISC							Component ATA:72
PN:3034312	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:A003D797	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		19450	
	ACCCYC	0	20000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723036 S	NO. 1 ENGINE - INSPECTION/CHECK FIRESEAL MOUNT RINGS FOR CRACKS AND ATTACHMENT OF BRACKETS AND SEALS							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EMM 72-30-01, EMM 72-30-02PROC. REF: EMM 72-30-01, EMM 72-30-02								
723036 S	NO. 2 ENGINE - INSPECTION/CHECK FIRESEAL MOUNT RINGS FOR CRACKS AND ATTACHMENT OF BRACKETS AND SEALS							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 72-30-01, EMM 72-30-02PROC. REF: EMM 72-30-01, EMM 72-30-02								
723040	NO. 1 ENGINE - COMPRESSOR 3RD STAGE DISC							Component ATA:72
PN:3034313	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:A003DPDK	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		19450	
	ACCCYC	0	20000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723040	NO. 2 ENGINE - COMPRESSOR 3RD STAGE DISC							Component ATA:72
PN:3034313	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:A003D3DT	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		19450	
	ACCCYC	0	20000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3036793	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:EAAD000F446	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		23450	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723060	NO. 2 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3036793	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:TXA1D0827	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		23450	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725004	NO. 1 ENGINE - SECOND-STAGE POWER TURBINE DISK- DO A BORESCOPE INSPECTION FOR DAMAGE ON THE DISK							Service ATA:72
PN:3029313	MOS	15-May-14						
SN:YUAB001A216	HRS	0	1800 (+100)		(1800) 1800 (M)	1900	591.9 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725004	NO. 2 ENGINE - SECOND-STAGE POWER TURBINE DISK- DO A BORESCOPE INSPECTION FOR DAMAGE ON THE DISK							Service ATA:72
PN:3029313	MOS	15-May-14						
SN:YUAA016A810	HRS	0	1800 (+100)		(1800) 1800 (M)	1900	591.9 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725006	NO. 1 ENGINE - TURBINE EXHAUST CASE INNER SUPPORT- DO A BORESCOPE INSPECTION FOR CRACKS OR LOOSE MATERIAL							Service ATA:72
	MOS	15-May-14						
	HRS	0	1800 (+100)		(1800) 1800 (M)	1900	591.9 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725006	NO. 2 ENGINE - TURBINE EXHAUST CASE INNER SUPPORT- DO A BORESCOPE INSPECTION FOR CRACKS OR LOOSE MATERIAL							Service ATA:72
	MOS	15-May-14						
	HRS	0	1800 (+100)		(1800) 1800 (M)	1900	591.9 (+100)	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
725010	NO. 1 ENGINE - COMPRESSOR TURBINE DISC							Component ATA:72
PN:3040311	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:YUAB001A025	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		14450	
	ACCCYC	0	15000	TSN 0				
PROC. REF: EMM 72-50-02	PROC. REF: EMM 72-50-02							
725010	NO. 2 ENGINE - COMPRESSOR TURBINE DISC							Component ATA:72
PN:3040311	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:YUAA014A423	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		14450	
	ACCCYC	0	15000	TSN 0				
PROC. REF: EMM 72-50-02	PROC. REF: EMM 72-50-02							
725026 S	NO. 1 ENGINE - INSPECTION/CHECK EXHAUST DUCT FOR CRACKS AND DISTORTION							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 72-50-05	PROC. REF: EMM 72-50-05							
725026 S	NO. 2 ENGINE - INSPECTION/CHECK EXHAUST DUCT FOR CRACKS AND DISTORTION							Service ATA:72
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 72-50-05	PROC. REF: EMM 72-50-05							
725030	NO. 1 ENGINE - POWER TURBINE 1ST STAGE DISC							Component ATA:72
PN:3029312	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:A003DLRY	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		19450	
	ACCCYC	0	30000	TSN 0			29175	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725030	NO. 2 ENGINE - POWER TURBINE 1ST STAGE DISC							Component ATA:72
PN:3029312	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:A003DC9D	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		19450	
	ACCCYC	0	30000	TSN 0			29175	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725040	NO. 1 ENGINE - POWER TURBINE 2ND STAGE DISC							Component ATA:72
PN:3029313	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:YUAB001A216	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		19450	
	ACCCYC	0	30000	TSN 0			29175	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725040	NO. 2 ENGINE - POWER TURBINE 2ND STAGE DISC							Component ATA:72
PN:3029313	MOS	15-May-14		TSN 0				LIFE LIMIT
SN:YUAA016A810	HRS	0		TSN 0				
	ENC	0		TSN 0	(20000) 20000 (M)		19450	
	ACCCYC	0	30000	TSN 0			29175	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726001	NO. 1 ENGINE - CHECK CONDITION AND LOCKING OF OIL FILLER CAP							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
PROC. REF: EMM 72-60-00PROC. REF: EMM 72-60-00								
726001	NO. 2 ENGINE - CHECK CONDITION AND LOCKING OF OIL FILLER CAP							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: EMM 72-60-00PROC. REF: EMM 72-60-00								
726015	NO. 1 ENGINE - INSPECT/REPLACE 1ST STAGE REDUCTION PLANET GEAR BEARINGS							Service ATA:72
	MOS	15-May-14						
	HRS	0	3600		(3600) 3600		2391.9	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
726015	NO. 2 ENGINE - INSPECT/REPLACE 1ST STAGE REDUCTION PLANET GEAR BEARINGS							Service ATA:72
	MOS	15-May-14						
	HRS	0	3600		(3600) 3600		2391.9	
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 73 - ENGINE FUEL AND CONTROL								
71-00-01-9602	NO. 1 ENGINE - ENGINE-DRIVEN HIGH PRESSURE FUEL PUMP RESTORATION (TBO)							Component ATA:73
PN:PN	MOS	15-May-14		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	3600	TSN 0	(3600) 3600		2391.9	
	ENC	0		TSN 0				
PROC. REF: AMM 71-00-01, AMM 71-00-01, EMM 73-10-02, AMM 71-00-01PROC. REF: AMM 71-00-01, AMM 71-00-01, EMM 73-10-02, AMM 71-00-01								
71-00-01-9602	NO. 2 ENGINE - ENGINE-DRIVEN HIGH PRESSURE FUEL PUMP RESTORATION (TBO)							Component ATA:73
PN:PN	MOS	15-May-14		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	3600	TSN 0	(3600) 3600		2391.9	
	ENC	0		TSN 0				
PROC. REF: AMM 71-00-01, AMM 71-00-01, EMM 73-10-02, AMM 71-00-01PROC. REF: AMM 71-00-01, AMM 71-00-01, EMM 73-10-02, AMM 71-00-01								
730201	LEFT FUEL PUMP							Component ATA:73
PN:3040760	MOS/MSC	15-May-14	O/C	TSN 0				
SN:012836	HRS	0		TSN 0				
WC#: 73.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
730701	RIGHT FUEL PUMP							Component ATA:73
PN:3040760	MOS/MSC	15-May-14	O/C	TSN 0				
SN:012776	HRS	0		TSN 0				
WC#: 73.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731005	LEFT PRESSURE SWITCH							Component ATA:73
PN:100-389018-23	MOS/MSC	15-May-14	O/C	TSN 0				
SN:24520	HRS	0		TSN 0				
WC#: 73.130	AFL	0		TSN 0				
PROC. REF: AMM 21-51-29, AMM 26-11-01PROC. REF: AMM 21-51-29, AMM 26-11-01								
731006	RIGHT PRESSURE SWITCH							Component ATA:73
PN:100-389018-23	MOS/MSC	15-May-14	O/C	TSN 0				
SN:24509	HRS	0		TSN 0				
WC#: 73.130	AFL	0		TSN 0				
PROC. REF: AMM 21-51-29, AMM 26-11-01PROC. REF: AMM 21-51-29, AMM 26-11-01								
731020	NO. 1 ENGINE - CLEAN FUEL NOZZLES							Service ATA:73
	MOS	25-Aug-26						
	HRS	1181.6	400 (+10%)		(1581.6) 1581.6	1621.6	373.5 (+40)	
	ENC	544						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								
731020	NO. 2 ENGINE - CLEAN FUEL NOZZLES							Service ATA:73
	MOS	25-Aug-26						
	HRS	1181.6	400 (+10%)		(1581.6) 1581.6	1621.6	373.5 (+40)	
	ENC	544						
PROC. REF: EMM 73-10-05PROC. REF: EMM 73-10-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731025	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL NOZZLES							Service ATA:73
	MOS	25-Aug-26						
	HRS	1181.6	400 (+10%)		(1581.6) 1581.6	1621.6	373.5 (+40)	
	ENC	544						
PROC. REF: EMM 73-10-05	PROC. REF: EMM 73-10-05							
731025	NO. 2 ENGINE - LEAK/FUNCTIONAL TEST FUEL NOZZLES							Service ATA:73
	MOS	25-Aug-26						
	HRS	1181.6	400 (+10%)		(1581.6) 1581.6	1621.6	373.5 (+40)	
	ENC	544						
PROC. REF: EMM 73-10-05	PROC. REF: EMM 73-10-05							
731030	NO. 1 ENGINE - REPLACE FUEL OUTLET FILTER FUEL PUMP OUTLET FILTER							Service ATA:73
	MOS	25-Aug-26						
	HRS	1181.6	600 (+10%)		(1781.6) 1781.6	1841.6	573.5 (+60)	
	ENC	544						
PROC. REF: EMM 73-10-02	PROC. REF: EMM 73-10-02							
731030	NO. 2 ENGINE - REPLACE FUEL OUTLET FILTER FUEL PUMP OUTLET FILTER							Service ATA:73
	MOS	25-Aug-26						
	HRS	1181.6	600 (+10%)		(1781.6) 1781.6	1841.6	573.5 (+60)	
	ENC	544						
PROC. REF: EMM 73-10-02	PROC. REF: EMM 73-10-02							
731031	LEFT FLOW DIVIDER VALVE							Component ATA:73
PN:3036640	MOS/MSC	15-May-14	O/C	TSN 0				
SN:T0556	HRS	0		TSN 0				
WC#: 73.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731031 S	NO. 1 ENGINE - CHECK FUEL PUMP (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
731031 S	NO. 2 ENGINE - CHECK FUEL PUMP (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
731032	RIGHT FLOW DIVIDER VALVE							Component ATA:73
PN:3036640	MOS/MSC	15-May-14	O/C	TSN 0				
SN:T0501	HRS	0		TSN 0				
WC#: 73.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731035	LEFT FUEL BOOST PUMP							Component ATA:73
PN:91-380003-5	MOS/MSC	15-May-14	O/C	TSN 0				
SN:C3014	HRS	0		TSN 0				
WC#: 73.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731035 S	NO. 1 ENGINE - CHECK OUTLET FILTER FOR FOREIGN MATTER OR DISTORTION							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731035 S	NO. 2 ENGINE - CHECK OUTLET FILTER FOR FOREIGN MATTER OR DISTORTION							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731036	RIGHT FUEL BOOST PUMP							Component ATA:73
PN:91-380003-5	MOS/MSC	15-May-14	O/C	TSN 0				
SN:C3018	HRS	0		TSN 0				
WC#: 73.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731040	NO. 1 ENGINE - CHECK/CLEAN/REPLACE FUEL PUMP INLET SCREEN							Service ATA:73
	MOS	20-May-20						
	HRS	1151	600 (+10%)		(1751) 1751	1811	542.9 (+60)	
	ENC	537						
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
731040	NO. 2 ENGINE - CHECK/CLEAN/REPLACE FUEL PUMP INLET SCREEN							Service ATA:73
	MOS	20-May-20						
	HRS	1151	600 (+10%)		(1751) 1751	1811	542.9 (+60)	
	ENC	537						
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
731045 S	NO. 1 ENGINE - CHECK OIL TO FUEL HEATER (IN-SITU INSPECTION ONLY) FOR INSTALLATION							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731045 S	NO. 2 ENGINE - CHECK OIL TO FUEL HEATER (IN-SITU INSPECTION ONLY) FOR INSTALLATION							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								
731060	NO. 1 ENGINE - OIL TO FUEL HEATER							Component ATA:73
PN:3057249-01	MOS	15-May-14		TSN 0				OVERHAUL
SN:WA48354	HRS	0	3600 (+500)	TSN 0	(3600) 3600	4100	2391.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								
731060	NO. 2 ENGINE - OIL TO FUEL HEATER							Component ATA:73
PN:3057249-01	MOS	15-May-14		TSN 0				OVERHAUL
SN:WA48020	HRS	0	3600 (+500)	TSN 0	(3600) 3600	4100	2391.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								
731065 S	NO. 1 ENGINE - EXAMINE (POST-SB13175) FILTER BOWL							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731065 S	NO. 2 ENGINE - EXAMINE (POST-SB13175) FILTER BOWL							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731070 S	NO. 1 ENGINE - INSPECT PNEUMATIC TUBES AND LINES FOR CRACKS AND DAMAGES ESPECIALLY AT THE END FITTINGS AND JOINTS							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-10-08PROC. REF: EMM 73-10-08								
731070 S	NO. 2 ENGINE - INSPECT PNEUMATIC TUBES AND LINES FOR CRACKS AND DAMAGES ESPECIALLY AT THE END FITTINGS AND JOINTS							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-10-08PROC. REF: EMM 73-10-08								
731075 S	NO. 1 ENGINE - CHECK P3 FILTER FOR INSTALLATION							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731075 S	NO. 2 ENGINE - CHECK P3 FILTER FOR INSTALLATION							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731080 S	NO. 1 ENGINE - CHECK DRAIN VALVE (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-10-06PROC. REF: EMM 73-10-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731080 S	NO. 2 ENGINE - CHECK DRAIN VALVE (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-10-06PROC. REF: EMM 73-10-06								
731090	NO. 1 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:3120644-01	MOS	15-May-14		TSN 0				OVERHAUL
SN:19079836	HRS	0	3600 (+500)	TSN 0	(3600) 3600	4100	2391.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00								
731090	NO. 2 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:3120644-01	MOS	15-May-14		TSN 0				OVERHAUL
SN:19037297	HRS	0	3600 (+500)	TSN 0	(3600) 3600	4100	2391.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00								
731091 S	NO. 1 ENGINE - CHECK THE FLOW DIVIDER (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731091 S	NO. 2 ENGINE - CHECK THE FLOW DIVIDER (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731115	LEFT FIREWALL FUEL FILTER							Component ATA:73
PN:109-389000-1	MOS/MSC	18-Jun-18	O/C	TSN 0				
SN:7BM187	HRS	756.7		TSN 0				
WC#: 73.080	AFL	357		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731116	RIGHT FIREWALL FUEL FILTER							Component ATA:73
PN:D9-55-1	MOS/MSC	02-May-23	O/C					
SN:NA	HRS							
WC#: 73.080	AFL							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732005	LEFT FUEL FLOW INDICATOR							Component ATA:73
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732010	RIGHT FUEL FLOW INDICATOR							Component ATA:73
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
732020 S	NO. 1 ENGINE - CHECK FCU FOR INSTALLATION, LINKAGES AND PNEUMATIC LINES							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00								
732020 S	NO. 2 ENGINE - CHECK FCU FOR INSTALLATION, LINKAGES AND PNEUMATIC LINES							Service ATA:73
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00								
733005	LEFT FUEL FLOW TRANSMITTER							Component ATA:73
PN:1/2-2-81-301	MOS/MSC	15-May-14	O/C	TSN 0				
SN:608690	HRS	0		TSN 0				
WC#: 73.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
733007	RIGHT FUEL FLOW TRANSMITTER							Component ATA:73
PN:1/2-2-81-301	MOS/MSC	15-May-14	O/C	TSN 0				
SN:608669	HRS	0		TSN 0				
WC#: 73.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
733010 S	NO. 1 ENGINE - PNEUMATIC SYSTEM - CLEAN THE (P3) FILTER, DEPENDENT ON CONDITION, SERVICE EXPERIENCE OR ENVIRONMENT							Service ATA:73
PN:PN	MOS	25-Aug-26						
SN:UNKNOWN	HRS	1181.6	200 (+10%)					
	ENC	544						
								PKG:0
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07								
733010 S	NO. 2 ENGINE - PNEUMATIC SYSTEM - CLEAN THE (P3) FILTER, DEPENDENT ON CONDITION, SERVICE EXPERIENCE OR ENVIRONMENT							Service ATA:73
PN:PN	MOS	25-Aug-26						
SN:UNKNOWN	HRS	1181.6	200 (+10%)					
	ENC	544						
								PKG:0
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07								
733030	NO. 1 ENGINE - FLOW DIVIDER							Component ATA:73
PN:PN	MOS	15-May-14		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	3600 (+500)	TSN 0	(3600) 3600	4100	2391.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733030	NO. 2 ENGINE - FLOW DIVIDER							Component ATA:73
PN:PN	MOS	15-May-14		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	3600 (+500)	TSN 0	(3600) 3600	4100	2391.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
733040 S	NO. 1 ENGINE - CLEAN AND EXAMINE P3 FILTER DRAIN VALVE HOUSING ASSEMBLY (POST-SB13175)							Service ATA:73
	MOS	20-May-20						
	HRS	1151	200 (+10%)					
	ENC	537						
								PKG:0
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07								
733040 S	NO. 2 ENGINE - CLEAN AND EXAMINE P3 FILTER DRAIN VALVE HOUSING ASSEMBLY (POST-SB13175)							Service ATA:73
	MOS	20-May-20						
	HRS	1151	200 (+10%)					
	ENC	537						
								PKG:0
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07								
ATA 74 - IGNITION								
74-00-00-2100 S	IGNITION EXCITER GENERAL VISUAL INSPECTION							Service ATA:74
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,204,205,208
PROC. REF: AMM 74-00-00PROC. REF: AMM 74-00-00								
74-10-03-7100 S	AUTOIGNITION OPERATIONAL CHECK							Service ATA:74
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 74-10-03PROC. REF: AMM 74-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
740010	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:3043937-06	MOS	15-May-14		TSN 0				OVERHAUL
SN:132999	HRS	0	3600 (+500)	TSN 0	(3600) 3600	4100	2391.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-00PROC. REF: EMM 74-10-00								
740010	NO. 2 ENGINE - IGNITION EXCITER							Component ATA:74
PN:3043937-06	MOS	15-May-14		TSN 0				OVERHAUL
SN:132659	HRS	0	3600 (+500)	TSN 0	(3600) 3600	4100	2391.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 74-10-00PROC. REF: EMM 74-10-00								
740020	NO. 1 ENGINE - CHECK IGNITION EXCITER FOR INSTALLATION AND CONDITION							Service ATA:74
	MOS	20-May-20						
	HRS	1151	400 (+10%/-10%)	Adj 5.7	(1556.7) 1556.7	1596.7	348.6 (+40)	
	ENC	537						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
740020	NO. 2 ENGINE - CHECK IGNITION EXCITER FOR INSTALLATION AND CONDITION							Service ATA:74
	MOS	20-May-20						
	HRS	1151	400 (+10%/-10%)	Adj 5.7	(1556.7) 1556.7	1596.7	348.6 (+40)	
	ENC	537						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
740022	NO. 1 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION. CHECK FUNCTION							Service ATA:74
	MOS	20-May-20						
	HRS	1151	400 (+10%/-10%)	Adj 5.7	(1556.7) 1556.7	1596.7	348.6 (+40)	
	ENC	537						
PROC. REF: EMM 74-20-00, EMM 74-10-00PROC. REF: EMM 74-20-00, EMM 74-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
740022	NO. 2 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION. CHECK FUNCTION							Service ATA:74
	MOS	20-May-20						
	HRS	1151	400 (+10%/-10%)	Adj 5.7	(1556.7) 1556.7	1596.7	348.6 (+40)	
	ENC	537						
PROC. REF: EMM 74-20-00, EMM 74-10-00PROC. REF: EMM 74-20-00, EMM 74-10-00								
740025	NO. 1 ENGINE - CHECK IGNITION CABLES FOR CHAFING, WEAR AND INSTALLATION							Service ATA:74
	MOS	20-May-20						
	HRS	1151	400 (+10%/-10%)	Adj 5.7	(1556.7) 1556.7	1596.7	348.6 (+40)	
	ENC	537						
PROC. REF: EMM 74-20-00PROC. REF: EMM 74-20-00								
740025	NO. 2 ENGINE - CHECK IGNITION CABLES FOR CHAFING, WEAR AND INSTALLATION							Service ATA:74
	MOS	20-May-20						
	HRS	1151	400 (+10%/-10%)	Adj 5.7	(1556.7) 1556.7	1596.7	348.6 (+40)	
	ENC	537						
PROC. REF: EMM 74-20-00PROC. REF: EMM 74-20-00								
ATA 75 - AIR								
750010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component ATA:75
PN:3117032-01	MOS	15-May-14		TSN 0				OVERHAUL
SN:AHX2900637	HRS	0	3600 (+500)	TSN 0	(3600) 3600	4100	2391.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-00PROC. REF: EMM 75-30-00								
750010	NO. 2 ENGINE - COMPRESSOR BLEED VALVE							Component ATA:75
PN:3117032-01	MOS	15-May-14		TSN 0				OVERHAUL
SN:AHX2900625	HRS	0	3600 (+500)	TSN 0	(3600) 3600	4100	2391.9 (+500)	
	ENC	0		TSN 0				
PROC. REF: EMM 75-30-00PROC. REF: EMM 75-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-00-00-2100 S	CONTROL CABLE BOOTS GENERAL VISUAL INSPECTION							Service ATA:76
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 76-00-00PROC. REF: AMM 76-00-00								
76-00-00-2101 S	ENGINE AND PROPELLER CONTROLS GENERAL VISUAL INSPECTION							Service ATA:76
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 76-00-00PROC. REF: AMM 76-00-00								
76-00-00-6400 S	ENGINE CONTROLS LUBRICATION							Service ATA:76
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:200,201,202,203,205,206
PROC. REF: AMM 76-00-00PROC. REF: AMM 76-00-00								
76-00-00-7100 S	ENGINE AND PROPELLER CONTROLS OPERATIONAL CHECK							Service ATA:76
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 76-00-00PROC. REF: AMM 76-00-00								
76-10-09-2100 S	ENGINE CONTROL LEVERS CONDITION CONTROL CATCH GATE GENERAL VISUAL INSPECTION							Service ATA:76
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,208
PROC. REF: AMM 76-10-09PROC. REF: AMM 76-10-09								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-10-09-2200 S	ENGINE CONTROL LEVERS DETAILED INSPECTION							Service ATA:76
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206
PROC. REF: AMM 76-10-09PROC. REF: AMM 76-10-09								
76-10-15-7100 S	GROUND RUN TORQUE OPERATIONAL CHECK							Service ATA:76
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:202,206,207,208
PROC. REF: AMM 76-10-15PROC. REF: AMM 76-10-15								
76-10-19-2200 S	NO. 1 ENGINE CONTROLS POWER LEVER DETENT PIN DETAILED INSPECTION							Service ATA:76
	MOS	20-May-20						
	HRS	1151	1200 (+20/-20)	Adj 49				
WC#: 76.010	AFL	537						
								PKG:210
PROC. REF: AMM 76-10-19PROC. REF: AMM 76-10-19								
76-10-19-2200 S	NO. 2 ENGINE CONTROLS POWER LEVER DETENT PIN DETAILED INSPECTION							Service ATA:76
	MOS	20-May-20						
	HRS	1151	1200 (+20/-20)	Adj 49				
WC#: 76.010	AFL	537						
								PKG:210
PROC. REF: AMM 76-10-19PROC. REF: AMM 76-10-19								
760301	NO. 1 ENGINE POWER LEVER-PEDESTAL PIN							Component ATA:76
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 76.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
760350	NO. 2 ENGINE POWER LEVER-PEDESTAL PIN							Component ATA:76
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 76.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
761010 S	NO. 1 ENGINE - INSPECT ENGINE CONTROL LINKAGES							Service ATA:76
	MOS	11-Nov-15						
	HRS	61.8	200 (+10%)					
	ENC	31						
								PKG:0
PROC. REF: EMM 76-10-00PROC. REF: EMM 76-10-00								
761010 S	NO. 2 ENGINE - INSPECT ENGINE CONTROL LINKAGES							Service ATA:76
	MOS	11-Nov-15						
	HRS	61.8	200 (+10%)					
	ENC	31						
								PKG:0
PROC. REF: EMM 76-10-00PROC. REF: EMM 76-10-00								
ATA 77 - ENGINE INDICATING								
77-00-00-7100 S	INTERSTAGE TURBINE TEMPERATURE OPERATIONAL CHECK							Service ATA:77
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 77-00-00PROC. REF: AMM 77-00-00								
77-40-05-7200 S	ENGINE INDICATION REVERSION FUNCTIONAL CHECK (AIRPLANES FL-381, FL-383 THRU FL-953, FL-955 THRU FL-1009, FL-1011 THRU FL-1030, AND FM-12 THRU FM-65)							Service ATA:77
	MOS	15-May-14	24					
	HRS	0	800 (+20/-20)					
	AFL	0						
								PKG:200,202,205,206,208
PROC. REF: AMM 77-40-05PROC. REF: AMM 77-40-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-40-17-7100 S		ENGINE OIL TEMPERATURE OPERATIONAL CHECK						Service ATA:77
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 77-40-17PROC. REF: AMM 77-40-17								
77-40-19-7100 S		ENGINE OIL PRESSURE OPERATIONAL CHECK						Service ATA:77
	MOS	15-May-14	T:12					
	HRS	0						
	AFL	0						
								PKG:207,208
PROC. REF: AMM 77-40-19PROC. REF: AMM 77-40-19								
771005		LEFT TURBINE TACHOMETER INDICATOR						Component ATA:77
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
771010		RIGHT TURBINE TACHOMETER INDICATOR						Component ATA:77
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
772005		LEFT ITT INDICATOR						Component ATA:77
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
772010		RIGHT ITT INDICATOR						Component ATA:77
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.020	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
774001	NO. 1 (EDC) ENGINE DATA CONCENTRATOR UNIT							Component ATA:77
PN:822-1483-101	MOS/MSC	15-May-14	O/C	TSN 0				
SN:41GKDL	HRS	0		TSN 0				
WC#: 77.030	AFL	0		TSN 0				
PROC. REF: AMM 77-40-03PROC. REF: AMM 77-40-03								
774002	NO. 2 (EDC) ENGINE DATA CONCENTRATOR UNIT							Component ATA:77
PN:822-1483-101	MOS/MSC	15-May-14	O/C	TSN 0				
SN:41GKDM	HRS	0		TSN 0				
WC#: 77.030	AFL	0		TSN 0				
PROC. REF: AMM 77-40-03PROC. REF: AMM 77-40-03								
774003	NO. 1 (DCU) DATA CONCENTRATOR UNIT							Component ATA:77
PN:822-1483-101	MOS/MSC	15-May-14	O/C	TSN 0				
SN:41GKDN	HRS	0		TSN 0				
WC#: 77.040	AFL	0		TSN 0				
PROC. REF: AMM 77-40-01PROC. REF: AMM 77-40-01								
774004	NO. 2 (DCU) DATA CONCENTRATOR UNIT							Component ATA:77
PN:822-1483-101	MOS/MSC	15-May-14	O/C	TSN 0				
SN:41GKDP	HRS	0		TSN 0				
WC#: 77.040	AFL	0		TSN 0				
PROC. REF: AMM 77-40-01PROC. REF: AMM 77-40-01								
ATA 78 - EXHAUST								
78-00-00-2100 S	EXHAUST SYSTEM GENERAL VISUAL INSPECTION							Service ATA:78
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 78-00-00PROC. REF: AMM 78-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-00-00-2100 S	OIL COOLER GENERAL VISUAL INSPECTION							Service ATA:79
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,204,205,206,208
PROC. REF: AMM 79-00-00PROC. REF: AMM 79-00-00								
79-00-00-2101 S	DRAIN PLUGS GENERAL VISUAL INSPECTION							Service ATA:79
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 79-00-00PROC. REF: AMM 79-00-00								
79-00-00-9600	NO. 1 ENGINE - ENGINE OIL FILTER RESTORATION (REPLACEMENT)							Service ATA:79
	MOS	25-Aug-26						SCRAP
	HRS	1181.6	1000 (+100)		(2181.6) 2181.6	2281.6	973.5 (+100)	
	ENC	544						
PROC. REF: AMM 79-00-00, AMM 79-00-00, EMM 79-20-02, AMM 79-00-00PROC. REF: AMM 79-00-00, AMM 79-00-00, EMM 79-20-02, AMM 79-00-00								
79-00-00-9600	NO. 2 ENGINE - ENGINE OIL FILTER RESTORATION (REPLACEMENT)							Service ATA:79
	MOS	25-Aug-26						SCRAP
	HRS	1181.6	1000 (+100)		(2181.6) 2181.6	2281.6	973.5 (+100)	
	ENC	544						
PROC. REF: AMM 79-00-00, AMM 79-00-00, EMM 79-20-02, AMM 79-00-00PROC. REF: AMM 79-00-00, AMM 79-00-00, EMM 79-20-02, AMM 79-00-00								
79-30-05-2200 S	MAGNETIC CHIP DETECTOR DETAILED INSPECTION							Service ATA:79
	MOS	15-May-14	24					
	HRS	0	800					
	AFL	0						
								PKG:201,203,205,206,208
PROC. REF: AMM 79-30-05PROC. REF: AMM 79-30-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790020	NO. 1 ENGINE - CHIP DETECTOR							Component ATA:79
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-10-00PROC. REF: EMM 72-10-00								
790020	NO. 2 ENGINE - CHIP DETECTOR							Component ATA:79
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: EMM 72-10-00PROC. REF: EMM 72-10-00								
790030	NO. 1 ENGINE - CONTINUITY CHECK MAGNETIC CHIP DETECTOR							Service ATA:79
PN:PN	MOS	20-May-20						
SN:UNKNOWN	HRS	1151	400 (+10%)		(1551) 1551	1591	342.9 (+40)	
	ENC	537						
PROC. REF: AMM 79-30-05, EMM 72-10-00PROC. REF: AMM 79-30-05, EMM 72-10-00								
790030	NO. 2 ENGINE - CONTINUITY CHECK MAGNETIC CHIP DETECTOR							Service ATA:79
PN:PN	MOS	20-May-20						
SN:UNKNOWN	HRS	1151	400 (+10%)		(1551) 1551	1591	342.9 (+40)	
	ENC	537						
PROC. REF: AMM 79-30-05, EMM 72-10-00PROC. REF: AMM 79-30-05, EMM 72-10-00								
790040	NO. 1 ENGINE - BRIDGE CHECK CHIP DETECTOR							Service ATA:79
PN:PN	MOS	16-Dec-21	12 (+30d)		16-Dec-22	15-Jan-23	OVD	
SN:UNKNOWN	HRS	1172.2	600 (+10%)		(1772.2) 1772.2	1832.2	564.1 (+60)	
	ENC	542						
PROC. REF: EMM 72-10-00PROC. REF: EMM 72-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790040	NO. 2 ENGINE - BRIDGE CHECK CHIP DETECTOR							Service ATA:79
PN:PN	MOS	16-Dec-21	12 (+30d)		16-Dec-22	15-Jan-23	OVD	
SN:UNKNOWN	HRS	1172.2	600 (+10%)		(1772.2) 1772.2	1832.2	564.1 (+60)	
	ENC	542						
PROC. REF: EMM 72-10-00	PROC. REF: EMM 72-10-00							
790060 S	NO. 1 ENGINE - EXAMINE THE OIL FILTER AND SECONDARY SCREEN (COARSE HATTYPE SCREEN ATTACHED TO THE INNER END OF THE FILTER)							Service ATA:79
	MOS	25-Aug-26						
	HRS	1181.6	200					
	ENC	544						
								PKG:0
PROC. REF: EMM 79-20-02	PROC. REF: EMM 79-20-02							
790060 S	NO. 2 ENGINE - EXAMINE THE OIL FILTER AND SECONDARY SCREEN (COARSE HATTYPE SCREEN ATTACHED TO THE INNER END OF THE FILTER)							Service ATA:79
	MOS	25-Aug-26						
	HRS	1181.6	200					
	ENC	544						
								PKG:0
PROC. REF: EMM 79-20-02	PROC. REF: EMM 79-20-02							
790070	NO. 1 ENGINE - CHECK SCAVENGE PUMP INLET SCREEN							Service ATA:79
	MOS	22-Feb-19						
	HRS	956.7	1000 (+100)		(1956.7) 1956.7	2056.7	748.6 (+100)	
	ENC	451						
PROC. REF: EMM 72-60-00	PROC. REF: EMM 72-60-00							
790070	NO. 2 ENGINE - CHECK SCAVENGE PUMP INLET SCREEN							Service ATA:79
	MOS	22-Feb-19						
	HRS	956.7	1000 (+100)		(1956.7) 1956.7	2056.7	748.6 (+100)	
	ENC	451						
PROC. REF: EMM 72-60-00	PROC. REF: EMM 72-60-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790080	NO. 1 ENGINE - CHANGE OIL							Service ATA:79
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00, AMP 0B-A-12-13-03-00A-292A-A, AMP 0B-A-12-13-04-00A-292A-APROC. REF: EMM 72-00-00, AMP 0B-A-12-13-03-00A-292A-A, AMP 0B-A-12-13-04-00A-292A-A								
790080	NO. 2 ENGINE - CHANGE OIL							Service ATA:79
	MOS/MSC	15-May-14	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00, AMP 0B-A-12-13-03-00A-292A-A, AMP 0B-A-12-13-04-00A-292A-APROC. REF: EMM 72-00-00, AMP 0B-A-12-13-03-00A-292A-A, AMP 0B-A-12-13-04-00A-292A-A								
790092 S	NO. 1 ENGINE - CHECK OIL SCAVANGE PUMP HOUSING FOR LEAKS							Service ATA:79
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790092 S	NO. 2 ENGINE - CHECK OIL SCAVANGE PUMP HOUSING FOR LEAKS							Service ATA:79
	MOS	15-May-14						
	HRS	0	200 (+10%)					
	ENC	0						
								PKG:0,4
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790101	LEFT OIL COOLER							Component ATA:79
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.060	AFL	0		TSN 0				
PROC. REF: AMM 79-10-01PROC. REF: AMM 79-10-01								
790601	RIGHT OIL COOLER							Component ATA:79
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.060	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: AMM 79-10-01	PROC. REF: AMM 79-10-01							
793005	LEFT OIL PRESSURE SWITCH							Component ATA:79
PN:50-389121-33	MOS/MSC	15-May-14	O/C	TSN 0				
SN:4165	HRS	0		TSN 0				
WC#: 79.030	AFL	0		TSN 0				
PROC. REF: AMM 79-30-07	PROC. REF: AMM 79-30-07							
793010	RIGHT OIL PRESSURE SWITCH							Component ATA:79
PN:50-389121-33	MOS/MSC	23-Jun-15	O/C	TSN 0				
SN:4337	HRS	20.3		TSN 0				
WC#: 79.030	AFL	16		TSN 0				
PROC. REF: AMM 79-30-07	PROC. REF: AMM 79-30-07							
793015	LEFT OIL PRESSURE TRANSDUCER							Component ATA:79
PN:101-389023-7	MOS/MSC	15-May-14	O/C	TSN 0				
SN:8101-12-201	HRS	0		TSN 0				
WC#: 79.040	AFL	0		TSN 0				
PROC. REF: AMM 79-30-03	PROC. REF: AMM 79-30-03							
793020	RIGHT OIL PRESSURE TRANSDUCER							Component ATA:79
PN:101-389023-7	MOS/MSC	15-May-14	O/C	TSN 0				
SN:8101-12-173	HRS	0		TSN 0				
WC#: 79.040	AFL	0		TSN 0				
PROC. REF: AMM 79-30-03	PROC. REF: AMM 79-30-03							
793025	LEFT OIL PRESSURE AND TEMPERATURE INDICATOR							Component ATA:79
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793030	RIGHT OIL PRESSURE AND TEMPERATURE INDICATOR							Component ATA:79
PN:PN	MOS/MSC	15-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 79.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS