

LT



PROPELLER LOGBOOK

P.P. Per PA34-200T
 "Seneca V"
 "Left" position

Owner Name _____

Address _____

Propeller Model 3AF32C522

Blade Model 82NJA-6

Hub Serial No. 001236

Blade Serial No. 1 TD119

2 TD133

3 TD136

4 _____

12.6° low pitch ✕

85.7° LATCH ✕

82.1° FEATHER ✕
2




MAINTENANCE & SERVICE HISTORY

Date	Total Propeller Time	Time Since Overhaul	Description of Work	Authorized Signatures Repairman and Station Certificate Numbers
2/17/2017		0	Propeller overhauled, blades ground, zyglod, alodined, painted and balanced. Magnafuxed all steel parts, zyglod all aluminum parts. Gald plated where required. Parts replaced where required, propeller assembled, lubricated and balanced. Functionally tested, angles set to Mfgs. specs.	
			<p><i>Repair details of this overhaul are on file under W.O. 015-074 at the following facility</i></p> <p>Johnson Propeller, Inc. 211 Aviation St. Suite 104 Shafter, CA 93263</p> <p>William R. Johnson USPR491J</p> <p><i>William R. Johnson</i></p>	

Note: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

4

MAINTENANCE & SERVICE HISTORY

Date	 <p>AMERITECH INDUSTRIES DBA AMERICAN PROPELLER SERVICE REPAIR STATION No. NO3R717L 20208 CHARLANNE DRIVE REDDING, CA 96002 USA</p>		DATE: 2-29-17 NAVSTAR TACH: 1885.0 AFTT: SMOH:
WORK ACCOMPLISHED	Flush-Repair		 <p>FOR FIELD 4004 W. AVE. G LANCASTER, CA 93586 USA 6617340-008</p> <p>PROPELLER REMOVED AND SENT OUT FOR FLUSH GOVERNOR SENT OUT FOR OVERHAUL PROP AND GOV. REINSTALLED AND FUNCTION CHECKED NORMAL CHARLES LITTON AF3883725</p> <p><i>Charles Litton</i></p>
MODEL NO.	3AE32C522		
SERIAL NO.	001236		
<p>THE AIRCRAFT AND/OR COMPONENT IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND IS APPROVED FOR RETURN TO SERVICE. PERTINENT DETAILS OF THE REPAIR ARE ON FILE AT THIS AGENCY UNDER</p>			
REPAIR ORDER #	21351-01-2017		
DATED:	02-06-2017		
SIGNED	 MIKE CROWELL (AUTHORIZED INDIVIDUAL)		

FORM LB01

Note: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

5

MAINTENANCE & SERVICE HISTORY



Loyd's AIRCRAFT MAINTENANCE, INC.
 (661) 393-1588 Fax (661) 393-2502

SO# 18651

N N687AV
 Hobbs: 1861.80
 Prop. TT: 1861.80
 Prop. S/N 1236
 Date: 8/9/2017

Work Accomplished

Left Propeller -

Discrepancy:

Annual Inspection due.

Resolution:

Completed an Annual inspection this date in accordance with F.A.R. 43 appendix D, and Piper Inspection Guide, Dated:30 MAY 2007.

I certify that this propeller has been inspected and complied with an Annual Inspection this date per F.A.R. 43 appendix D.

This propeller is approved for return to service with respect to the work performed

George Leazer AP35576641A

Note: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

6

MAINTENANCE & SERVICE HISTORY

Date	Total Propeller Time	Time Since Overhaul	Description of Work	Authorized Signatures Repairman and Station Certificate Numbers
------	----------------------	---------------------	---------------------	---



Loyd's AIRCRAFT MAINTENANCE, INC.
 (661) 393-1588 Fax (661) 393-2502

SO# 19387

N N687AV
 Hobbs: 1888.40
 Prop. TT: 1888.40
 Prop. S/N 1236
 Date: 9/21/2018

Work Accomplished

Left Propeller -

I certify that a annual inspection was performed on the above propeller in accordance with F.A.R. 43 appendix D, and Piper Aircraft MM 761-888, PR140101, REV Dated 24 JUL 2014.

This propeller is approved for return to service with respect to the work performed.

Mark W Wiebe AP5618680731A

Note: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12

1. Approving Civil Aviation Authority/Country:

FAA/United States

AUTHORIZED RELEASE CERTIFICATE

FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG

3. Form Tracking Number:

15-074 @ PIPER PA34-200T
"SENECA V" LEFT POSITION

4. Organization Name and Address:

JOHNSON PROPELLER, INC.
211 AVIATION ST. STE. 104
SHAFTER, CA 93263
CRS # J3PR491J

5. Work Order/Contract/Invoice Number:

015-074

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	McCAULEY PROPELLER	3AF32C522/82NJA-6	1	ASSY. S/N 001236 BLADE S/N'S TD116 TD133 TD136	OVERHAUL

12. Remarks:

PROPELLER OVERHAULED I.A.W. MFGS. MANUALS MPC500, BOM100, SPM100, FUNCTIONALLY BENCH TESTED AND ANGLES SET TO MFGS. SPECS.
12.0 DEGREES LOW PITCH ANGLE 115.7 DEGREES LATCH, 82.1 DEGREES FEATHER ANGLE.
INSTALLED ELECTRIC DE-ICE BOOTS/HARNESSES @ SMR2271-10 / SMR2092-9
STATICALLY BALANCED FOLLOWING MFGS. GUIDELINES.
ALL S/L'S & S/B'S REVIEWED & COMPLIED WITH THRU THIS DATE.
ALL A.D.'S CHECKED AND IN COMPLIANCE.
NO A.D.'S PERTINENT TO THIS PROPELLER AT THIS TIME.

13a. Certifies the items identified above were manufactured in conformity to:

- Approved design data and are in a condition for safe operation.
 Non-approved design data specified in Block 12.

14a. 14 CFR 43.9 Return to Service. Other regulation specified in Block 12.

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:

13c. Approval/Authorization No.:

14b. Authorized Signature:

14c. Approval/Certificate No.:

13d. Name (Typed or printed):

13e. Date (dd/mm/yyyy):

14d. Name (Typed or Printed):

14e. Date (dd/mm/yyyy):

WILLIAM R. JOHNSON

FEBRUARY 17, 2015


User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

MAINTENANCE & SERVICE HISTORY

Date	Total Propeller Time	Time Since Overhaul	Description of Work	Authorized Signatures Repairman and Station Certificate Numbers
			<div data-bbox="192 329 397 401" data-label="Image"> </div> <div data-bbox="412 339 862 401" data-label="Text"> <p><i>Loyd's</i> AIRCRAFT MAINTENANCE, INC. (661) 393-1588 Fax (661) 393-2602</p> </div> <div data-bbox="890 412 997 433" data-label="Text"> <p>SO# 20171</p> </div> <div data-bbox="1054 310 1247 433" data-label="Text"> <p>N N687AV Hobbs: 1894.50 Prop. TT: 1894.50 Prop. S/N 1236 Date: 1/10/2020</p> </div> <div data-bbox="184 440 385 461" data-label="Section-Header"> <p>Work Accomplished</p> </div> <div data-bbox="184 474 315 495" data-label="Text"> <p>Left Propeller -</p> </div> <div data-bbox="184 515 1147 578" data-label="Text"> <p>I certify that a annual inspection was performed on the above propeller in accordance with F.A.R. 43 appendix D, and Piper Aircraft , 761-888, PR190831, REV. Dated September 13, 2019 This propeller is approved for return to service with respect to the work performed.</p> </div> <div data-bbox="161 578 462 660" data-label="Text">  Mark W Wiebe AP5618680731A </div>	

Note: Enter Compliance With All Applicable FAA A.D. & Factory Service Bulletins On Pages 11 & 12